Memorandum

Date: November 19, 2026

To: Southern Nevada District Board of Health

From: **Christopher D. Saxton, MPH-EH, REHS,** *Director of Environmental Health*
Cassius Lockett, PhD, *District Health Officer*

Subject: Environmental Health Division Monthly Report

I. FOOD OPERATIONS PROGRAM

ENVIRONMENTAL HEALTH Food Operations Program – Fiscal Year Data

Food Operation Services	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Routine Inspections	2,240	2,245	↑	9,482	8,877	↓
Reinspections	212	166	↓	826	698	↓
Downgrades	179	149	↓	788	681	↓
Closures	14	5	↓	63	42	↓
Special Events	151	154	↑	360	340	↓
Temporary Food Establishments & Tasting Event Booths	1,349	1,273	↓	2,714	2,493	↓
TOTALS	**4,145**	**3,992**	↓	**14,233**	**13,131**	↓

↑ *(Up Arrow) - Indicates an increase compared to the previous period.*
↓ *(Down Arrow) - Indicates a decrease compared to the previous period.*
→ *(Right Arrow) - Indicates no significant change compared to the previous period.*

1. **Enforcement Actions and Investigations:**
   - **A. Taqueria La Famosa, 63 N. 30th St.:** On October 1, staff investigated a complaint of illness. The inspector documented 14 demerits. The facility was reinspected with three demerits on October 13.
   - **B. Mr. BBQ, 4240 Spring Mountain Rd:** On October 14, the facility was closed for incurring 30 demerits during an unpermitted change of permit holder (CPH) inspection. The facility was referred to Plan Review for proper permitting.

C. RPM Italian at Forum Shops, 3500 S. Las Vegas Blvd.: On October 15, the facility was closed for an Imminent Health Hazard (IHH), improper disposal of sewage. The inspector documented five demerits. The facility was reinspected and reopened with zero demerits on October 15.

D. La Cocina Del Sabor, 2595 E. Craig Rd.: On October 19, the facility was closed for a failed CPH inspection. The inspector documented 53 demerits. The facility remains closed at this time.

E. Matiki Island BBQ, 3430 E. Tropicana Ave.: On October 29, the facility was closed for a failed CPH inspection and an Imminent Health Hazard, pest infestation. The inspector documented 19 demerits. The facility remains closed at this time.

F. Staff conducted unpermitted food vending complaint investigations with Las Vegas Metropolitan Police Department, City of Las Vegas, City of North Las Vegas, and Clark County Business License representatives.

G. Staff closed 37 unpermitted food vending complaint investigations.

2. Supervisory/Managerial Conferences:

A. Conferences were held with the following facilities: K-SSAMBAP, 3909 W. Sahara Ave.; and #1 Hawaiian Barbecue, 5870 Losee Rd.

ENVIRONMENTAL HEALTH Outbreak Support – Fiscal Year Data

Outbreak Support	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Childhood Elevated Blood Lead Levels	2	1	↓	8	1	↓
Foodborne Illness Investigations	7	7	→	36	28	↓
Healthcare Associated Infections (HAI)	0	1	↑	0	10	↑
Legionella Travel Associated Investigations	2	2	→	5	9	↑
Legionella Residential Investigations	3	2	↓	17	7	↓
Legionella HAI Investigations	0	0	→	0	1	↑

3. Legionella Response:

A. Residential Legionella investigations began in January 2020 as part of a Centers for Disease Control and Prevention (CDC) grant-funded project. A residential investigation is prompted by a resident becoming ill and the investigation is conducted in their home.

B. Travel-associated investigations are prompted by a visitor who became ill after staying at a permitted public accommodation. An investigation is conducted at the hotel(s) they stayed at while in town.

C. Legionella HAI investigations are prompted by a person becoming ill while, or shortly after, receiving healthcare. An investigation is conducted at the healthcare facility they visited.

4. Foodborne Illness Response:

A. MB China, 2100 E. Lake Mead Blvd.: On October 5, staff responded to multiple complaints of illness. Staff observed risk factors that could lead to illness including food improperly cooled, food held at improper temperatures, and the use of sanitizer solutions at improper concentrations. The inspection resulted in a B downgrade. The facility passed its reinspection with an A grade.

B. Wendy's, 3995 S. Durango Dr.: On October 7, staff responded to a confirmed case of Salmonella. Staff observed risk factors that could lead to illness including improper handwashing. The inspection resulted in a B downgrade. The facility passed its reinspection with an A grade.

C. **Hearthstone Restaurant, 11011 W. Charleston Blvd.:** On October 13, staff responded to multiple reports of illness. Staff observed risk factors that could lead to illness including food held at improper temperatures, improper storage of food to prevent contamination, and presence of pests. The inspection resulted in a B downgrade. The facility passed its reinspection with an A grade.
D. **Thai Cuisine, 601 N. Nellis Blvd.:** On October 22, staff responded to a confirmed case of Shigella. Staff observed risk factors that could lead to illness including cross-contamination of food from utensils, improper warewashing practices, and vegetables inadequately washed prior to use. The inspection resulted in an A grade.
E. **Ohjah Japanese Steakhouse, 8595 S. Decatur Blvd.:** On October 27, staff responded to multiple complaints of illness. Staff observed risk factors that could lead to illness including improper handwashing practices, food held at improper temperatures, and food stored prone to contamination. The inspection resulted in a B downgrade. A reinspection is still pending.
F. **McDonalds, 5740 Losee Rd.:** On October 27, staff responded to a confirmed case of Salmonella. Staff observed risk factors that could lead to illness including improper handwashing practices and inadequate hot water at handwashing stations. The inspection resulted in an A grade.
G. **Poke Express, 19 S. Stephanie St.:** On October 27, staff responded to a confirmed case of Salmonella. Staff observed risk factors that could lead to illness including food held at improper temperatures and food washed in unsanitary sinks. The inspection resulted in an A grade.

II. SOLID WASTE AND COMPLIANCE

ENVIRONMENTAL HEALTH Solid Waste Management Authority (SWMA) Illegal Dumping Complaints and Hearing Officer Process – Fiscal Year Data

Illegal Dumping and Hearing Officer Process	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Notices of Violations (New & Remails)	5	2	↓	17	17	→
Adjudicated Hearing Cases	5	5	→	13	13	→
Total Cases Received	63	61	↓	299	253	↓
Total Cases Referred to Other Agencies	13	12	↓	52	52	→
Hearing Penalties Assessed	$3,108	$10,500	↑	$11,108	$18,638	↑

Remails - Notices of Violations that are returned by the postal service and then mailed to a newly found address.

ENVIRONMENTAL HEALTH Restricted Waste Management – Fiscal Year Data

Restricted Waste Management	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Inspections	216	151	↓	1,035	706	↓

ENVIRONMENTAL HEALTH Underground Storage Tanks (UST) Full Compliance Inspections – Fiscal Year Data

Underground Storage Tanks	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Compliance Inspections	64	62	↓	190	355	↑
Final Installation/Upgrade/Repair Inspections	1	2	↑	6	10	↑
Closure Inspections	1	1	→	3	4	↑
Spill Report Investigations	1	1	→	4	8	↑

ENVIRONMENTAL HEALTH Permitted Disposal Facilities (PDF) Inspections – Fiscal Year Data

Permitted Disposal Facilities	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Inspections	27	25	↓	99	79	↓
Reinspections	0	0	→	7	1	↓

III. VECTOR SURVEILLANCE

ENVIRONMENTAL HEALTH Vector Surveillance and Other EH Services - Fiscal Year Data

Vector Surveillance and Other EH Services	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
West Nile Virus Surveillance Traps Set	378	276	↓	1,582	1,718	↑
West Nile Virus Surveillance Mosquitoes Tested	7,014	4,557	↓	24,060	18,756	↓
West Nile Virus Surveillance Submission Pools Tested	446	205	↓	1,495	1,093	↓
West Nile Virus Surveillance Positive Mosquitoes	0	0	→	545	1,147	↑
West Nile Virus Surveillance Positive Submission Pools	0	0	→	14	32	↑
St. Louis Encephalitis Surveillance Positive Mosquitoes	0	0	→	0	0	→
St. Louis Encephalitis Surveillance Positive Submission Pools	0	0	→	0	0	→
Mosquito Activity Complaints	62	14	↓	435	88	↓
Public Accommodations Inspections	15	23	↑	50	42	↓
Public Accommodations Complaints	14	12	↓	66	65	↓
Mobile Home/Recreational Vehicle Park Inspections	6	7	↑	10	8	↓
Mobile Home/Recreational Vehicle Park Complaints	4	2	↓	6	4	↓

A sample pool is a collection of 50 or less female mosquitoes, from the same species and location, combined into a vial for testing. It is used to determine the prevalence and distribution of arboviruses and can be used to trigger mosquito breeding and disease prevention messages.

IV. EH ENGINEERING

1. Solid Waste Plan Review Program (SWPR):

A. Permits Issued – Advanced Technology (Recycling Center); and Republic Services – Gowan Facility (Materials Recovery)

B. Landfills – Apex Regional Landfill; Boulder City Landfill; Laughlin Landfill; Nellis Air Force Base (Post Closure Monitoring); Timet; Sunrise Mountain (Post Closure Monitoring); and Wells Cargo

C. Facility Applications Being Processed – Recycling Centers (6); Transfer Station (1); and Materials Recovery Facilities (2)

D. Facilities Planned for Approval at DBOH Meetings/SNHD Workshops in November: None

ENVIRONMENTAL HEALTH Asbestos Permitting Services – Fiscal Year Data

Asbestos Permitting Services	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Asbestos Permits Issued	58	57	↓	236	208	↓
Revised Asbestos Permits Issued	6	1	↓	16	17	↑

ENVIRONMENTAL HEALTH Subdivision Program – Fiscal Year Data

Subdivision Plan Review	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Tentative Maps-Received	16	13	↓	39	35	↓
Tentative Maps-Lot Count	655	886	↑	1,420	1,740	↑
Final Maps-Received	29	21	↓	66	53	↓
Final Maps-Lot Count	1,269	972	↓	2,258	2,003	↓
Final Maps-Signed	12	25	↑	53	50	↓
Final Maps (Signed)-Lot Count	156	1,550	↑	1,465	2,383	↑
Improvement Plans-Received	30	19	↓	71	44	↓
Improvement Plans-Lot Count	1,278	952	↓	2,310	1,916	↓
Expedited Improvement Plans-Received	0	0	→	0	1	↑
Expedited Improvement Plans-Lot Count	0	0	→	0	7	↑

ENVIRONMENTAL HEALTH Individual Sewage Disposal System (ISDS) Program – Fiscal Year Data

Individual Sewage Disposal Systems	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Residential ISDS Permits	8	8	→	24	25	↑
Commercial ISDS Permits	0	1	↑	0	3	↑
Commercial Holding Tank Permits	0	1	↑	17	13	↓
Residential Tenant Improvements	23	14	↓	83	84	↑
Residential Certifications	0	0	→	2	2	→
Compliance Issues	11	9	↓	38	36	↓

ENVIRONMENTAL HEALTH Safe Drinking Water Program – Fiscal Year Data

Safe Drinking Water Program	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Public Water System Sanitary Surveys	13	3	↓	54	28	↓
Public Water System Violations Issued	4	14	↑	43	26	↓

2. <u>Safe Drinking Water Activity:</u>
   - **A.** Three *coliform* positive results were reported from routine monitoring events. Other than where noted, those samples were *E. coli* negative:
     - **Las Vegas Valley Water District:** One routine sample was *coliform*-positive. The repeat samples were *coliform*-absent.
     - **Cold Creek Canyon Homeowners:** One routine sample was *coliform*-positive. The repeat samples were *coliform*-absent.
     - **Kings Row TP:** One routine sample was *coliform*-positive. The repeat samples were *coliform*-absent.
   - **B.** Staff continued to monitor water hauling activities for multiple public water systems: Laker Plaza; Red Rock Campground; Spring Mountain Youth Camp; and the Coyote Springs Golf Course.
   - **C.** Staff continued to monitor Tier 1 Public Notification at the Trout Canyon public water system.
   - **D.** Staff continued to monitor Tier 2 Public Notification triggers at the following public water systems:
     - **Equestrian Estates Co Op Water Assoc.:** Sanitary improvements of well required
     - **Spirit Mountain Utility Company:** Operator's tank-roof inspection report
     - **Blue Diamond Rainbow SW Plaza Water:** Operation without resolving Nevada Department of Environmental Protection (NDEP) permitting conditions (permit reclassification)
     - **Silverhawk Power Plant NV Energy:** Emergency repair of well
     - **Rainbow Gardens Water Users:** Cross-connection control enforcement and operation without resolving NDEP permitting conditions (well rehabilitation report)
     - **Desert Sunrise Water Users Assoc.:** Operation without resolving NDEP permitting conditions (as-built plan review)

- **Fort Apache Ann NE Water Assoc.:** Operation without resolving NDEP permitting conditions (as-built plan review)
- **Elkhorn Water Association LLC:** Operation without resolving NDEP permitting conditions (as-built plan review)
- **Keystone Center:** Disinfection system operated without safety measures
- **Blue Diamond Travel Center H325:** Cross-connection control enforcement
- **Mt Charleston Water Company:** Cross-connection control enforcement
- **Corn Creek Field Station FWS:** Operation without resolving NDEP permitting conditions (plan review)
- **Goodsprings Park Comm Center School:** Operation without resolving NDEP permitting conditions (disinfection and water quality report following plumbing repair)
- **Primm Valley Casino Resorts:** Operation without resolving NDEP permitting conditions (plan review)
- **NDOT Searchlight Welcome Center:** Cross-connection control enforcement
- **City Center Hotels:** Cross-connection control enforcement
- **Circus Circus Casino:** Cross-connection control enforcement and operation without resolving NDEP permitting conditions (disinfection and water quality report following new plumbing installation)
- **Wynn Resorts:** Cross-connection control enforcement and sanitary upkeep of filter system
- **Harrah's Laughlin:** Cross-connection control enforcement and sanitary upkeep of filter system
- **NPS Cottonwood Cove:** Operation without resolving NDEP permitting conditions (plan review)
- **Lee Canyon Campgrounds USFS:** Sanitary improvements of storage tanks required
- **Camp Lady of the Snows:** Operator's tank-roof inspection report
- **SCPPA Apex Generating Station:** Sanitary improvements of well required
- **Girl Scouts NV Camp Foxtail:** Sanitary improvements of water pump required
- **Ritchie Brothers:** Sanitary improvements for storage tank
- **Spencer W. Kimball Scout Reservation:** Operation without resolving NDEP permitting conditions (disinfection and water quality report following new plumbing installation in well)
- **Red Rock Canyon Visitor Center BLM:** Sanitary improvements for storage tank and operation without resolving NDEP permitting conditions (permit reclassification)
- **Terrible Herbst 392:** Cross-connection control enforcement and sanitary improvements for well, storage tank, and primary mechanical room

V. SPECIAL PROGRAMS

ENVIRONMENTAL HEALTH Special Programs - Fiscal Year Data

Special Programs	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
School and Child Care Kitchen Inspections	118	118	→	292	233	↓
School Facility Inspections and Surveys	137	133	↓	344	247	↓
Summer Food Service Surveys	3	3	→	11	5	↓
Child Care Facility Inspections and Surveys	12	25	↑	153	60	↓
Body Art Facility Inspections and Surveys	39	41	↑	234	76	↓
Body Art Special Event Inspections	26	16	↓	132	26	↓
Complaints	10	12	↑	38	29	↓
Total Program Services Completed	345	348	↑	1,204	676	↓

1. **Child Care:**
   - **A. American Heritage Academy, 2100 Olympic Ave.:** During a routine inspection, a playground was closed due to a missing climbing component. The missing climbing component created an opening that allowed climbing without adequate handholds or footholds. Climbing without adequate handholds or footholds exposes children to fall injury hazards. The playground remains closed until the replacement component arrives and is installed.
   - **B. Kidsville Learn and Play Center, 4339 E. Bonanza Rd.:** A complaint alleging that non-potable water was being provided for children to drink was investigated and found to be invalid. The drinking water provided for children was supplied from potable water sources. The complaint was closed.
   - **C. Foundations Preschool Blue Diamond, 8060 Blue Diamond Rd.:** A reinspection of the facility previously placed on non-compliant status resulted in a failed inspection due to repeat violations. Staff observed dairy food being held at unsafe temperatures and served to children. Dairy food held at unsafe temperatures promotes pathogen growth and can lead to illness. Other violations included dirty and broken equipment, improper spacing of napping children, and improper storage of chemicals. The facility was placed in the administrative process, and an intervention conference will be scheduled.
   - **D. Leap into Learning Decatur, 10430 S. Decatur Blvd.:** During a routine inspection, staff observed multiple violations that resulted in a non-compliant inspection. Childcare providers were not following safe diaper changing and two-step cleaning procedures. Improper diaper changing and cleaning procedures expose children to pathogens that can make them sick. Other violations included storage of expired food, dirty food contact surfaces, and food prepared for children by a provider without a valid food handling card. A reinspection is still pending.
2. **Body Art:**
   - **A. Primitive Accents Body Piercing, 4001 S. Decatur Blvd.:** A complaint alleging that dermal piercings were being performed was investigated and verified. Dermal piercings are prohibited in the SNHD Regulations because they can cause permanent nerve damage or damage to blood vessels if not performed correctly. A Cease-and-Desist order for dermal piercing services was issued; however, the owner refused to comply with the order. A supervisory conference has been scheduled.

B. Rock Star Ink at Neonopolis, 450 Fremont St.: A complaint alleging unsanitary conditions at the facility was investigated and verified. Staff observed an unsanitary handwashing sink and improper sterilization of equipment. Improper handwashing and sterilization of equipment promotes the spread of pathogens that can make people sick. The facility remains on non-complaint status. A reinspection is still pending.

VI. PLAN REVIEW PROGRAM

ENVIRONMENTAL HEALTH Plan Review Program - Fiscal Year Data

Food Pre-Permitting Services	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Total Pre-Permitting Services	740	479	↓	3,877	2,285	↓
New Project Submissions	180	221	↑	992	1,050	↑
Completed Projects	209	224	↑	950	1,009	↑
Total Service Requests Currently in Pre-Permitting	1,230	1,214	↓			

1. **Enforcement Actions and Investigations:**
   - **A. The Athletics Las Vegas Ballpark, 3833 S. Las Vegas Blvd.:** Plans were reviewed but not approved for nine areas. Either a three-compartment sink was not included in areas with ice machines used for open food handling, or hand sinks were insufficient in food preparation areas. Hand sinks must be conveniently located in areas where open food handling occurs. A three-compartment sink must be installed in areas where warewashing is required. The applicant is required to submit revisions for review that include all necessary equipment.
   - **B. Starbucks Seasonal, 840 Grier Dr.:** Plans were submitted for a seasonal permit with the intent to operate while a permanent Starbucks is being constructed. The plans were not approved because the minimal requirements were not met. A seasonal permit requires a lease with a commissary or permitted restaurant to support operations with potable water and approved wastewater disposal. The applicant provided the required documents and the plans were approved. A final inspection was conducted and the permit was approved.
   - **C. Magnificent Juices at UNR Torrey Pines Kitchen, 2900 N. Torrey Pines Dr.:** Plans were submitted for an operator to press, bottle, and cold-hold juices at a commissary. Juicing is considered a special process and requires a Hazard and Critical Control Point (HACCP) plan if sold off-site. The applicant was provided with information pertaining to juicing and asked to make an appointment for a preliminary meeting with the SNHD Special Processes Team before moving forward with the permitting process.
   - **D. Saigon Street Food Noodles, 4801 Spring Mountain Rd.:** During a final permitting inspection, the facility's layout did not match the approved floor plan, multiple refrigeration units were missing, and the temperature at one of two walk-in refrigerators was measured at 50°F. Food establishments must have adequate refrigeration to maintain all time/temperature control for safety (TCS) foods at the proper temperatures and the facility's layout must match the approved floor plan. The final inspection was not approved. The operator will submit an as-built floor plan, and a reinspection has been scheduled.

VII. AQUATIC HEALTH PROGRAM

ENVIRONMENTAL HEALTH Aquatic Health Operations Program - Fiscal Year Data

Aquatic Health Operations	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Total Operation Inspections	608	346	↓	2,560	1,627	↓
Complaint Investigations	20	12	↓	170	98	↓
Inactive Body of Water Surveys	6	0	↓	22	9	↓
Drowning/Near Drowning/Accident Investigations at Permitted Facilities	1	2	↑	17	14	↓
Total Program Services Completed	635	360	↓	2,769	1,748	↓

1. **Aquatic Health Operations**
   - **A. Jasmine Condos, 5855 Valley Dr.:** A routine inspection conducted at the spa resulted in an IHH closure for multiple violations. One gate did not self-close, the backflow prevention device has not been tested for multiple years, and the spa had low chlorine and high pH. Improperly disinfected water exposes bathers to pathogens that can make them sick. A backflow prevention device not tested for more than two years poses a potential risk of contamination to the water supply. A reinspection is still pending.
   - **B. Echelon at Centennial Hills, 9051 Echelon Point Dr.:** A routine inspection conducted at the spa resulted in an IHH closure due to multiple violations. One gate was propped open, and the spa had high chlorine and cyanuric acid. A propped gate can allow unattended access to the enclosure and pose an increased drowning risk for children. Immediate corrections were made, and the spa was reinspected the same day and approved to reopen.
   - **C. Clark Terrace Apartments, 3401 El Conlon Ave.:** A routine inspection conducted at a management closed pool resulted in a compliance schedule. The opening in the chain-link fence is large enough to facilitate climbing over the fence. A climbable enclosure allows for unauthorized access to the enclosure and poses an increased drowning risk. The permit holder was issued a 30-day compliance schedule to close the opening.
   - **D. Miro at the Parc, 5913 Boulder Falls Dr.:** A routine inspection conducted at the pool resulted in an IHH closure due to one gate not self-closing. Immediate corrections were made, and the pool was reinspected the same day and approved to reopen.
   - **E. Bella Vita Homeowner's Association (HOA), 5010 Indian River Dr.:** A routine inspection conducted at the pool resulted in an IHH closure due to high chlorine. High chlorine concentrations can cause skin, eye, and lung irritation. Immediate corrections were made, and the pool was reinspected the same day and approved to reopen.
   - **F. Sante Apartments, 175 E. Bruner Ave.:** A routine inspection conducted at the spa resulted in an IHH closure due to high cyanuric acid. High cyanuric acid reduces the effectiveness of chlorine. Immediate corrections were made, and the spa was reinspected the same day and approved to reopen.
   - **G. Boca Raton Luxury Condos, 2475 W. Serene Ave.:** A routine inspection conducted at the spa resulted in an IHH closure due to high water temperature. Water temperatures greater than 104°F may cause overheating, dehydration, burns, and

rashes. Immediate corrections were made, and the spa was reinspected the same day and approved to reopen.

H. **Budget Suites, 2219 N. Rancho Dr.:** A routine inspection conducted at the management closed North Pool resulted in a compliance schedule. The pool had a broken equalizer cover. A broken or damaged cover can present a potential suction entrapment hazard. A reinspection is still pending.

ENVIRONMENTAL HEALTH Aquatic Health Plan Review Program - Fiscal Year Data

Aquatic Health Plan Review	Oct. 2025	Oct. 2026		FY 25-26	FY 26-27	
Total Pre-Permitting Services	330	298	↓	1,642	988	↓
New Project Submissions	105	105	→	477	425	↓
Completed Projects	95	56	↓	467	366	↓
Total Projects Currently in Plan Review	501	249	↓			

2. <u>Aquatic Health Plan Review</u>:
   A. **Tuscany Apartments, 725 S. Hualapai Way:** A final permitting inspection was conducted for new construction of a spa, which resulted in failure due to the calculated flow not meeting minimum flow parameters for the system. A reinspection is still pending.
   B. **Heartland Trails Townhomes, 175 Ana Harbor Ave.:** A final permitting inspection was conducted for new construction of a pool, which resulted in failure due to many items not being completed. A reinspection was conducted and the aquatic facility was released to operate.
   C. **Las Palomas Apartment Homes, 4040 Boulder Hwy.:** A final remodel inspection for an enclosure remodel resulted in failure due to incorrect enclosure height. Verification of corrections is still pending.
   D. **The Coves Pool, 244 Caracas Dr.:** A scheduled plumbing inspection resulted in failure since there was still water in the aquatic venue. A reinspection is still pending.
   E. **McKnight Senior Village II, 651 McKnight St.:** A final remodel inspection for a suction outlet fitting assembly remodel resulted in failure due to the system flow exceeding the maximum flow rating, which could result in a suction entrapment. A reinspection is still pending.

VIII. <u>TRAINING OFFICE</u>

1. Training Office staff provided onsite intervention training to: Krazy Sushi, 7160 N. Durango Dr.; Island Pacific, 467 E. Silverado Ranch Blvd.; and Viva El Taco Mexican Food, 6775 E. Lake Mead Blvd.
2. Staff supported Environmental Health Administration staff in responding to industry inquiries and assisted walk-in industry partners with Accela related questions.
3. Training Office staff assisted Environmental Health Food Operations staff with the Pinoy Festival on October 9.

IX. REGULATORY SUPPORT

1. Staff participated in or performed the following activities and participated in the following external meetings: National Environmental Health Association (NEHA) Environmental Health Leadership Academy mentor meetings; Conference for Food Protection (CFP) Food Safety Culture at Retail Committee meetings; CFP Program Standards Committee meetings; CFP Food Safety Management System Committee meetings; Retail Flexible Funding Model (RFFM) Mentorship site visit with Central Nevada Health District representatives; Retail Laboratory Training System (RLTS) competency profile reviews; RLTS Steering Committee meeting; Association of Food and Drug Officials (AFDO) Healthy People 2030 Noro Communications meeting; Risk Factor Study data collection and report preparation; and Food Safety Culture at Retail CFP Committee meeting.
2. Staff completed and submitted the RFFM Interim reports and RFFM Mentorship budgets.
3. Regulatory Support Office staff hosted the RFFM Mentorship site visit with Archuleta County, Colorado on October 20 through 22.
4. Staff began the process of preparing for the 2027 Nevada Legislative Session.
5. Regulatory Support Office staff began training volunteer staff from the Outbreak Support team to assist with Cottage Food Operation Registration Program application processing.
6. Staff began the planning process for the 2027 Crumbine Award application submission.
7. Label Review staff continued work on the new procedure for the label review process and succession planning.
8. Regulatory Support Office staff, in coordination with Training Office staff, developed and delivered staff training on the new label review procedure and refresher training on label requirements during the October Food Operations General staff meeting. Implementation begins on November 1.
9. Special Processes and Label Review staff met with various operators in-person and in a virtual setting, via phone calls and virtual platform meetings, regarding submission of labels for review, waivers, operational plans, and HACCP plans.
10. Special Processes staff received two new submissions and released three special process files affecting 11 facilities. There are currently 13 files in review.
11. Label Review staff received 13 new submissions and released 13 label files consisting of 67 labels. There are currently 33 active files in review.
12. Cottage Food Operations staff completed 30 new registrations, five updated registrations, and 105 new inquiries, frequently with multiple follow-up inquiries per individual.

Chart data provisional due to implementation of new software system.

CDS/hh