



# Memorandum

**Date:** April 24, 2025

**To:** Southern Nevada District Board of Health

**From:** Christopher D. Saxton, MPH-EH, REHS, *Director of Environmental Health*  
Cassius Lockett, PhD, *District Health Officer*

*CS*

**Subject:** Environmental Health Division Monthly Report

## I. FOOD OPERATIONS PROGRAM

### ENVIRONMENTAL HEALTH Food Operations Program – Fiscal Year Data

Food Operation Services	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
Routine Inspections	2,623	2,466	↓	18,999	19,400	↑
Reinspections	185	210	↑	1,387	1,508	↑
Downgrades	158	193	↑	1,310	1,402	↑
Closures	23	13	↓	119	117	↓
Special Events	84	82	↓	648	635	↓
Temporary Food Establishments & Tasting Event Booths	1,220	1,092	↓	6,893	6,745	↓
<b>TOTALS</b>	<b>4,293</b>	<b>4,056</b>	<b>↓</b>	<b>29,356</b>	<b>29,807</b>	<b>↑</b>

↑ (Up Arrow) - Indicates an increase compared to the previous period.

↓ (Down Arrow) - Indicates a decrease compared to the previous period.

→ (Right Arrow) - Indicates no significant change compared to the previous period.

#### 1. Enforcement Actions and Investigations:

**A. Buffet Asia, 2380 S. Rainbow Blvd.:** On March 3, the facility was closed for an Imminent Health Hazard (IHH), pest infestation. The inspector documented 27 demerits. The facility was reinspected and reopened with zero demerits on March 6.

**B. Sijie Special Noodle, 4821 Spring Mountain Rd.:** On March 4, the facility was closed again at a change of permit holder (CPH) follow-up inspection when the

facility was being operated with the closed sign obscured. The facility was inspected and obtained approval from Plan Review staff to stock and operate on March 19.

- C. **Taqueria Buen Pastor, 1601 S. Las Vegas Blvd.:** On March 13, the unit was closed for two IHHs, no potable water or hot water and pest infestation. The inspector documented 27 demerits. The unit remains closed at this time.
  - D. **Las Music, 4821 Spring Mountain Rd.:** On March 14, the facility was closed for an IHH, lack of adequate refrigeration. The inspector documented 22 demerits. The facility remains closed at this time.
  - E. **PK Oyster Bar, 900 E. Karen Ave.:** On March 17, the facility was closed for an IHH, pest infestation. The inspector documented 19 demerits. The facility was reinspected and reopened with zero demerits on March 19.
  - F. **LAS Jose Cuervo Tequileria C14, 5757 Wayne Newton Blvd.:** On March 18, the facility was closed for an IHH, sewage or liquid waste not disposed of in an approved manner. The floor sink near the entrance to the walk-in cooler was overflowing into the cook line and cold preparation kitchen areas. The inspector documented eight demerits. Floor sink plumbing was repaired overnight so the drains would function properly. The facility was reinspected and reopened with zero demerits on March 19.
  - G. **Purified Water To Go, 4155 S. Buffalo Dr.:** On March 18, the facility was closed due to an unapproved CPH inspection and an IHH, pest infestation. The inspector documented 18 demerits. The facility obtained a valid permit and was reinspected and reopened on March 26.
  - H. **Surf City Bar, 1435 W. Craig Rd.:** On March 20, the facility was closed for an IHH, pest infestation. The inspector documented eight demerits. The facility was reinspected and reopened with zero demerits on March 21.
  - I. **Beep Beep Burger, 3232 N. Durango Dr.:** On March 20, the unit was closed for two IHHs, sewage or liquid waste not disposed of in an approved manner and other conditions or circumstances that may endanger public health. The inspector documented 22 demerits. The operator submitted a Notice of Business Closure on March 21 and has requested to have the health permit deleted.
  - J. **Flamingo LV Hotel, 3555 S. Las Vegas Blvd.:** On March 24, the employee dining room food preparation permit was closed for an IHH, no hot water to the only handwash sink. The inspector documented 10 demerits. The facility was reinspected and reopened with zero demerits on March 25.
  - K. **Poker Palace Restaurant, 2757 N. Las Vegas Blvd.:** On March 25, the facility was closed for an IHH, lack of adequate refrigeration. The inspector documented 27 demerits. The facility was reinspected and reopened with zero demerits on March 26.
  - L. **Spearmint Rhino Side Bar, 3340 S. Highland Dr.:** On March 29, the permitted area was closed for an IHH, pest infestation. The inspector documented three demerits. The permitted area remains closed at this time.
  - M. Staff closed 36 unpermitted food vending complaint investigations.
2. **Food Safety Assessment Meetings (FSAMs):**  
An FSAM was held with the following operator: El Pollos Mobile Trailer, 1934 N. Decatur Blvd.
3. **Supervisory/Managerial Conferences:**  
A. Conferences were held with the following facilities: Seafood City Supermarket – Grill City, 10405 S. Eastern Ave.; and Sijie Special Noodle, 4821 Spring Mountain Rd.

### ENVIRONMENTAL HEALTH Outbreak Response – Fiscal Year Data

Outbreak Response	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
<b>Legionella Travel Associated Investigations</b>	1	0	↓	13	13	→
<b>Legionella Residential Investigations</b>	2	0	↓	7	11	↑

#### 4. Legionella Response:

- A. Residential Legionella investigations began in January 2020 as part of a Centers for Disease Control and Prevention (CDC) grant-funded project. A residential investigation is prompted by a resident becoming ill and the investigation is conducted in their home.
- B. The increase in residential investigations could be attributed to the increased local population size, increased age of homes, and increased Legionella testing ordered by medical professionals.
- C. Travel-associated investigations are prompted by a visitor who became ill after staying at a permitted public accommodation. An investigation is conducted at the hotel(s) they stayed at while in town.

#### 5. Foodborne Illness Response:

- A. **Texas Roadhouse, 1380 E. Craig Rd.:** On March 3, staff responded to a confirmed case of campylobacter. Staff observed multiple risk factors that could lead to foodborne illness including improper handwashing practices, cross-contamination, and improper sanitizing of surfaces. The investigation resulted in a B downgrade. The facility was reinspected and passed with an A grade.
- B. **Parlour Coffee and Cooking, 1710 W. Horizon Ridge Pkwy.:** On March 4, staff responded to a confirmed case of salmonella. Staff observed multiple risk factors that could lead to illness including improper handwashing practices, improper control of food temperatures, refrigeration in disrepair, and cross-contamination from raw animal products. The investigation resulted in a B downgrade. The facility was reinspected and passed with an A grade.
- C. **Sushi Neko, 5115 Spring Mountain Rd.:** On March 5, staff responded to multiple reports of illness. Staff observed multiple risk factors that could lead to illness including food held at improper temperatures and food mislabeled on the restaurant menu. The investigation resulted in an A grade.
- D. **Sundance Grill, 3333 Blue Diamond Rd.:** On March 6, staff responded to a confirmed case of salmonella. Staff observed multiple risk factors that could lead to illness including improper handwashing practices and multiple foods held at improper temperatures due to refrigeration being in disrepair. The investigation resulted in a B downgrade. The facility was reinspected and passed with an A grade.
- E. **Raising Cane's, 4655 W. Charleston Blvd.:** On March 11, staff responded to a confirmed case of salmonella. Staff observed risk factors that could lead to illness including improper handwashing practices and cross contamination of foods from raw animal products. The investigation resulted in a B downgrade. The facility was reinspected and passed with an A grade.
- F. **Panda Express, 1740 W. Craig Rd.:** On March 11, staff responded to a confirmed case of Shiga toxin-producing E. coli (STEC). Staff did not observe any risk factors that could lead to illness. The investigation resulted in an A grade.
- G. **Chubby Cattle, 4525 Spring Mountain Rd.:** On March 12, staff responded to multiple reports of illness. Staff observed risk factors that could lead to illness including food held at improper temperatures and raw foods improperly stored. The investigation resulted in an A grade.

- H. Marsigliano's Pizzeria, 8125 W. Sahara Ave.:** On March 13, staff responded to a confirmed case of salmonella. Staff observed multiple risk factors that could lead to illness including barehand contact with ready-to-eat foods, foods held at improper temperatures, raw foods improperly stored, and improper sanitation of food contact surfaces. The investigation resulted in a C downgrade. The facility was reinspected and passed with an A grade.
- I. LAS Jose Cuervo Tequileria, 5757 Wayne Newton Blvd.:** On March 15, staff responded to multiple reports of illnesses. Staff did not observe any risk factors that could lead to illness. The investigation resulted in a closure for a sewage overflow that occurred during the inspection. The facility was reinspected and passed with an A grade.
- J. Buffet at Asia, 1518 E. Flamingo Rd.:** On March 18, staff responded to a confirmed case of Norovirus. Staff observed multiple risk factors that could lead to illness including possible employee contamination of consumer foods. The investigation resulted in a B downgrade. The facility was reinspected and passed with an A grade.
- K. Big Mamas Wings and Things, 2833 N. Green Valley Pkwy.:** On March 18, staff responded to a confirmed case of salmonella. Staff observed risk factors that could lead to illness including improper handwashing practices, foods held at improper temperatures, improper storage of foods, and improper cleaning and sanitizing of food contact surfaces. The investigation resulted in a B downgrade. The facility was reinspected and passed with an A grade.

## II. SOLID WASTE AND COMPLIANCE

### ENVIRONMENTAL HEALTH Solid Waste Management Authority (SWMA) Illegal Dumping Complaints and Hearing Officer Process – Fiscal Year Data

Illegal Dumping and Hearing Officer Process	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
Notices of Violations (New & Remails)	6	4	↓	52	41	↓
Adjudicated Hearing Cases	0	1	↑	43	30	↓
Total Cases Received	78	77	↓	720	719	↓
Total Cases Referred to Other Agencies	21	12	↓	196	126	↓
Hearing Penalties Assessed	\$0	\$1,000	↑	\$103,250	\$43,000	↓

*Remails - Notices of Violations that are returned by the postal service and then mailed to a newly found address.*

### ENVIRONMENTAL HEALTH Restricted Waste Management – Fiscal Year Data

Restricted Waste Management	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
Inspections	388	375	↓	2,390	2,274	↓

### ENVIRONMENTAL HEALTH Underground Storage Tanks (UST) Full Compliance Inspections – Fiscal Year Data

Underground Storage Tanks	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
Compliance Inspections	82	87	↑	499	625	↑
Final Installation/Upgrade/Repair Inspections	6	4	↓	32	25	↓
Closure Inspections	2	1	↓	10	8	↓
Spill Report Investigations	0	0	→	11	17	↑

### ENVIRONMENTAL HEALTH Permitted Disposal Facilities (PDF) Inspections – Fiscal Year Data

Permitted Disposal Facilities	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
Inspections	16	14	↓	174	182	↑
Reinspections	2	0	↓	17	6	↓

### III. VECTOR SURVEILLANCE

### ENVIRONMENTAL HEALTH Vector Surveillance and Other EH Services - Fiscal Year Data

Vector Surveillance and Other EH Services	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
West Nile Virus Surveillance Traps Set	2	56	↑	1,738	2,023	↑
West Nile Virus Surveillance Mosquitoes Tested	1	17	↑	2,805	1,686	↓
West Nile Virus Surveillance Submission Pools Tested	5	157	↑	57,222	20,696	↓
West Nile Virus Surveillance Positive Mosquitoes	0	0	→	24	42	↑
West Nile Virus Surveillance Positive Submission Pools	0	0	→	1,007	1,237	↑
St. Louis Encephalitis Surveillance Positive Mosquitoes	0	0	→	0	0	→
St. Louis Encephalitis Surveillance Positive Submission Pools	0	0	↓	0	0	→
Mosquito Activity Complaints	1	6	↑	688	147	↓
Public Accommodations Inspections	70	36	↓	416	219	↓
Public Accommodations Complaints	24	10	↓	234	155	↓
Mobile Home/Recreational Vehicle Park Inspections	37	36	↓	209	178	↓
Mobile Home/Recreational Vehicle Park Complaints	1	2	↑	16	17	↑

*A sample pool is a collection of 50 or less female mosquitoes, from the same species and location, combined into a vial for testing. It is used to determine the prevalence and distribution of arboviruses and can be used to trigger mosquito breeding and disease prevention messages.*

#### IV. **EH ENGINEERING**

##### 1. **Solid Waste Plan Review Program (SWPR):**

- A. Permits Issued** – Paper Recycling of Nevada; Nevada Department of Transportation; and Werdco Sand and Gravel
- B. Landfills** – Apex Regional Landfill; Boulder City Landfill; Laughlin Landfill; Nellis Air Force Base (Post Closure Monitoring); Timet; Sunrise Mountain (Post Closure Monitoring); and Wells Cargo
- C. Facility Applications Being Processed** – Recycling Centers (4); and Waste Grease (2)
- D. Facilities Planned for Approval at DBOH Meetings/SNHD Workshops in April:**  
None

#### **ENVIRONMENTAL HEALTH Asbestos Permitting Services – Fiscal Year Data**

Asbestos Permitting Services	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
<b>Asbestos Permits Issued</b>	82	68	↓	740	617	↓
<b>Revised Asbestos Permits Issued</b>	8	9	↑	61	67	↑

#### **ENVIRONMENTAL HEALTH Subdivision Program – Fiscal Year Data**

Subdivision Plan Review	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
<b>Tentative Maps-Received</b>	7	24	↑	99	127	↑
<b>Tentative Maps-Lot Count</b>	679	1,871	↑	4,220	8,813	↑
<b>Final Maps-Received</b>	13	27	↑	180	161	↓
<b>Final Maps-Lot Count</b>	705	1,085	↑	6,797	6,202	↓
<b>Final Maps-Signed</b>	17	21	↑	187	147	↓
<b>Final Maps (Signed)-Lot Count</b>	811	784	↓	8,333	6,741	↓
<b>Improvement Plans-Received</b>	14	26	↑	165	149	↓
<b>Improvement Plans-Lot Count</b>	709	879	↑	5,997	6,024	↑
<b>Expedited Improvement Plans-Received</b>	0	0	→	0	0	→
<b>Expedited Improvement Plans-Lot Count</b>	0	0	→	0	0	→

### ENVIRONMENTAL HEALTH Individual Sewage Disposal System (ISDS) Program – Fiscal Year Data

Individual Sewage Disposal Systems	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
Residential ISDS Permits	2	4	↑	54	40	↓
Commercial ISDS Permits	0	0	→	1	3	↑
Commercial Holding Tank Permits	5	3	↓	24	21	↓
Residential Tenant Improvements	11	22	↑	192	156	↓
Residential Certifications	0	0	→	3	0	↓
Compliance Issues	4	5	↑	71	66	↓

### ENVIRONMENTAL HEALTH Safe Drinking Water Program – Fiscal Year Data

Safe Drinking Water Program	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
Public Water System Sanitary Surveys	0	0	↓	47	52	↑
Public Water System Violations Issued	8	27	↑	112	98	↓

#### 2. Safe Drinking Water Activity:

- A. Three *coliform* positive results were reported from routine monitoring events. Other than where noted, those samples were *E. coli* negative:
- **Shetland Water District:** One routine wellhead sample was *coliform* positive. No additional well samples were triggered.
  - **North Las Vegas Utilities:** Two routine samples were *coliform* positive. The repeat samples were *coliform negative*.
- B. Staff continued to monitor water hauling activities for multiple public water systems: Trout Canyon; Laker Plaza; Red Rock Campground; Cowboy Trail Rides; Spring Mountain Youth Camp; and the Coyote Springs Golf Course.

## V. SPECIAL PROGRAMS

### ENVIRONMENTAL HEALTH Special Programs - Fiscal Year Data

Special Programs	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
School Facility Kitchen Inspections	85	75	↓	712	712	→
School Facility Kitchen Complaints	3	0	↓	7	3	↓
School Facility Inspections	108	100	↓	851	836	↓
School Facility Complaints	2	1	↓	32	34	↑
Summer Food Service Surveys	0	0	→	12	39	↑
Child Care Facility Inspections	49	28	↓	234	262	↑
Child Care Facility Complaints	7	0	↓	23	19	↓
Body Art Facility Inspections	15	30	↑	417	449	↑
Body Art Facility Complaints	6	2	↓	37	44	↑
Body Art Artist Special Event Inspections	2	6	↑	37	279	↑
Total Program Services Completed	277	242	↓	2,362	2,677	↑

#### 1. Schools:

**A. Del Sol Academy of the Performing Arts, 3100 E. Patrick Ln.:** SNHD staff from Solid Waste and Special Programs responded to a complaint regarding a sewage spill near the outdoor football fields which also affected the inside of the school. Solid Waste staff, Clark County Water Reclamation staff, and school district plumbers addressed the outdoor sewage release. The plumbers were able to stop and contain the outside spill. Special Programs staff investigated the school interior, but that claim was not substantiated, and no further action was required.

#### 2. Child Care:

**A. Capstone Christian Academy, 985 E. Serene Ave.:** During a routine inspection, staff saw that the health room cot was covered with absorbent material. Absorbent materials can retain moisture, creating an environment conducive to disease transmission. The person-in-charge (PIC) was directed to remove all absorbent materials and to use only non-absorbent coverings.

**A. Mommy's Angels Childcare, 4270 S. Rainbow Blvd.:** Staff responded to a report from the Office of Acute Communicable Disease Control regarding a child with confirmed STEC. Custodial staff and management were questioned about their sanitation practices and food policies. Facility staff were using adequate sanitation procedures, and the illness did not originate from food served at the facility. SNHD staff reviewed the illness and injury logs and found that no other children had similar symptoms. No additional follow-up was required.



## VI. PLAN REVIEW PROGRAM

### ENVIRONMENTAL HEALTH Plan Review Program - Fiscal Year Data

Food Pre-Permitting Services	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
<b>Food Safety Assessment Meetings</b>	0	0	→	2	2	→
<b>Total Pre-Permitting Services</b>	1,201	1,157	↓	12,365	10,986	↓
<b>New Project Submissions</b>	248	413	↑	2,496	2,247	↓
<b>Completed Projects</b>	210	214	↑	2,908	2,119	↓
<b>Total Service Requests Currently in Pre-Permitting</b>	1,314	1,491	↑			

#### 1. Enforcement Actions and Investigations:

- A. Il Toro E La Capra, 6435 S. Decatur Blvd.:** During a final permitting inspection of the buffet, staff noticed that the drain lines for the steam tables were directly connected to sewer. SNHD Regulations require an air gap between the food equipment and the sewer system to preclude any backflow issues. The permit was not approved. A reinspection is still pending.
- B. Wing It, 860 N. Rainbow Blvd.:** During a pre-permitting inspection, staff found that a three-compartment sink had been installed with no integral drainboards. SNHD Regulations require a three-compartment sink to have an integral drainboard on each side so that clean and dirty dishes can be separated during the ware washing process. The sink was replaced, and the permit was approved.
- C. Palazzo Starbucks, 3325 S. Las Vegas Blvd.:** During a final remodel inspection, staff observed insufficient lighting over the espresso machines. SNHD Regulations require 50-foot candles of light where food handling occurs. Additionally, the slanted drying rack for the dish machine was installed over the three-compartment sink without a drain line. This would cause water to drain directly onto the clean, drying dishes below. The remodel was approved with stipulations to correct the issues prior to operating.
- D. McDonald's, 6360 W. Charleston Blvd.:** During a routine inspection, staff observed an unapproved humidified holding cabinet in use. SNHD Regulations require a remodel permit when adding equipment that has plumbing lines to ensure that it is properly installed. The humidified holding cabinet was taken out of service and the PIC submitted a remodel application. The equipment was inspected by Plan Review staff, and the remodel was approved.
- E. Urbane Cafe, 7710 S. Rainbow Blvd.:** During a final permitting inspection, staff found millwork cabinetry in areas that are subject to moisture. Wood products like laminate cabinetry can absorb moisture which can lead to potential pest harborage, mold growth, and non-cleanable surfaces. Options for corrective action were discussed, and the permit was approved with a stipulation to make the cabinetry impervious to moisture.
- F. Mariana's Market #2, 3631 W. Sahara Ave.:** Plans were submitted for a new permit and remodel of an existing permit. The applicant requested an expedited inspection so the operator could use the new area for customers who practice Lent. The inspection was scheduled within one day and the health permits were approved for the food preparation and cooking areas.

- G. Wander Dawgs, 3850 S. Las Vegas Blvd.:** A final permitting inspection was conducted, and staff found a leak at the soda machine drain line, the ice machine door in disrepair, and insufficient lighting. SNHD Regulations require the plumbing system and equipment to be maintained in good repair and light levels to be at least 10-foot candles in food storage areas. The permit was approved with stipulations to correct the deficiencies prior to operating.
- H. Carniceria La Bonita, 2500 E. Desert Inn Rd.:** During a final permitting inspection, staff observed a cold holding display unit without an approved food shield on the customer side. The cold holding unit will contain unpackaged foods which could be subject to cross-contamination by customers. The permit was approved with a stipulation to install the food shield prior to operating.
- I. Crave Fried Chicken, 5006 S. Maryland Pkwy.:** A CPH inspection resulted in failure due to an excessive number of noncompliant items. Violations included non-operational equipment, unfinished plumbing, no paper towels for handwashing, and no sanitizer. SNHD Regulations require a facility to be in substantial compliance with the regulations for permit issuance. A reinspection is still pending.

## VII. AQUATIC HEALTH PROGRAM

### ENVIRONMENTAL HEALTH Aquatic Health Operations Program - Fiscal Year Data

Aquatic Health Operations	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
<b>Total Operation Inspections</b>	838	650	↓	6,696	5,690	↓
<b>Complaint Investigations</b>	15	18	↑	217	200	↓
<b>Inactive Body of Water Surveys</b>	9	5	↓	67	64	↓
<b>Drowning/Near Drowning/Accident Investigations at Permitted Facilities</b>	3	1	↓	18	34	↑
<b>Total Program Services Completed</b>	865	674	↓	6,998	5,988	↓

#### 1. Aquatic Health Operations

- A. Peppertree Homeowner's Association (HOA), 699 Pepper Tree Cir.:** A routine inspection at the spa resulted in an IHH closure due to multiple violations. The spa's disinfection system was turned off while the spa was accessible to bathers and an enclosure gate did not self-close or self-latch. A non-functional disinfection system exposes bathers to pathogens that can make them sick. A gate that does not self-close and self-latch poses a drowning risk by allowing unattended children access to the area. Following corrections, a reinspection was conducted the same day, and the spa was approved to reopen.
- B. Sunset Pointe Apartments, 2255 E. Sunset Rd.:** A routine inspection at the spa resulted in an IHH closure due to multiple violations. The spa had low chlorine and high pH. Inadequate disinfection exposes bathers to pathogens that can make them sick and high pH reduces the effectiveness of chlorine. Following corrections, a reinspection was conducted the same day, and the spa was approved to reopen.
- C. Cabana Mobile Home Park (MHP), 5303 E. Twain Ave.:** A routine inspection at the pool resulted in an IHH closure due to a broken drain cover. A damaged drain cover is an entrapment hazard and increases the risk of drowning. A reinspection is still pending.

- D. Villas East Apartments, 5055 E. Charleston Blvd.:** A routine inspection at the pool resulted in an IHH closure due to multiple violations. The pool had high chlorine, a gap in the enclosure that measured greater than seven inches, and a broken drain cover. Gaps in the enclosure pose a drowning risk by allowing unattended children access to the pool area. High chlorine concentrations can cause skin, eye, and lung irritation. The gap was temporarily repaired. A reinspection is still pending.
- E. The Hudson HOA, 2407 Rainy Meadows Ave.:** A routine inspection at the pool resulted in closure due to the pool operating with an expired health permit while accessible to bathers. The permit holder is responsible for maintaining a health permit in good standing. The pool remains closed at this time.
- F. Cabana MHP, 5303 E. Twain Ave.:** A routine inspection at the pool resulted in an IHH closure due to a broken drain cover. A reinspection is still pending.
- G. Meadows MHP, 2900 S. Valley View Blvd.:** A routine inspection at the pool resulted in an IHH closure due to a broken drain cover. A reinspection is still pending.
- H. Mariner Shores Apartments, 2201 N. Buffalo Dr.:** A routine inspection at the spa resulted in an IHH closure due to low chlorine. Following corrections, a reinspection was conducted the same day, and the spa was approved to reopen.
- I. Villas at Sunrise Mountain, 6360 E. Sahara Ave.:** A routine inspection at the pool resulted in an IHH closure due to multiple violations. The pool had low chlorine and high pH. A reinspection is still pending.
- J. Evora Apartments, 6111 S. Buffalo Dr.:** A routine inspection at the pool resulted in an IHH closure due to multiple violations. An enclosure gate did not self-close and self-latch and the pool had high pH. Following corrections, a reinspection was conducted the same day, and the pool was approved to reopen.
- K. Aviata Apartments, 2121 E. Warm Springs Rd.:** A routine inspection at the pool resulted in an IHH closure due to an enclosure gate that did not self-latch. Following corrections, a reinspection was conducted the same day, and the pool was approved to reopen.

## ENVIRONMENTAL HEALTH Aquatic Health Plan Review Program - Fiscal Year Data

Aquatic Health Plan Review	Mar. 2024	Mar. 2025		FY 23-24	FY 24-25	
Total Pre-Permitting Services	584	533	↓	3,554	3,407	↓
New Project Submissions	170	208	↑	764	946	↑
Completed Projects	142	142	→	747	610	↓
Total Projects Currently in Plan Review	488	755	↑			

### 2. Aquatic Health Plan Review:

- A. Fora Apartments, 10224 Jeffreys St.:** Pre-plaster inspections for a new pool and spa were not approved due to violations related to the contrasting edge tile, depth markers, underwater lighting, chemical feed system, and aquatic facility enclosure. Facility representatives were provided with a list of required corrective actions. A reinspection is still pending.
- B. Apache Pines, 9552 W. Tropicana Ave.:** A plumbing inspection for a wading pool was not approved because the plumbing lines were incompatible with the chosen drain covers which could result in suction/entrapment risks. Facility representatives

are working with the contractor to either select new suction outlet fitting assemblies (SOFAs) or modify the plumbing. A reinspection is still pending.

- C. **Tahiti Village, 7200 S. Las Vegas Blvd.:** A final inspection at the lazy river for installation of new SOFAs on the motivation pumps was not approved. Staff were unable to calculate flow with the installed gauges. The gauges were replaced, and the lazy river was approved to reopen after staff received verification that flow was not exceeding the installed SOFAs.
- D. **Red Rock Casino, 11011 W. Charleston Blvd.:** At a major remodel final inspection, staff found that the filter had been replaced with an unapproved smaller filter, which could lead to insufficient flow and potential harm to bathers. The contractor was required to install the appropriately sized filter.
- E. **Silver Sevens Hotel and Casino, 4100 S. Paradise Rd.:** A final inspection for SOFA replacement and interior remodel resulted in a partial failure due to the lack of backflow prevention. The contractor submitted photographic proof the next day that a backflow prevention device had been installed/tested, and the facility was approved to operate.

#### **VIII. TRAINING OFFICE**

- 1. Training Office staff provided onsite intervention training to: Pier 88 Boiling Seafood and Bar, 2080 N. Rainbow Blvd.; Chowrastha Indian Eatery, 3999 S. Las Vegas Blvd.; The Parlour Coffee and Cooking, 616 E. Carson Ave.; Babystacks Café, 2400 N. Buffalo Dr.; Clove Indian Cuisine and Bar, 7090 S. Rainbow Blvd.; and Noodle Pot, 4215 Spring Mountain Rd.
- 2. Training Office staff released two Environmental Health Specialist trainees on March 14, Alexia Rivera Perez to the Spring Valley Office and Emalee Schuler to the Downtown Office.

#### **IX. REGULATORY SUPPORT**

- 1. Staff participated in or performed the following activities and participated in the following external meetings: attended Council for Food Protection (CFP) Pre-Conference Workshops and leadership meetings; Christine Sylvis, EH Supervisor, served as Executive Board Chair for the 2025 Biennial CFP meeting in Denver, Colorado on March 24-28; National Environmental Health Association Food Safety Program committee meeting; National Curriculum Standards Basic Core Competency Review; attended DiSC Training; and provided assistance with responses to pending legislation (AB352) regarding cottage food operations in Nevada,
- 2. Special Processes and Label Review staff met with various operators in-person and in a virtual setting, via phone calls and virtual platform meetings, regarding submission of labels for review, waivers, operational plans, and Hazard and Critical Control Point plans.
- 3. Special Processes staff received five new submissions and released eight special process files. There are currently 29 files in review.
- 4. Label Review staff received 32 new submissions, released 25 label files consisting of 437 labels. There are currently 31 active files in review.
- 5. Cottage Food Operations staff completed 24 new registrations and 58 new inquiries, frequently with multiple follow-up inquiries per individual.