

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 238,555 | 100 | 2,318,174 | 10290.64 | 238,245 | 310 |
| Hospitalized | 14,951 | 6.27 | 2,318,174 | 644.95 | 14,902 | 49 |
| Deceased | 4,184 | 1.75 | 2,318,174 | 180.49 | 4,178 | 6 |
| Recovered | 228,568 | 95.8 | 2,318,174 | 9,859.83 | 228,245 | 323 |
| MIS-C Case | 63 | -- | -- | -- | 63 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 4954 | 2.08 | 149,165 | 3321.2 |
| | Aged 5 to 17 | 22728 | 9.53 | 406,595 | 5589.8 |
| | Aged 18 to 24 | 30027 | 12.6 | 216,762 | 13853 |
| | Aged 25 to 49 | 109013 | 45.7 | 803,732 | 13563 |
| | Aged 50 to 64 | 46210 | 19.4 | 423,461 | 10912 |
| | Aged 64+ | 25538 | 10.7 | 318,459 | 8019.3 |
| | Unknown | 85 | 0.04 | . | . |
| Birth Sex | Female | 122350 | 51.3 | 1,160,285 | 10545 |
| | Male | 114586 | 48.0 | 1,157,889 | 9896.1 |
| | Unknown | 1619 | 0.68 | . | . |
| Race/Ethnicity | Hispanic | 78550 | 32.9 | 763,053 | 10294 |
| | White | 59484 | 24.9 | 1,006,929 | 5907.5 |
| | Black | 17693 | 7.42 | 262,671 | 6735.8 |
| | Asian or Pacific Islander | 17866 | 7.49 | 270,209 | 6611.9 |
| | American Indian, Eskimo, or Aleut | 331 | 0.14 | 15,311 | 2161.8 |
| | Other | 18534 | 7.77 | . | . |
| | Unknown | 46097 | 19.3 | . | . |
| Underlying Medical Condition | Yes | 45339 | 19.0 | . | . |
| | No/Unknown | 193216 | 81.0 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 94 | 0.6 | 149,165 | 63.02 |
| | Aged 5 to 17 | 166 | 1.1 | 406,595 | 40.83 |
| | Aged 18 to 24 | 322 | 2.2 | 216,762 | 148.55 |
| | Aged 25 to 49 | 3441 | 23.0 | 803,732 | 428.13 |
| | Aged 50 to 64 | 4126 | 27.6 | 423,461 | 974.35 |
| | Aged 64+ | 6800 | 45.5 | 318,459 | 2135.3 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 6591 | 44.1 | 1,160,285 | 568.05 |
| | Male | 8341 | 55.8 | 1,157,889 | 720.36 |
| | Unknown | 19 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 4655 | 31.1 | 763,053 | 610.05 |
| | White | 5191 | 34.7 | 1,006,929 | 515.53 |
| | Black | 1885 | 12.6 | 262,671 | 717.63 |
| | Asian or Pacific Islander | 1679 | 11.2 | 270,209 | 621.37 |
| | American Indian, Eskimo, or Aleut | 22 | 0.1 | 15,311 | 143.68 |
| | Other | 587 | 3.9 | . | . |
| | Unknown | 932 | 6.2 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 3531 | 23.6 |
| | No | 11420 | 76.4 |
| ICU | Yes | 4067 | 27.2 |
| | No | 10884 | 72.8 |
| Intubated | Yes | 2013 | 13.5 |
| | No | 12938 | 86.5 |
| Underlying Medical Condition | Yes | 9379 | 62.7 |
| | No | 5572 | 37.3 |
| Hypertension | Yes | 5337 | N/A |
| Immunocompromised | Yes | 327 | N/A |
| Chronic Heart Disease | Yes | 1869 | N/A |
| Chronic Liver Disease | Yes | 194 | N/A |
| Chronic Kidney Disease | Yes | 1308 | N/A |
| Diabetes | Yes | 4198 | N/A |
| Neurologic/Neurodevelopmental | Yes | 648 | N/A |
| Chronic Lung Disease | Yes | 2223 | N/A |
| Historically Healthy | Yes | 2890 | N/A |
| Other | Yes | 3654 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 3 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 7 | 0.2 | 216,762 | -- |
| | Aged 25 to 49 | 283 | 6.8 | 803,732 | 35.21 |
| | Aged 50 to 64 | 816 | 19.5 | 423,461 | 192.70 |
| | Aged 64+ | 3075 | 73.5 | 318,459 | 965.59 |
| Birth Sex | Female | 1566 | 37.4 | 1,160,285 | 134.97 |
| | Male | 2611 | 62.4 | 1,157,889 | 225.50 |
| | Unknown | 7 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1167 | 27.9 | 763,053 | 152.94 |
| | White | 1891 | 45.2 | 1,006,929 | 187.80 |
| | Black | 486 | 11.6 | 262,671 | 185.02 |
| | Asian or Pacific Islander | 571 | 13.6 | 270,209 | 211.32 |
| | American Indian, Eskimo, or Aleut | 8 | 0.2 | 15,311 | -- |
| | Other | 43 | 1.0 | . | . |
| | Unknown | 18 | 0.4 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 3531 | 84.4 |
| | No | 653 | 15.6 |
| ICU | Yes | 2061 | 49.3 |
| | No | 2123 | 50.7 |
| Intubated | Yes | 1400 | 33.5 |
| | No | 2784 | 66.5 |
| Underlying Medical Condition | Yes | 2797 | 66.8 |
| | No | 1387 | 33.2 |
| Hypertension | Yes | 1790 | N/A |
| Immunocompromised | Yes | 141 | N/A |
| Chronic Heart Disease | Yes | 847 | N/A |
| Chronic Liver Disease | Yes | 98 | N/A |
| Chronic Kidney Disease | Yes | 606 | N/A |
| Diabetes | Yes | 1328 | N/A |
| Neurologic/Neurodevelopmental | Yes | 323 | N/A |
| Chronic Lung Disease | Yes | 675 | N/A |
| Historically Healthy | Yes | 258 | N/A |
| Other | Yes | 1045 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).