

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 293,466 | 100 | 2,318,174 | 12659.36 | 292,876 | 590 |
| Hospitalized | 18,844 | 6.42 | 2,318,174 | 812.88 | 18,839 | 5 |
| Deceased | 4,962 | 1.69 | 2,318,174 | 214.05 | 4,962 | 0 |
| Recovered | 274,753 | 93.6 | 2,318,174 | 11852.13 | 274,216 | 537 |
| MIS-C Case | 75 | -- | -- | -- | 75 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 6219 | 2.12 | 149,165 | 4169.2 |
| | Aged 5 to 17 | 29114 | 9.92 | 406,595 | 7160.4 |
| | Aged 18 to 24 | 36419 | 12.4 | 216,762 | 16801 |
| | Aged 25 to 49 | 134936 | 46.0 | 803,732 | 16789 |
| | Aged 50 to 64 | 55971 | 19.1 | 423,461 | 13218 |
| | Aged 64+ | 30707 | 10.5 | 318,459 | 9642.4 |
| | Unknown | 100 | 0.03 | . | . |
| Birth Sex | Female | 150201 | 51.2 | 1,160,285 | 12945 |
| | Male | 140880 | 48.0 | 1,157,889 | 12167 |
| | Unknown | 2385 | 0.81 | . | . |
| Race/Ethnicity | Hispanic | 91512 | 31.2 | 763,053 | 11993 |
| | White | 74357 | 25.3 | 1,006,929 | 7384.5 |
| | Black | 24811 | 8.45 | 262,671 | 9445.7 |
| | Asian or Pacific Islander | 21950 | 7.48 | 270,209 | 8123.3 |
| | American Indian, Eskimo, or Aleut | 447 | 0.15 | 15,311 | 2919.4 |
| | Other | 20108 | 6.85 | . | . |
| | Unknown | 60281 | 20.5 | . | . |
| Underlying Medical Condition | Yes | 56147 | 19.1 | . | . |
| | No/Unknown | 237319 | 80.9 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 128 | 0.7 | 149,165 | 85.81 |
| | Aged 5 to 17 | 221 | 1.2 | 406,595 | 54.35 |
| | Aged 18 to 24 | 403 | 2.1 | 216,762 | 185.92 |
| | Aged 25 to 49 | 4597 | 24.4 | 803,732 | 571.96 |
| | Aged 50 to 64 | 5282 | 28.0 | 423,461 | 1247.3 |
| | Aged 64+ | 8211 | 43.6 | 318,459 | 2578.4 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 8319 | 44.1 | 1,160,285 | 716.98 |
| | Male | 10497 | 55.7 | 1,157,889 | 906.56 |
| | Unknown | 28 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 5466 | 29.0 | 763,053 | 716.33 |
| | White | 6711 | 35.6 | 1,006,929 | 666.48 |
| | Black | 2551 | 13.5 | 262,671 | 971.18 |
| | Asian or Pacific Islander | 2069 | 11.0 | 270,209 | 765.70 |
| | American Indian, Eskimo, or Aleut | 36 | 0.2 | 15,311 | 235.12 |
| | Other | 726 | 3.9 | . | . |
| | Unknown | 1285 | 6.8 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 4200 | 22.3 |
| | No | 14644 | 77.7 |
| ICU | Yes | 4829 | 25.6 |
| | No | 14015 | 74.4 |
| Intubated | Yes | 2312 | 12.3 |
| | No | 16532 | 87.7 |
| Underlying Medical Condition | Yes | 11863 | 63.0 |
| | No | 6981 | 37.0 |
| Hypertension | Yes | 6841 | N/A |
| Immunocompromised | Yes | 407 | N/A |
| Chronic Heart Disease | Yes | 2383 | N/A |
| Chronic Liver Disease | Yes | 241 | N/A |
| Chronic Kidney Disease | Yes | 1647 | N/A |
| Diabetes | Yes | 5150 | N/A |
| Neurologic/Neurodevelopmental | Yes | 861 | N/A |
| Chronic Lung Disease | Yes | 2882 | N/A |
| Historically Healthy | Yes | 3602 | N/A |
| Other | Yes | 4832 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 4 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 10 | 0.2 | 216,762 | -- |
| | Aged 25 to 49 | 391 | 7.9 | 803,732 | 48.65 |
| | Aged 50 to 64 | 1039 | 20.9 | 423,461 | 245.36 |
| | Aged 64+ | 3517 | 70.9 | 318,459 | 1104.4 |
| Birth Sex | Female | 1894 | 38.2 | 1,160,285 | 163.24 |
| | Male | 3060 | 61.7 | 1,157,889 | 264.27 |
| | Unknown | 8 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1316 | 26.5 | 763,053 | 172.47 |
| | White | 2267 | 45.7 | 1,006,929 | 225.14 |
| | Black | 608 | 12.3 | 262,671 | 231.47 |
| | Asian or Pacific Islander | 669 | 13.5 | 270,209 | 247.59 |
| | American Indian, Eskimo, or Aleut | 13 | 0.3 | 15,311 | 84.90 |
| | Other | 58 | 1.2 | . | . |
| | Unknown | 31 | 0.6 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 4200 | 84.6 |
| | No | 762 | 15.4 |
| ICU | Yes | 2395 | 48.3 |
| | No | 2567 | 51.7 |
| Intubated | Yes | 1586 | 32.0 |
| | No | 3376 | 68.0 |
| Underlying Medical Condition | Yes | 3402 | 68.6 |
| | No | 1560 | 31.4 |
| Hypertension | Yes | 2233 | N/A |
| Immunocompromised | Yes | 159 | N/A |
| Chronic Heart Disease | Yes | 1037 | N/A |
| Chronic Liver Disease | Yes | 119 | N/A |
| Chronic Kidney Disease | Yes | 732 | N/A |
| Diabetes | Yes | 1581 | N/A |
| Neurologic/Neurodevelopmental | Yes | 389 | N/A |
| Chronic Lung Disease | Yes | 838 | N/A |
| Historically Healthy | Yes | 295 | N/A |
| Other | Yes | 1352 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
