Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|-----------------------|----------------------------|
| COVID19 Case | 216,121 | 100 | 2,318,174 | 9,322.90 | 215,469 | 652 |
| Hospitalized | 11,913 | 5.51 | 2,318,174 | 513.90 | 11,832 | 81 |
| Deceased | 3,351 | 1.55 | 2,318,174 | 144.55 | 3,313 | 38 |
| Recovered | 201,868 | 93.4 | 2,318,174 | 8,708.06 | 200,670 | 1,198 |
| MIS-C Case | 42 | | | | 42 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 4536 | 2.10 | 149,165 | 3040.9 |
| | Aged 5 to 17 | 20532 | 9.50 | 406,595 | 5049.7 |
| | Aged 18 to 24 | 27462 | 12.7 | 216,762 | 12669 |
| | Aged 25 to 49 | 99082 | 45.8 | 803,732 | 12328 |
| | Aged 50 to 64 | 41692 | 19.3 | 423,461 | 9845.5 |
| | Aged 64+ | 22766 | 10.5 | 318,459 | 7148.8 |
| | Unknown | 51 | 0.02 | | |
| Birth Sex | Female | 110367 | 51.1 | 1,160,285 | 9512.1 |
| | Male | 104210 | 48.2 | 1,157,889 | 9000.0 |
| | Unknown | 1544 | 0.71 | | |
| Race/Ethnicity | Hispanic | 65724 | 30.4 | 763,053 | 8613.3 |
| | White | 53018 | 24.5 | 1,006,929 | 5265.3 |
| | Black | 15226 | 7.05 | 262,671 | 5796.6 |
| | Asian or Pacific Islander | 14988 | 6.94 | 270,209 | 5546.8 |
| | American Indian, Eskimo, or Aleut | 237 | 0.11 | 15,311 | 1547.9 |
| | Other | 22109 | 10.2 | | |
| | Unknown | 44819 | 20.7 | | |
| Underlying Medical Condition | Yes | 34980 | 16.2 | | |
| | No/Unknown | 181141 | 83.8 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| | | | | | Data per |
|----------------|-----------------------------------|------|------|------------|------------------|
| Variable | Outcome | N | % | Population | Rate per 100,000 |
| Age Categories | Aged 4 or less | 68 | 0.6 | 149,165 | 45.59 |
| | Aged 5 to 17 | 125 | 1.0 | 406,595 | 30.74 |
| | Aged 18 to 24 | 276 | 2.3 | 216,762 | 127.33 |
| | Aged 25 to 49 | 2858 | 24.0 | 803,732 | 355.59 |
| | Aged 50 to 64 | 3318 | 27.9 | 423,461 | 783.54 |
| | Aged 64+ | 5266 | 44.2 | 318,459 | 1653.6 |
| | Unknown | 2 | 0.0 | | |
| Dinth Car | Camala | F20F | 44.4 | 1 160 205 | 455.40 |
| Birth Sex | Female | 5285 | 44.4 | 1,160,285 | 455.49 |
| | Male | 6611 | 55.5 | 1,157,889 | 570.95 |
| | Unknown | 17 | 0.1 | • | • |
| Race/Ethnicity | Hispanic | 3849 | 32.3 | 763,053 | 504.42 |
| | White | 4010 | 33.7 | 1,006,929 | 398.24 |
| | Black | 1488 | 12.5 | 262,671 | 566.49 |
| | Asian or Pacific Islander | 1305 | 11.0 | 270,209 | 482.96 |
| | American Indian, Eskimo, or Aleut | 12 | 0.1 | 15,311 | 78.37 |
| | Other | 498 | 4.2 | | |
| | Unknown | 751 | 6.3 | • | • |
| | | | | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 2759 | 23.2 |
| | No | 9154 | 76.8 |
| ICU | Yes | 3344 | 28.1 |
| | No | 8569 | 71.9 |
| Intubated | Yes | 1685 | 14.1 |
| | No | 10228 | 85.9 |
| Underlying Medical Condition | Yes | 7265 | 61.0 |
| | No | 4648 | 39.0 |
| Hypertension | Yes | 4157 | N/A |
| Immunocompromised | Yes | 266 | N/A |
| Chronic Heart Disease | Yes | 1430 | N/A |
| Chronic Liver Disease | Yes | 142 | N/A |
| Chronic Kidney Disease | Yes | 1040 | N/A |
| Diabetes | Yes | 3288 | N/A |
| Neurologic/Neurodevelopmental | Yes | 524 | N/A |
| Chronic Lung Disease | Yes | 1676 | N/A |
| Historically Healthy | Yes | 2369 | N/A |
| Other | Yes | 2832 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 3 | 0.1 | 406,595 | |
| | Aged 18 to 24 | 5 | 0.1 | 216,762 | |
| | Aged 25 to 49 | 229 | 6.8 | 803,732 | 28.49 |
| | Aged 50 to 64 | 649 | 19.4 | 423,461 | 153.26 |
| | Aged 64+ | 2465 | 73.6 | 318,459 | 774.04 |
| Birth Sex | Female | 1271 | 37.9 | 1,160,285 | 109.54 |
| | Male | 2071 | 61.8 | 1,157,889 | 178.86 |
| | Unknown | 9 | 0.3 | | |
| Race/Ethnicity | Hispanic | 928 | 27.7 | 763,053 | 121.62 |
| | White | 1495 | 44.6 | 1,006,929 | 148.47 |
| | Black | 383 | 11.4 | 262,671 | 145.81 |
| | Asian or Pacific Islander | 460 | 13.7 | 270,209 | 170.24 |
| | American Indian, Eskimo, or Aleut | 3 | 0.1 | 15,311 | |
| | Other | 40 | 1.2 | | |
| | Unknown | 42 | 1.3 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|-----------|------|--------------|
| Hospitalized | Yes No | 2759 | 82.3 17.7 |
| | INO | 592 | 17.7 |
| ICU | Yes | 1594 | 47.6 |
| | No | 1757 | 52.4 |
| Intubated | Yes | 1121 | 33.5 |
| | No | 2230 | 66.5 |
| Underlying Medical Condition | Yes | 2103 | 62.8 |
| | No | 1248 | 37.2 |
| Hypertension | Yes | 1346 | N/A |
| Immunocompromised | Yes | 107 | N/A |
| Chronic Heart Disease | Yes | 638 | N/A |
| Chronic Liver Disease | Yes | 69 | N/A |
| Chronic Kidney Disease | Yes | 454 | N/A |
| Diabetes | Yes | 988 | N/A |
| Neurologic/Neurodevelopmental | Yes | 264 | N/A |
| Chronic Lung Disease | Yes | 498 | N/A |
| Historically Healthy | Yes | 212 | N/A |
| Other | Yes | 794 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).