

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 216,817 | 100 | 2,318,174 | 9,352.92 | 216,121 | 696 |
| Hospitalized | 11,989 | 5.53 | 2,318,174 | 517.17 | 11,913 | 76 |
| Deceased | 3,398 | 1.57 | 2,318,174 | 146.58 | 3,351 | 47 |
| Recovered | 203,011 | 93.6 | 2,318,174 | 8,757.37 | 201,868 | 1,143 |
| MIS-C Case | 43 | -- | -- | -- | 42 | 1 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 4546 | 2.10 | 149,165 | 3047.6 |
| | Aged 5 to 17 | 20606 | 9.50 | 406,595 | 5067.9 |
| | Aged 18 to 24 | 27547 | 12.7 | 216,762 | 12708 |
| | Aged 25 to 49 | 99381 | 45.8 | 803,732 | 12365 |
| | Aged 50 to 64 | 41829 | 19.3 | 423,461 | 9877.9 |
| | Aged 64+ | 22856 | 10.5 | 318,459 | 7177.1 |
| | Unknown | 52 | 0.02 | . | . |
| Birth Sex | Female | 110712 | 51.1 | 1,160,285 | 9541.8 |
| | Male | 104554 | 48.2 | 1,157,889 | 9029.7 |
| | Unknown | 1551 | 0.72 | . | . |
| Race/Ethnicity | Hispanic | 66003 | 30.4 | 763,053 | 8649.9 |
| | White | 53233 | 24.6 | 1,006,929 | 5286.7 |
| | Black | 15290 | 7.05 | 262,671 | 5821.0 |
| | Asian or Pacific Islander | 15057 | 6.94 | 270,209 | 5572.3 |
| | American Indian, Eskimo, or Aleut | 240 | 0.11 | 15,311 | 1567.5 |
| | Other | 22096 | 10.2 | . | . |
| | Unknown | 44898 | 20.7 | . | . |
| Underlying Medical Condition | Yes | 35209 | 16.2 | . | . |
| | No/Unknown | 181608 | 83.8 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 68 | 0.6 | 149,165 | 45.59 |
| | Aged 5 to 17 | 127 | 1.1 | 406,595 | 31.24 |
| | Aged 18 to 24 | 278 | 2.3 | 216,762 | 128.25 |
| | Aged 25 to 49 | 2864 | 23.9 | 803,732 | 356.34 |
| | Aged 50 to 64 | 3323 | 27.7 | 423,461 | 784.72 |
| | Aged 64+ | 5327 | 44.4 | 318,459 | 1672.7 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 5319 | 44.4 | 1,160,285 | 458.42 |
| | Male | 6653 | 55.5 | 1,157,889 | 574.58 |
| | Unknown | 17 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 3864 | 32.2 | 763,053 | 506.39 |
| | White | 4051 | 33.8 | 1,006,929 | 402.31 |
| | Black | 1496 | 12.5 | 262,671 | 569.53 |
| | Asian or Pacific Islander | 1312 | 10.9 | 270,209 | 485.55 |
| | American Indian, Eskimo, or Aleut | 13 | 0.1 | 15,311 | 84.90 |
| | Other | 504 | 4.2 | . | . |
| | Unknown | 749 | 6.2 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 2797 | 23.3 |
| | No | 9192 | 76.7 |
| ICU | Yes | 3366 | 28.1 |
| | No | 8623 | 71.9 |
| Intubated | Yes | 1701 | 14.2 |
| | No | 10288 | 85.8 |
| Underlying Medical Condition | Yes | 7318 | 61.0 |
| | No | 4671 | 39.0 |
| Hypertension | Yes | 4189 | N/A |
| Immunocompromised | Yes | 268 | N/A |
| Chronic Heart Disease | Yes | 1448 | N/A |
| Chronic Liver Disease | Yes | 143 | N/A |
| Chronic Kidney Disease | Yes | 1047 | N/A |
| Diabetes | Yes | 3310 | N/A |
| Neurologic/Neurodevelopmental | Yes | 525 | N/A |
| Chronic Lung Disease | Yes | 1690 | N/A |
| Historically Healthy | Yes | 2378 | N/A |
| Other | Yes | 2847 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 3 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 5 | 0.1 | 216,762 | -- |
| | Aged 25 to 49 | 231 | 6.8 | 803,732 | 28.74 |
| | Aged 50 to 64 | 656 | 19.3 | 423,461 | 154.91 |
| | Aged 64+ | 2503 | 73.7 | 318,459 | 785.97 |
| Birth Sex | Female | 1296 | 38.1 | 1,160,285 | 111.70 |
| | Male | 2094 | 61.6 | 1,157,889 | 180.85 |
| | Unknown | 8 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 944 | 27.8 | 763,053 | 123.71 |
| | White | 1516 | 44.6 | 1,006,929 | 150.56 |
| | Black | 386 | 11.4 | 262,671 | 146.95 |
| | Asian or Pacific Islander | 468 | 13.8 | 270,209 | 173.20 |
| | American Indian, Eskimo, or Aleut | 4 | 0.1 | 15,311 | -- |
| | Other | 37 | 1.1 | . | . |
| | Unknown | 43 | 1.3 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 2797 | 82.3 |
| | No | 601 | 17.7 |
| ICU | Yes | 1613 | 47.5 |
| | No | 1785 | 52.5 |
| Intubated | Yes | 1133 | 33.3 |
| | No | 2265 | 66.7 |
| Underlying Medical Condition | Yes | 2136 | 62.9 |
| | No | 1262 | 37.1 |
| Hypertension | Yes | 1363 | N/A |
| Immunocompromised | Yes | 108 | N/A |
| Chronic Heart Disease | Yes | 647 | N/A |
| Chronic Liver Disease | Yes | 70 | N/A |
| Chronic Kidney Disease | Yes | 460 | N/A |
| Diabetes | Yes | 999 | N/A |
| Neurologic/Neurodevelopmental | Yes | 267 | N/A |
| Chronic Lung Disease | Yes | 506 | N/A |
| Historically Healthy | Yes | 211 | N/A |
| Other | Yes | 806 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).