

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 217,521 | 100 | 2,318,174 | 9,383.29 | 216,817 | 704 |
| Hospitalized | 12,064 | 5.55 | 2,318,174 | 520.41 | 11,989 | 75 |
| Deceased | 3,430 | 1.58 | 2,318,174 | 147.96 | 3,398 | 32 |
| Recovered | 204,190 | 93.9 | 2,318,174 | 8,808.23 | 203,011 | 1,179 |
| MIS-C Case | 44 | -- | -- | -- | 43 | 1 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 4552 | 2.09 | 149,165 | 3051.7 |
| | Aged 5 to 17 | 20685 | 9.51 | 406,595 | 5087.4 |
| | Aged 18 to 24 | 27635 | 12.7 | 216,762 | 12749 |
| | Aged 25 to 49 | 99680 | 45.8 | 803,732 | 12402 |
| | Aged 50 to 64 | 41967 | 19.3 | 423,461 | 9910.5 |
| | Aged 64+ | 22950 | 10.6 | 318,459 | 7206.6 |
| | Unknown | 52 | 0.02 | . | . |
| Birth Sex | Female | 111089 | 51.1 | 1,160,285 | 9574.3 |
| | Male | 104878 | 48.2 | 1,157,889 | 9057.7 |
| | Unknown | 1554 | 0.71 | . | . |
| Race/Ethnicity | Hispanic | 66275 | 30.5 | 763,053 | 8685.5 |
| | White | 53446 | 24.6 | 1,006,929 | 5307.8 |
| | Black | 15347 | 7.06 | 262,671 | 5842.7 |
| | Asian or Pacific Islander | 15115 | 6.95 | 270,209 | 5593.8 |
| | American Indian, Eskimo, or Aleut | 245 | 0.11 | 15,311 | 1600.1 |
| | Other | 22095 | 10.2 | . | . |
| | Unknown | 44998 | 20.7 | . | . |
| Underlying Medical Condition | Yes | 35432 | 16.3 | . | . |
| | No/Unknown | 182089 | 83.7 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 68 | 0.6 | 149,165 | 45.59 |
| | Aged 5 to 17 | 127 | 1.1 | 406,595 | 31.24 |
| | Aged 18 to 24 | 278 | 2.3 | 216,762 | 128.25 |
| | Aged 25 to 49 | 2874 | 23.8 | 803,732 | 357.58 |
| | Aged 50 to 64 | 3343 | 27.7 | 423,461 | 789.45 |
| | Aged 64+ | 5372 | 44.5 | 318,459 | 1686.9 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 5352 | 44.4 | 1,160,285 | 461.27 |
| | Male | 6695 | 55.5 | 1,157,889 | 578.21 |
| | Unknown | 17 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 3886 | 32.2 | 763,053 | 509.27 |
| | White | 4077 | 33.8 | 1,006,929 | 404.89 |
| | Black | 1510 | 12.5 | 262,671 | 574.86 |
| | Asian or Pacific Islander | 1319 | 10.9 | 270,209 | 488.14 |
| | American Indian, Eskimo, or Aleut | 14 | 0.1 | 15,311 | 91.44 |
| | Other | 504 | 4.2 | . | . |
| | Unknown | 754 | 6.3 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 2840 | 23.5 |
| | No | 9224 | 76.5 |
| ICU | Yes | 3389 | 28.1 |
| | No | 8675 | 71.9 |
| Intubated | Yes | 1713 | 14.2 |
| | No | 10351 | 85.8 |
| Underlying Medical Condition | Yes | 7357 | 61.0 |
| | No | 4707 | 39.0 |
| Hypertension | Yes | 4216 | N/A |
| Immunocompromised | Yes | 269 | N/A |
| Chronic Heart Disease | Yes | 1460 | N/A |
| Chronic Liver Disease | Yes | 145 | N/A |
| Chronic Kidney Disease | Yes | 1059 | N/A |
| Diabetes | Yes | 3324 | N/A |
| Neurologic/Neurodevelopmental | Yes | 530 | N/A |
| Chronic Lung Disease | Yes | 1700 | N/A |
| Historically Healthy | Yes | 2386 | N/A |
| Other | Yes | 2861 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 3 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 5 | 0.1 | 216,762 | -- |
| | Aged 25 to 49 | 231 | 6.7 | 803,732 | 28.74 |
| | Aged 50 to 64 | 663 | 19.3 | 423,461 | 156.57 |
| | Aged 64+ | 2528 | 73.7 | 318,459 | 793.82 |
| Birth Sex | Female | 1302 | 38.0 | 1,160,285 | 112.21 |
| | Male | 2121 | 61.8 | 1,157,889 | 183.18 |
| | Unknown | 7 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 956 | 27.9 | 763,053 | 125.29 |
| | White | 1530 | 44.6 | 1,006,929 | 151.95 |
| | Black | 391 | 11.4 | 262,671 | 148.86 |
| | Asian or Pacific Islander | 472 | 13.8 | 270,209 | 174.68 |
| | American Indian, Eskimo, or Aleut | 4 | 0.1 | 15,311 | -- |
| | Other | 36 | 1.0 | . | . |
| | Unknown | 41 | 1.2 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 2840 | 82.8 |
| | No | 590 | 17.2 |
| ICU | Yes | 1631 | 47.6 |
| | No | 1799 | 52.4 |
| Intubated | Yes | 1144 | 33.4 |
| | No | 2286 | 66.6 |
| Underlying Medical Condition | Yes | 2155 | 62.8 |
| | No | 1275 | 37.2 |
| Hypertension | Yes | 1379 | N/A |
| Immunocompromised | Yes | 110 | N/A |
| Chronic Heart Disease | Yes | 656 | N/A |
| Chronic Liver Disease | Yes | 72 | N/A |
| Chronic Kidney Disease | Yes | 466 | N/A |
| Diabetes | Yes | 1006 | N/A |
| Neurologic/Neurodevelopmental | Yes | 269 | N/A |
| Chronic Lung Disease | Yes | 511 | N/A |
| Historically Healthy | Yes | 214 | N/A |
| Other | Yes | 808 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).