

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 263,144 | 100 | 2,318,174 | 11351.35 | 262,481 | 663 |
| Hospitalized | 17,463 | 6.64 | 2,318,174 | 753.31 | 17,422 | 41 |
| Deceased | 4,517 | 1.72 | 2,318,174 | 194.85 | 4,515 | 2 |
| Recovered | 249,899 | 95.0 | 2,318,174 | 10779.99 | 249,534 | 365 |
| MIS-C Case | 71 | -- | -- | -- | 71 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 5439 | 2.07 | 149,165 | 3646.3 |
| | Aged 5 to 17 | 25467 | 9.68 | 406,595 | 6263.5 |
| | Aged 18 to 24 | 32896 | 12.5 | 216,762 | 15176 |
| | Aged 25 to 49 | 120678 | 45.9 | 803,732 | 15015 |
| | Aged 50 to 64 | 50702 | 19.3 | 423,461 | 11973 |
| | Aged 64+ | 27868 | 10.6 | 318,459 | 8750.9 |
| | Unknown | 94 | 0.04 | . | . |
| Birth Sex | Female | 134601 | 51.2 | 1,160,285 | 11601 |
| | Male | 126294 | 48.0 | 1,157,889 | 10907 |
| | Unknown | 2249 | 0.85 | . | . |
| Race/Ethnicity | Hispanic | 85232 | 32.4 | 763,053 | 11170 |
| | White | 66426 | 25.2 | 1,006,929 | 6596.9 |
| | Black | 20732 | 7.88 | 262,671 | 7892.8 |
| | Asian or Pacific Islander | 19935 | 7.58 | 270,209 | 7377.6 |
| | American Indian, Eskimo, or Aleut | 398 | 0.15 | 15,311 | 2599.4 |
| | Other | 18435 | 7.01 | . | . |
| | Unknown | 51986 | 19.8 | . | . |
| Underlying Medical Condition | Yes | 52117 | 19.8 | . | . |
| | No/Unknown | 211027 | 80.2 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 120 | 0.7 | 149,165 | 80.45 |
| | Aged 5 to 17 | 201 | 1.2 | 406,595 | 49.43 |
| | Aged 18 to 24 | 377 | 2.2 | 216,762 | 173.92 |
| | Aged 25 to 49 | 4160 | 23.8 | 803,732 | 517.59 |
| | Aged 50 to 64 | 4890 | 28.0 | 423,461 | 1154.8 |
| | Aged 64+ | 7713 | 44.2 | 318,459 | 2422.0 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 7710 | 44.2 | 1,160,285 | 664.49 |
| | Male | 9725 | 55.7 | 1,157,889 | 839.89 |
| | Unknown | 28 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 5188 | 29.7 | 763,053 | 679.90 |
| | White | 6136 | 35.1 | 1,006,929 | 609.38 |
| | Black | 2300 | 13.2 | 262,671 | 875.62 |
| | Asian or Pacific Islander | 1943 | 11.1 | 270,209 | 719.07 |
| | American Indian, Eskimo, or Aleut | 32 | 0.2 | 15,311 | 208.99 |
| | Other | 672 | 3.8 | . | . |
| | Unknown | 1192 | 6.8 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 3828 | 21.9 |
| | No | 13635 | 78.1 |
| ICU | Yes | 4512 | 25.8 |
| | No | 12951 | 74.2 |
| Intubated | Yes | 2186 | 12.5 |
| | No | 15277 | 87.5 |
| Underlying Medical Condition | Yes | 11183 | 64.0 |
| | No | 6280 | 36.0 |
| Hypertension | Yes | 6501 | N/A |
| Immunocompromised | Yes | 382 | N/A |
| Chronic Heart Disease | Yes | 2255 | N/A |
| Chronic Liver Disease | Yes | 230 | N/A |
| Chronic Kidney Disease | Yes | 1556 | N/A |
| Diabetes | Yes | 4917 | N/A |
| Neurologic/Neurodevelopmental | Yes | 797 | N/A |
| Chronic Lung Disease | Yes | 2709 | N/A |
| Historically Healthy | Yes | 3285 | N/A |
| Other | Yes | 4572 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 4 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 10 | 0.2 | 216,762 | -- |
| | Aged 25 to 49 | 318 | 7.0 | 803,732 | 39.57 |
| | Aged 50 to 64 | 908 | 20.1 | 423,461 | 214.42 |
| | Aged 64+ | 3277 | 72.5 | 318,459 | 1029.0 |
| Birth Sex | Female | 1704 | 37.7 | 1,160,285 | 146.86 |
| | Male | 2805 | 62.1 | 1,157,889 | 242.25 |
| | Unknown | 8 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1225 | 27.1 | 763,053 | 160.54 |
| | White | 2043 | 45.2 | 1,006,929 | 202.89 |
| | Black | 544 | 12.0 | 262,671 | 207.10 |
| | Asian or Pacific Islander | 625 | 13.8 | 270,209 | 231.30 |
| | American Indian, Eskimo, or Aleut | 11 | 0.2 | 15,311 | -- |
| | Other | 46 | 1.0 | . | . |
| | Unknown | 23 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 3828 | 84.7 |
| | No | 689 | 15.3 |
| ICU | Yes | 2252 | 49.9 |
| | No | 2265 | 50.1 |
| Intubated | Yes | 1509 | 33.4 |
| | No | 3008 | 66.6 |
| Underlying Medical Condition | Yes | 3193 | 70.7 |
| | No | 1324 | 29.3 |
| Hypertension | Yes | 2099 | N/A |
| Immunocompromised | Yes | 151 | N/A |
| Chronic Heart Disease | Yes | 975 | N/A |
| Chronic Liver Disease | Yes | 113 | N/A |
| Chronic Kidney Disease | Yes | 699 | N/A |
| Diabetes | Yes | 1510 | N/A |
| Neurologic/Neurodevelopmental | Yes | 366 | N/A |
| Chronic Lung Disease | Yes | 789 | N/A |
| Historically Healthy | Yes | 266 | N/A |
| Other | Yes | 1282 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
