

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 255,153 | 100 | 2,318,174 | 11006.64 | 254,912 | 241 |
| Hospitalized | 16,911 | 6.63 | 2,318,174 | 729.50 | 16,882 | 29 |
| Deceased | 4,459 | 1.75 | 2,318,174 | 192.35 | 4,452 | 7 |
| Recovered | 244,499 | 95.8 | 2,318,174 | 10547.05 | 244,329 | 170 |
| MIS-C Case | 70 | -- | -- | -- | 70 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 5268 | 2.06 | 149,165 | 3531.7 |
| | Aged 5 to 17 | 24527 | 9.61 | 406,595 | 6032.3 |
| | Aged 18 to 24 | 31946 | 12.5 | 216,762 | 14738 |
| | Aged 25 to 49 | 116836 | 45.8 | 803,732 | 14537 |
| | Aged 50 to 64 | 49355 | 19.3 | 423,461 | 11655 |
| | Aged 64+ | 27132 | 10.6 | 318,459 | 8519.8 |
| | Unknown | 89 | 0.03 | . | . |
| Birth Sex | Female | 130618 | 51.2 | 1,160,285 | 11257 |
| | Male | 122438 | 48.0 | 1,157,889 | 10574 |
| | Unknown | 2097 | 0.82 | . | . |
| Race/Ethnicity | Hispanic | 83621 | 32.8 | 763,053 | 10959 |
| | White | 63899 | 25.0 | 1,006,929 | 6345.9 |
| | Black | 19893 | 7.80 | 262,671 | 7573.4 |
| | Asian or Pacific Islander | 19370 | 7.59 | 270,209 | 7168.5 |
| | American Indian, Eskimo, or Aleut | 386 | 0.15 | 15,311 | 2521.0 |
| | Other | 18093 | 7.09 | . | . |
| | Unknown | 49891 | 19.6 | . | . |
| Underlying Medical Condition | Yes | 50534 | 19.8 | . | . |
| | No/Unknown | 204619 | 80.2 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 113 | 0.7 | 149,165 | 75.76 |
| | Aged 5 to 17 | 197 | 1.2 | 406,595 | 48.45 |
| | Aged 18 to 24 | 364 | 2.2 | 216,762 | 167.93 |
| | Aged 25 to 49 | 3987 | 23.6 | 803,732 | 496.06 |
| | Aged 50 to 64 | 4744 | 28.1 | 423,461 | 1120.3 |
| | Aged 64+ | 7504 | 44.4 | 318,459 | 2356.3 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 7470 | 44.2 | 1,160,285 | 643.81 |
| | Male | 9415 | 55.7 | 1,157,889 | 813.12 |
| | Unknown | 26 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 5079 | 30.0 | 763,053 | 665.62 |
| | White | 5903 | 34.9 | 1,006,929 | 586.24 |
| | Black | 2208 | 13.1 | 262,671 | 840.60 |
| | Asian or Pacific Islander | 1888 | 11.2 | 270,209 | 698.72 |
| | American Indian, Eskimo, or Aleut | 31 | 0.2 | 15,311 | 202.46 |
| | Other | 649 | 3.8 | . | . |
| | Unknown | 1153 | 6.8 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 3778 | 22.3 |
| | No | 13133 | 77.7 |
| ICU | Yes | 4400 | 26.0 |
| | No | 12511 | 74.0 |
| Intubated | Yes | 2146 | 12.7 |
| | No | 14765 | 87.3 |
| Underlying Medical Condition | Yes | 10824 | 64.0 |
| | No | 6087 | 36.0 |
| Hypertension | Yes | 6263 | N/A |
| Immunocompromised | Yes | 368 | N/A |
| Chronic Heart Disease | Yes | 2170 | N/A |
| Chronic Liver Disease | Yes | 220 | N/A |
| Chronic Kidney Disease | Yes | 1506 | N/A |
| Diabetes | Yes | 4771 | N/A |
| Neurologic/Neurodevelopmental | Yes | 776 | N/A |
| Chronic Lung Disease | Yes | 2612 | N/A |
| Historically Healthy | Yes | 3191 | N/A |
| Other | Yes | 4398 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 4 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 10 | 0.2 | 216,762 | -- |
| | Aged 25 to 49 | 311 | 7.0 | 803,732 | 38.69 |
| | Aged 50 to 64 | 890 | 20.0 | 423,461 | 210.17 |
| | Aged 64+ | 3244 | 72.8 | 318,459 | 1018.7 |
| Birth Sex | Female | 1675 | 37.6 | 1,160,285 | 144.36 |
| | Male | 2777 | 62.3 | 1,157,889 | 239.83 |
| | Unknown | 7 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1220 | 27.4 | 763,053 | 159.88 |
| | White | 2011 | 45.1 | 1,006,929 | 199.72 |
| | Black | 532 | 11.9 | 262,671 | 202.53 |
| | Asian or Pacific Islander | 618 | 13.9 | 270,209 | 228.71 |
| | American Indian, Eskimo, or Aleut | 11 | 0.2 | 15,311 | -- |
| | Other | 46 | 1.0 | . | . |
| | Unknown | 21 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 3778 | 84.7 |
| | No | 681 | 15.3 |
| ICU | Yes | 2211 | 49.6 |
| | No | 2248 | 50.4 |
| Intubated | Yes | 1489 | 33.4 |
| | No | 2970 | 66.6 |
| Underlying Medical Condition | Yes | 3114 | 69.8 |
| | No | 1345 | 30.2 |
| Hypertension | Yes | 2034 | N/A |
| Immunocompromised | Yes | 151 | N/A |
| Chronic Heart Disease | Yes | 950 | N/A |
| Chronic Liver Disease | Yes | 109 | N/A |
| Chronic Kidney Disease | Yes | 679 | N/A |
| Diabetes | Yes | 1479 | N/A |
| Neurologic/Neurodevelopmental | Yes | 360 | N/A |
| Chronic Lung Disease | Yes | 764 | N/A |
| Historically Healthy | Yes | 270 | N/A |
| Other | Yes | 1235 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).