Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|-----------------------|----------------------------|
| COVID19 Case | 258,364 | 100 | 2,318,174 | 11145.15 | 257,961 | 403 |
| Hospitalized | 17,117 | 6.63 | 2,318,174 | 738.38 | 17,096 | 21 |
| Deceased | 4,484 | 1.74 | 2,318,174 | 193.43 | 4,483 | 1 |
| Recovered | 246,470 | 95.4 | 2,318,174 | 10632.08 | 246,208 | 262 |
| MIS-C Case | 70 | | | | 70 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 5333 | 2.06 | 149,165 | 3575.2 |
| | Aged 5 to 17 | 24882 | 9.63 | 406,595 | 6119.6 |
| | Aged 18 to 24 | 32329 | 12.5 | 216,762 | 14915 |
| | Aged 25 to 49 | 118373 | 45.8 | 803,732 | 14728 |
| | Aged 50 to 64 | 49948 | 19.3 | 423,461 | 11795 |
| | Aged 64+ | 27408 | 10.6 | 318,459 | 8606.5 |
| | Unknown | 91 | 0.04 | • | • |
| Birth Sex | Female | 132227 | 51.2 | 1,160,285 | 11396 |
| | Male | 123985 | 48.0 | 1,157,889 | 10708 |
| | Unknown | 2152 | 0.83 | | • |
| Race/Ethnicity | Hispanic | 84241 | 32.6 | 763,053 | 11040 |
| | White | 64891 | 25.1 | 1,006,929 | 6444.4 |
| | Black | 20189 | 7.81 | 262,671 | 7686.0 |
| | Asian or Pacific Islander | 19571 | 7.57 | 270,209 | 7242.9 |
| | American Indian, Eskimo, or Aleut | 390 | 0.15 | 15,311 | 2547.1 |
| | Other | 18189 | 7.04 | • | |
| | Unknown | 50893 | 19.7 | | • |
| Underlying Medical Condition | Yes | 51204 | 19.8 | | |
| | No/Unknown | 207160 | 80.2 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per |
|----------------|-----------------------------------|------|------|-------------|----------|
| variable | Outcome | IV | /0 | i opulation | 100,000 |
| Age Categories | Aged 4 or less | 116 | 0.7 | 149,165 | 77.77 |
| | Aged 5 to 17 | 199 | 1.2 | 406,595 | 48.94 |
| | Aged 18 to 24 | 367 | 2.1 | 216,762 | 169.31 |
| | Aged 25 to 49 | 4051 | 23.7 | 803,732 | 504.02 |
| | Aged 50 to 64 | 4797 | 28.0 | 423,461 | 1132.8 |
| | Aged 64+ | 7585 | 44.3 | 318,459 | 2381.8 |
| | Unknown | 2 | 0.0 | • | |
| | | | | | |
| Birth Sex | Female | 7560 | 44.2 | 1,160,285 | 651.56 |
| | Male | 9531 | 55.7 | 1,157,889 | 823.14 |
| | Unknown | 26 | 0.2 | | |
| Race/Ethnicity | Hispanic | 5119 | 29.9 | 763,053 | 670.86 |
| . 10.00/_0 | White | 5988 | 35.0 | 1,006,929 | 594.68 |
| | Black | 2251 | 13.2 | 262,671 | 856.97 |
| | Asian or Pacific Islander | 1914 | 11.2 | 270,209 | 708.34 |
| | American Indian, Eskimo, or Aleut | 32 | 0.2 | 15,311 | 208.99 |
| | Other | 655 | 3.8 | • | |
| | Unknown | 1158 | 6.8 | | |
| | | | | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 3801 | 22.2 |
| | No | 13316 | 77.8 |
| ICU | Yes | 4448 | 26.0 |
| | No | 12669 | 74.0 |
| Intubated | Yes | 2162 | 12.6 |
| | No | 14955 | 87.4 |
| Underlying Medical Condition | Yes | 10987 | 64.2 |
| | No | 6130 | 35.8 |
| Hypertension | Yes | 6395 | N/A |
| Immunocompromised | Yes | 369 | N/A |
| Chronic Heart Disease | Yes | 2213 | N/A |
| Chronic Liver Disease | Yes | 224 | N/A |
| Chronic Kidney Disease | Yes | 1536 | N/A |
| Diabetes | Yes | 4836 | N/A |
| Neurologic/Neurodevelopmental | Yes | 785 | N/A |
| Chronic Lung Disease | Yes | 2653 | N/A |
| Historically Healthy | Yes | 3216 | N/A |
| Other | Yes | 4479 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 4 | 0.1 | 406,595 | |
| | Aged 18 to 24 | 10 | 0.2 | 216,762 | |
| | Aged 25 to 49 | 313 | 7.0 | 803,732 | 38.94 |
| | Aged 50 to 64 | 898 | 20.0 | 423,461 | 212.06 |
| | Aged 64+ | 3259 | 72.7 | 318,459 | 1023.4 |
| Birth Sex | Female | 1690 | 37.7 | 1,160,285 | 145.65 |
| | Male | 2787 | 62.2 | 1,157,889 | 240.70 |
| | Unknown | 7 | 0.2 | | |
| Race/Ethnicity | Hispanic | 1222 | 27.3 | 763,053 | 160.15 |
| | White | 2025 | 45.2 | 1,006,929 | 201.11 |
| | Black | 538 | 12.0 | 262,671 | 204.82 |
| | Asian or Pacific Islander | 619 | 13.8 | 270,209 | 229.08 |
| | American Indian, Eskimo, or Aleut | 11 | 0.2 | 15,311 | |
| | Other | 46 | 1.0 | | |
| | Unknown | 23 | 0.5 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|-----------|------|-------|
| Hospitalized | Yes No | 3801 | 84.8 |
| | NO | 683 | 15.2 |
| ICU | Yes | 2230 | 49.7 |
| | No | 2254 | 50.3 |
| Intubated | Yes | 1498 | 33.4 |
| | No | 2986 | 66.6 |
| Underlying Medical Condition | Yes | 3160 | 70.5 |
| | No | 1324 | 29.5 |
| Hypertension | Yes | 2076 | N/A |
| Immunocompromised | Yes | 151 | N/A |
| Chronic Heart Disease | Yes | 965 | N/A |
| Chionic ricart biscase | 163 | 303 | 14/73 |
| Chronic Liver Disease | Yes | 111 | N/A |
| Chronic Kidney Disease | Yes | 691 | N/A |
| Diabetes | Yes | 1497 | N/A |
| Neurologic/Neurodevelopmental | Yes | 365 | N/A |
| Chronic Lung Disease | Yes | 777 | N/A |
| Historically Healthy | Yes | 267 | N/A |
| Other | Yes | 1262 | N/A |
| | | | |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).