

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 233,305 | 100 | 2,318,174 | 10064.17 | 233,110 | 195 |
| Hospitalized | 14,297 | 6.13 | 2,318,174 | 616.74 | 14,227 | 70 |
| Deceased | 4,079 | 1.75 | 2,318,174 | 175.96 | 4,072 | 7 |
| Recovered | 224,062 | 96.0 | 2,318,174 | 9,665.45 | 223,884 | 178 |
| MIS-C Case | 61 | -- | -- | -- | 60 | 1 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 4872 | 2.09 | 149,165 | 3266.2 |
| | Aged 5 to 17 | 22205 | 9.52 | 406,595 | 5461.2 |
| | Aged 18 to 24 | 29436 | 12.6 | 216,762 | 13580 |
| | Aged 25 to 49 | 106472 | 45.6 | 803,732 | 13247 |
| | Aged 50 to 64 | 45162 | 19.4 | 423,461 | 10665 |
| | Aged 64+ | 25074 | 10.7 | 318,459 | 7873.5 |
| | Unknown | 84 | 0.04 | . | . |
| Birth Sex | Female | 119415 | 51.2 | 1,160,285 | 10292 |
| | Male | 112347 | 48.2 | 1,157,889 | 9702.7 |
| | Unknown | 1543 | 0.66 | . | . |
| Race/Ethnicity | Hispanic | 75691 | 32.4 | 763,053 | 9919.5 |
| | White | 58074 | 24.9 | 1,006,929 | 5767.4 |
| | Black | 17103 | 7.33 | 262,671 | 6511.2 |
| | Asian or Pacific Islander | 17231 | 7.39 | 270,209 | 6376.9 |
| | American Indian, Eskimo, or Aleut | 313 | 0.13 | 15,311 | 2044.2 |
| | Other | 19321 | 8.28 | . | . |
| | Unknown | 45572 | 19.5 | . | . |
| Underlying Medical Condition | Yes | 43137 | 18.5 | . | . |
| | No/Unknown | 190168 | 81.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 86 | 0.6 | 149,165 | 57.65 |
| | Aged 5 to 17 | 156 | 1.1 | 406,595 | 38.37 |
| | Aged 18 to 24 | 309 | 2.2 | 216,762 | 142.55 |
| | Aged 25 to 49 | 3278 | 22.9 | 803,732 | 407.85 |
| | Aged 50 to 64 | 3933 | 27.5 | 423,461 | 928.78 |
| | Aged 64+ | 6533 | 45.7 | 318,459 | 2051.4 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 6315 | 44.2 | 1,160,285 | 544.26 |
| | Male | 7965 | 55.7 | 1,157,889 | 687.89 |
| | Unknown | 17 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 4479 | 31.3 | 763,053 | 586.98 |
| | White | 4954 | 34.7 | 1,006,929 | 491.99 |
| | Black | 1791 | 12.5 | 262,671 | 681.84 |
| | Asian or Pacific Islander | 1599 | 11.2 | 270,209 | 591.76 |
| | American Indian, Eskimo, or Aleut | 21 | 0.1 | 15,311 | 137.15 |
| | Other | 570 | 4.0 | . | . |
| | Unknown | 883 | 6.2 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 3438 | 24.0 |
| | No | 10859 | 76.0 |
| ICU | Yes | 3950 | 27.6 |
| | No | 10347 | 72.4 |
| Intubated | Yes | 1974 | 13.8 |
| | No | 12323 | 86.2 |
| Underlying Medical Condition | Yes | 8945 | 62.6 |
| | No | 5352 | 37.4 |
| Hypertension | Yes | 5097 | N/A |
| Immunocompromised | Yes | 318 | N/A |
| Chronic Heart Disease | Yes | 1786 | N/A |
| Chronic Liver Disease | Yes | 186 | N/A |
| Chronic Kidney Disease | Yes | 1265 | N/A |
| Diabetes | Yes | 4026 | N/A |
| Neurologic/Neurodevelopmental | Yes | 626 | N/A |
| Chronic Lung Disease | Yes | 2120 | N/A |
| Historically Healthy | Yes | 2750 | N/A |
| Other | Yes | 3456 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 3 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 7 | 0.2 | 216,762 | -- |
| | Aged 25 to 49 | 275 | 6.7 | 803,732 | 34.22 |
| | Aged 50 to 64 | 796 | 19.5 | 423,461 | 187.97 |
| | Aged 64+ | 2998 | 73.5 | 318,459 | 941.41 |
| Birth Sex | Female | 1523 | 37.3 | 1,160,285 | 131.26 |
| | Male | 2549 | 62.5 | 1,157,889 | 220.14 |
| | Unknown | 7 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1133 | 27.8 | 763,053 | 148.48 |
| | White | 1847 | 45.3 | 1,006,929 | 183.43 |
| | Black | 471 | 11.5 | 262,671 | 179.31 |
| | Asian or Pacific Islander | 560 | 13.7 | 270,209 | 207.25 |
| | American Indian, Eskimo, or Aleut | 8 | 0.2 | 15,311 | -- |
| | Other | 41 | 1.0 | . | . |
| | Unknown | 19 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 3438 | 84.3 |
| | No | 641 | 15.7 |
| ICU | Yes | 2022 | 49.6 |
| | No | 2057 | 50.4 |
| Intubated | Yes | 1376 | 33.7 |
| | No | 2703 | 66.3 |
| Underlying Medical Condition | Yes | 2710 | 66.4 |
| | No | 1369 | 33.6 |
| Hypertension | Yes | 1726 | N/A |
| Immunocompromised | Yes | 136 | N/A |
| Chronic Heart Disease | Yes | 819 | N/A |
| Chronic Liver Disease | Yes | 96 | N/A |
| Chronic Kidney Disease | Yes | 585 | N/A |
| Diabetes | Yes | 1281 | N/A |
| Neurologic/Neurodevelopmental | Yes | 318 | N/A |
| Chronic Lung Disease | Yes | 647 | N/A |
| Historically Healthy | Yes | 250 | N/A |
| Other | Yes | 1002 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).