

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 234,803 | 100 | 2,318,174 | 10128.79 | 234,549 | 254 |
| Hospitalized | 14,555 | 6.20 | 2,318,174 | 627.86 | 14,505 | 50 |
| Deceased | 4,115 | 1.75 | 2,318,174 | 177.51 | 4,108 | 7 |
| Recovered | 225,328 | 96.0 | 2,318,174 | 9,720.06 | 225,145 | 183 |
| MIS-C Case | 61 | -- | -- | -- | 61 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 4899 | 2.09 | 149,165 | 3284.3 |
| | Aged 5 to 17 | 22351 | 9.52 | 406,595 | 5497.1 |
| | Aged 18 to 24 | 29622 | 12.6 | 216,762 | 13666 |
| | Aged 25 to 49 | 107154 | 45.6 | 803,732 | 13332 |
| | Aged 50 to 64 | 45459 | 19.4 | 423,461 | 10735 |
| | Aged 64+ | 25234 | 10.7 | 318,459 | 7923.8 |
| | Unknown | 84 | 0.04 | . | . |
| Birth Sex | Female | 120184 | 51.2 | 1,160,285 | 10358 |
| | Male | 113047 | 48.1 | 1,157,889 | 9763.2 |
| | Unknown | 1572 | 0.67 | . | . |
| Race/Ethnicity | Hispanic | 76777 | 32.7 | 763,053 | 10062 |
| | White | 58480 | 24.9 | 1,006,929 | 5807.8 |
| | Black | 17274 | 7.36 | 262,671 | 6576.3 |
| | Asian or Pacific Islander | 17432 | 7.42 | 270,209 | 6451.3 |
| | American Indian, Eskimo, or Aleut | 316 | 0.13 | 15,311 | 2063.8 |
| | Other | 18878 | 8.04 | . | . |
| | Unknown | 45646 | 19.4 | . | . |
| Underlying Medical Condition | Yes | 44021 | 18.7 | . | . |
| | No/Unknown | 190782 | 81.3 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 88 | 0.6 | 149,165 | 59.00 |
| | Aged 5 to 17 | 160 | 1.1 | 406,595 | 39.35 |
| | Aged 18 to 24 | 315 | 2.2 | 216,762 | 145.32 |
| | Aged 25 to 49 | 3342 | 23.0 | 803,732 | 415.81 |
| | Aged 50 to 64 | 4000 | 27.5 | 423,461 | 944.60 |
| | Aged 64+ | 6648 | 45.7 | 318,459 | 2087.6 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 6416 | 44.1 | 1,160,285 | 552.97 |
| | Male | 8121 | 55.8 | 1,157,889 | 701.36 |
| | Unknown | 18 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 4548 | 31.2 | 763,053 | 596.03 |
| | White | 5034 | 34.6 | 1,006,929 | 499.94 |
| | Black | 1832 | 12.6 | 262,671 | 697.45 |
| | Asian or Pacific Islander | 1635 | 11.2 | 270,209 | 605.09 |
| | American Indian, Eskimo, or Aleut | 22 | 0.2 | 15,311 | 143.68 |
| | Other | 576 | 4.0 | . | . |
| | Unknown | 908 | 6.2 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 3471 | 23.8 |
| | No | 11084 | 76.2 |
| ICU | Yes | 3995 | 27.4 |
| | No | 10560 | 72.6 |
| Intubated | Yes | 1987 | 13.7 |
| | No | 12568 | 86.3 |
| Underlying Medical Condition | Yes | 9114 | 62.6 |
| | No | 5441 | 37.4 |
| Hypertension | Yes | 5190 | N/A |
| Immunocompromised | Yes | 325 | N/A |
| Chronic Heart Disease | Yes | 1819 | N/A |
| Chronic Liver Disease | Yes | 189 | N/A |
| Chronic Kidney Disease | Yes | 1282 | N/A |
| Diabetes | Yes | 4094 | N/A |
| Neurologic/Neurodevelopmental | Yes | 639 | N/A |
| Chronic Lung Disease | Yes | 2165 | N/A |
| Historically Healthy | Yes | 2799 | N/A |
| Other | Yes | 3539 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 3 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 7 | 0.2 | 216,762 | -- |
| | Aged 25 to 49 | 280 | 6.8 | 803,732 | 34.84 |
| | Aged 50 to 64 | 802 | 19.5 | 423,461 | 189.39 |
| | Aged 64+ | 3023 | 73.5 | 318,459 | 949.26 |
| Birth Sex | Female | 1537 | 37.4 | 1,160,285 | 132.47 |
| | Male | 2571 | 62.5 | 1,157,889 | 222.04 |
| | Unknown | 7 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1147 | 27.9 | 763,053 | 150.32 |
| | White | 1860 | 45.2 | 1,006,929 | 184.72 |
| | Black | 477 | 11.6 | 262,671 | 181.60 |
| | Asian or Pacific Islander | 564 | 13.7 | 270,209 | 208.73 |
| | American Indian, Eskimo, or Aleut | 8 | 0.2 | 15,311 | -- |
| | Other | 41 | 1.0 | . | . |
| | Unknown | 18 | 0.4 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 3471 | 84.3 |
| | No | 644 | 15.7 |
| ICU | Yes | 2037 | 49.5 |
| | No | 2078 | 50.5 |
| Intubated | Yes | 1387 | 33.7 |
| | No | 2728 | 66.3 |
| Underlying Medical Condition | Yes | 2745 | 66.7 |
| | No | 1370 | 33.3 |
| Hypertension | Yes | 1753 | N/A |
| Immunocompromised | Yes | 139 | N/A |
| Chronic Heart Disease | Yes | 828 | N/A |
| Chronic Liver Disease | Yes | 96 | N/A |
| Chronic Kidney Disease | Yes | 594 | N/A |
| Diabetes | Yes | 1299 | N/A |
| Neurologic/Neurodevelopmental | Yes | 321 | N/A |
| Chronic Lung Disease | Yes | 659 | N/A |
| Historically Healthy | Yes | 253 | N/A |
| Other | Yes | 1018 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
