

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 248,793 | 100 | 2,318,174 | 10732.28 | 248,688 | 105 |
| Hospitalized | 16,190 | 6.51 | 2,318,174 | 698.39 | 16,185 | 5 |
| Deceased | 4,360 | 1.75 | 2,318,174 | 188.08 | 4,360 | 0 |
| Recovered | 238,384 | 95.8 | 2,318,174 | 10283.27 | 238,271 | 113 |
| MIS-C Case | 64 | -- | -- | -- | 64 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 5157 | 2.07 | 149,165 | 3457.2 |
| | Aged 5 to 17 | 23884 | 9.60 | 406,595 | 5874.1 |
| | Aged 18 to 24 | 31213 | 12.5 | 216,762 | 14400 |
| | Aged 25 to 49 | 113747 | 45.7 | 803,732 | 14152 |
| | Aged 50 to 64 | 48162 | 19.4 | 423,461 | 11373 |
| | Aged 64+ | 26545 | 10.7 | 318,459 | 8335.5 |
| | Unknown | 85 | 0.03 | . | . |
| Birth Sex | Female | 127386 | 51.2 | 1,160,285 | 10979 |
| | Male | 119383 | 48.0 | 1,157,889 | 10310 |
| | Unknown | 2024 | 0.81 | . | . |
| Race/Ethnicity | Hispanic | 82098 | 33.0 | 763,053 | 10759 |
| | White | 62075 | 25.0 | 1,006,929 | 6164.8 |
| | Black | 19122 | 7.69 | 262,671 | 7279.8 |
| | Asian or Pacific Islander | 18805 | 7.56 | 270,209 | 6959.4 |
| | American Indian, Eskimo, or Aleut | 365 | 0.15 | 15,311 | 2383.8 |
| | Other | 18077 | 7.27 | . | . |
| | Unknown | 48251 | 19.4 | . | . |
| Underlying Medical Condition | Yes | 48701 | 19.6 | . | . |
| | No/Unknown | 200092 | 80.4 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 106 | 0.7 | 149,165 | 71.06 |
| | Aged 5 to 17 | 184 | 1.1 | 406,595 | 45.25 |
| | Aged 18 to 24 | 341 | 2.1 | 216,762 | 157.32 |
| | Aged 25 to 49 | 3784 | 23.4 | 803,732 | 470.80 |
| | Aged 50 to 64 | 4539 | 28.0 | 423,461 | 1071.9 |
| | Aged 64+ | 7234 | 44.7 | 318,459 | 2271.6 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 7159 | 44.2 | 1,160,285 | 617.00 |
| | Male | 9007 | 55.6 | 1,157,889 | 777.88 |
| | Unknown | 24 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 4930 | 30.5 | 763,053 | 646.09 |
| | White | 5648 | 34.9 | 1,006,929 | 560.91 |
| | Black | 2081 | 12.9 | 262,671 | 792.25 |
| | Asian or Pacific Islander | 1806 | 11.2 | 270,209 | 668.37 |
| | American Indian, Eskimo, or Aleut | 29 | 0.2 | 15,311 | 189.40 |
| | Other | 627 | 3.9 | . | . |
| | Unknown | 1069 | 6.6 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 3680 | 22.7 |
| | No | 12510 | 77.3 |
| ICU | Yes | 4266 | 26.3 |
| | No | 11924 | 73.7 |
| Intubated | Yes | 2089 | 12.9 |
| | No | 14101 | 87.1 |
| Underlying Medical Condition | Yes | 10223 | 63.1 |
| | No | 5967 | 36.9 |
| Hypertension | Yes | 5843 | N/A |
| Immunocompromised | Yes | 357 | N/A |
| Chronic Heart Disease | Yes | 2019 | N/A |
| Chronic Liver Disease | Yes | 212 | N/A |
| Chronic Kidney Disease | Yes | 1405 | N/A |
| Diabetes | Yes | 4527 | N/A |
| Neurologic/Neurodevelopmental | Yes | 715 | N/A |
| Chronic Lung Disease | Yes | 2449 | N/A |
| Historically Healthy | Yes | 3098 | N/A |
| Other | Yes | 4071 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 4 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 7 | 0.2 | 216,762 | -- |
| | Aged 25 to 49 | 302 | 6.9 | 803,732 | 37.57 |
| | Aged 50 to 64 | 858 | 19.7 | 423,461 | 202.62 |
| | Aged 64+ | 3189 | 73.1 | 318,459 | 1001.4 |
| Birth Sex | Female | 1636 | 37.5 | 1,160,285 | 141.00 |
| | Male | 2717 | 62.3 | 1,157,889 | 234.65 |
| | Unknown | 7 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1209 | 27.7 | 763,053 | 158.44 |
| | White | 1962 | 45.0 | 1,006,929 | 194.85 |
| | Black | 511 | 11.7 | 262,671 | 194.54 |
| | Asian or Pacific Islander | 599 | 13.7 | 270,209 | 221.68 |
| | American Indian, Eskimo, or Aleut | 10 | 0.2 | 15,311 | -- |
| | Other | 46 | 1.1 | . | . |
| | Unknown | 23 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 3680 | 84.4 |
| | No | 680 | 15.6 |
| ICU | Yes | 2150 | 49.3 |
| | No | 2210 | 50.7 |
| Intubated | Yes | 1453 | 33.3 |
| | No | 2907 | 66.7 |
| Underlying Medical Condition | Yes | 2976 | 68.3 |
| | No | 1384 | 31.7 |
| Hypertension | Yes | 1914 | N/A |
| Immunocompromised | Yes | 147 | N/A |
| Chronic Heart Disease | Yes | 886 | N/A |
| Chronic Liver Disease | Yes | 105 | N/A |
| Chronic Kidney Disease | Yes | 643 | N/A |
| Diabetes | Yes | 1413 | N/A |
| Neurologic/Neurodevelopmental | Yes | 339 | N/A |
| Chronic Lung Disease | Yes | 727 | N/A |
| Historically Healthy | Yes | 269 | N/A |
| Other | Yes | 1139 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).