

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 249,011 | 100 | 2,318,174 | 10741.69 | 248,793 | 218 |
| Hospitalized | 16,222 | 6.51 | 2,318,174 | 699.77 | 16,190 | 32 |
| Deceased | 4,366 | 1.75 | 2,318,174 | 188.34 | 4,360 | 6 |
| Recovered | 238,647 | 95.8 | 2,318,174 | 10294.61 | 238,384 | 263 |
| MIS-C Case | 65 | -- | -- | -- | 64 | 1 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 5159 | 2.07 | 149,165 | 3458.6 |
| | Aged 5 to 17 | 23909 | 9.60 | 406,595 | 5880.3 |
| | Aged 18 to 24 | 31232 | 12.5 | 216,762 | 14408 |
| | Aged 25 to 49 | 113855 | 45.7 | 803,732 | 14166 |
| | Aged 50 to 64 | 48210 | 19.4 | 423,461 | 11385 |
| | Aged 64+ | 26561 | 10.7 | 318,459 | 8340.5 |
| | Unknown | 85 | 0.03 | . | . |
| Birth Sex | Female | 127476 | 51.2 | 1,160,285 | 10987 |
| | Male | 119493 | 48.0 | 1,157,889 | 10320 |
| | Unknown | 2042 | 0.82 | . | . |
| Race/Ethnicity | Hispanic | 82172 | 33.0 | 763,053 | 10769 |
| | White | 62153 | 25.0 | 1,006,929 | 6172.5 |
| | Black | 19167 | 7.70 | 262,671 | 7297.0 |
| | Asian or Pacific Islander | 18820 | 7.56 | 270,209 | 6965.0 |
| | American Indian, Eskimo, or Aleut | 365 | 0.15 | 15,311 | 2383.8 |
| | Other | 18065 | 7.25 | . | . |
| | Unknown | 48269 | 19.4 | . | . |
| Underlying Medical Condition | Yes | 48767 | 19.6 | . | . |
| | No/Unknown | 200244 | 80.4 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 106 | 0.7 | 149,165 | 71.06 |
| | Aged 5 to 17 | 184 | 1.1 | 406,595 | 45.25 |
| | Aged 18 to 24 | 342 | 2.1 | 216,762 | 157.78 |
| | Aged 25 to 49 | 3796 | 23.4 | 803,732 | 472.30 |
| | Aged 50 to 64 | 4548 | 28.0 | 423,461 | 1074.0 |
| | Aged 64+ | 7244 | 44.7 | 318,459 | 2274.7 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 7171 | 44.2 | 1,160,285 | 618.04 |
| | Male | 9026 | 55.6 | 1,157,889 | 779.52 |
| | Unknown | 25 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 4936 | 30.4 | 763,053 | 646.88 |
| | White | 5659 | 34.9 | 1,006,929 | 562.01 |
| | Black | 2088 | 12.9 | 262,671 | 794.91 |
| | Asian or Pacific Islander | 1810 | 11.2 | 270,209 | 669.85 |
| | American Indian, Eskimo, or Aleut | 29 | 0.2 | 15,311 | 189.40 |
| | Other | 627 | 3.9 | . | . |
| | Unknown | 1073 | 6.6 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 3684 | 22.7 |
| | No | 12538 | 77.3 |
| ICU | Yes | 4270 | 26.3 |
| | No | 11952 | 73.7 |
| Intubated | Yes | 2094 | 12.9 |
| | No | 14128 | 87.1 |
| Underlying Medical Condition | Yes | 10240 | 63.1 |
| | No | 5982 | 36.9 |
| Hypertension | Yes | 5853 | N/A |
| Immunocompromised | Yes | 357 | N/A |
| Chronic Heart Disease | Yes | 2021 | N/A |
| Chronic Liver Disease | Yes | 212 | N/A |
| Chronic Kidney Disease | Yes | 1409 | N/A |
| Diabetes | Yes | 4532 | N/A |
| Neurologic/Neurodevelopmental | Yes | 720 | N/A |
| Chronic Lung Disease | Yes | 2453 | N/A |
| Historically Healthy | Yes | 3108 | N/A |
| Other | Yes | 4082 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 4 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 7 | 0.2 | 216,762 | -- |
| | Aged 25 to 49 | 302 | 6.9 | 803,732 | 37.57 |
| | Aged 50 to 64 | 860 | 19.7 | 423,461 | 203.09 |
| | Aged 64+ | 3193 | 73.1 | 318,459 | 1002.6 |
| Birth Sex | Female | 1638 | 37.5 | 1,160,285 | 141.17 |
| | Male | 2721 | 62.3 | 1,157,889 | 235.00 |
| | Unknown | 7 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1211 | 27.7 | 763,053 | 158.70 |
| | White | 1965 | 45.0 | 1,006,929 | 195.15 |
| | Black | 512 | 11.7 | 262,671 | 194.92 |
| | Asian or Pacific Islander | 600 | 13.7 | 270,209 | 222.05 |
| | American Indian, Eskimo, or Aleut | 10 | 0.2 | 15,311 | -- |
| | Other | 45 | 1.0 | . | . |
| | Unknown | 23 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 3684 | 84.4 |
| | No | 682 | 15.6 |
| ICU | Yes | 2151 | 49.3 |
| | No | 2215 | 50.7 |
| Intubated | Yes | 1454 | 33.3 |
| | No | 2912 | 66.7 |
| Underlying Medical Condition | Yes | 2980 | 68.3 |
| | No | 1386 | 31.7 |
| Hypertension | Yes | 1918 | N/A |
| Immunocompromised | Yes | 147 | N/A |
| Chronic Heart Disease | Yes | 887 | N/A |
| Chronic Liver Disease | Yes | 105 | N/A |
| Chronic Kidney Disease | Yes | 643 | N/A |
| Diabetes | Yes | 1416 | N/A |
| Neurologic/Neurodevelopmental | Yes | 340 | N/A |
| Chronic Lung Disease | Yes | 727 | N/A |
| Historically Healthy | Yes | 270 | N/A |
| Other | Yes | 1141 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).