

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 329,006 | 100 | 2,318,174 | 14192.46 | 328,623 | 383 |
| Hospitalized | 21,227 | 6.45 | 2,318,174 | 915.68 | 21,198 | 29 |
| Deceased | 5,900 | 1.79 | 2,318,174 | 254.51 | 5,894 | 6 |
| Recovered | 313,510 | 95.3 | 2,318,174 | 13524.01 | 313,077 | 433 |
| MIS-C Case | 87 | -- | -- | -- | 87 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 7322 | 2.23 | 149,165 | 4908.7 |
| | Aged 5 to 17 | 36203 | 11.0 | 406,595 | 8903.9 |
| | Aged 18 to 24 | 39650 | 12.1 | 216,762 | 18292 |
| | Aged 25 to 49 | 149502 | 45.4 | 803,732 | 18601 |
| | Aged 50 to 64 | 61941 | 18.8 | 423,461 | 14627 |
| | Aged 64+ | 34279 | 10.4 | 318,459 | 10764 |
| | Unknown | 109 | 0.03 | . | . |
| Birth Sex | Female | 168195 | 51.1 | 1,160,285 | 14496 |
| | Male | 158258 | 48.1 | 1,157,889 | 13668 |
| | Unknown | 2553 | 0.78 | . | . |
| Race/Ethnicity | Hispanic | 100630 | 30.6 | 763,053 | 13188 |
| | White | 84691 | 25.7 | 1,006,929 | 8410.8 |
| | Black | 29715 | 9.03 | 262,671 | 11313 |
| | Asian or Pacific Islander | 24535 | 7.46 | 270,209 | 9080.0 |
| | American Indian, Eskimo, or Aleut | 514 | 0.16 | 15,311 | 3357.0 |
| | Other | 22145 | 6.73 | . | . |
| | Unknown | 66776 | 20.3 | . | . |
| Underlying Medical Condition | Yes | 62077 | 18.9 | . | . |
| | No/Unknown | 266929 | 81.1 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 144 | 0.7 | 149,165 | 96.54 |
| | Aged 5 to 17 | 258 | 1.2 | 406,595 | 63.45 |
| | Aged 18 to 24 | 462 | 2.2 | 216,762 | 213.14 |
| | Aged 25 to 49 | 5212 | 24.6 | 803,732 | 648.47 |
| | Aged 50 to 64 | 5975 | 28.1 | 423,461 | 1411.0 |
| | Aged 64+ | 9174 | 43.2 | 318,459 | 2880.8 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 9403 | 44.3 | 1,160,285 | 810.40 |
| | Male | 11789 | 55.5 | 1,157,889 | 1018.1 |
| | Unknown | 35 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 5962 | 28.1 | 763,053 | 781.33 |
| | White | 7744 | 36.5 | 1,006,929 | 769.07 |
| | Black | 2987 | 14.1 | 262,671 | 1137.2 |
| | Asian or Pacific Islander | 2270 | 10.7 | 270,209 | 840.09 |
| | American Indian, Eskimo, or Aleut | 46 | 0.2 | 15,311 | 300.43 |
| | Other | 832 | 3.9 | . | . |
| | Unknown | 1386 | 6.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 5024 | 23.7 |
| | No | 16203 | 76.3 |
| ICU | Yes | 5441 | 25.6 |
| | No | 15786 | 74.4 |
| Intubated | Yes | 2605 | 12.3 |
| | No | 18622 | 87.7 |
| Underlying Medical Condition | Yes | 13028 | 61.4 |
| | No | 8199 | 38.6 |
| Hypertension | Yes | 7470 | N/A |
| Immunocompromised | Yes | 458 | N/A |
| Chronic Heart Disease | Yes | 2604 | N/A |
| Chronic Liver Disease | Yes | 279 | N/A |
| Chronic Kidney Disease | Yes | 1811 | N/A |
| Diabetes | Yes | 5619 | N/A |
| Neurologic/Neurodevelopmental | Yes | 945 | N/A |
| Chronic Lung Disease | Yes | 3166 | N/A |
| Historically Healthy | Yes | 4054 | N/A |
| Other | Yes | 5224 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 4 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 13 | 0.2 | 216,762 | 6.00 |
| | Aged 25 to 49 | 532 | 9.0 | 803,732 | 66.19 |
| | Aged 50 to 64 | 1309 | 22.2 | 423,461 | 309.12 |
| | Aged 64+ | 4041 | 68.5 | 318,459 | 1268.9 |
| Birth Sex | Female | 2274 | 38.5 | 1,160,285 | 195.99 |
| | Male | 3614 | 61.3 | 1,157,889 | 312.12 |
| | Unknown | 12 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 1499 | 25.4 | 763,053 | 196.45 |
| | White | 2734 | 46.3 | 1,006,929 | 271.52 |
| | Black | 765 | 13.0 | 262,671 | 291.24 |
| | Asian or Pacific Islander | 781 | 13.2 | 270,209 | 289.04 |
| | American Indian, Eskimo, or Aleut | 18 | 0.3 | 15,311 | 117.56 |
| | Other | 71 | 1.2 | . | . |
| | Unknown | 32 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 5024 | 85.2 |
| | No | 876 | 14.8 |
| ICU | Yes | 2757 | 46.7 |
| | No | 3143 | 53.3 |
| Intubated | Yes | 1810 | 30.7 |
| | No | 4090 | 69.3 |
| Underlying Medical Condition | Yes | 3824 | 64.8 |
| | No | 2076 | 35.2 |
| Hypertension | Yes | 2491 | N/A |
| Immunocompromised | Yes | 177 | N/A |
| Chronic Heart Disease | Yes | 1134 | N/A |
| Chronic Liver Disease | Yes | 141 | N/A |
| Chronic Kidney Disease | Yes | 817 | N/A |
| Diabetes | Yes | 1780 | N/A |
| Neurologic/Neurodevelopmental | Yes | 420 | N/A |
| Chronic Lung Disease | Yes | 934 | N/A |
| Historically Healthy | Yes | 358 | N/A |
| Other | Yes | 1483 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
