

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 331,107 | 100 | 2,318,174 | 14283.10 | 330,709 | 398 |
| Hospitalized | 21,399 | 6.46 | 2,318,174 | 923.10 | 21,358 | 41 |
| Deceased | 5,963 | 1.80 | 2,318,174 | 257.23 | 5,947 | 16 |
| Recovered | 315,427 | 95.3 | 2,318,174 | 13606.70 | 315,098 | 329 |
| MIS-C Case | 90 | -- | -- | -- | 90 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 7394 | 2.23 | 149,165 | 4956.9 |
| | Aged 5 to 17 | 36592 | 11.1 | 406,595 | 8999.6 |
| | Aged 18 to 24 | 39825 | 12.0 | 216,762 | 18373 |
| | Aged 25 to 49 | 150382 | 45.4 | 803,732 | 18710 |
| | Aged 50 to 64 | 62306 | 18.8 | 423,461 | 14714 |
| | Aged 64+ | 34500 | 10.4 | 318,459 | 10833 |
| | Unknown | 108 | 0.03 | . | . |
| Birth Sex | Female | 169226 | 51.1 | 1,160,285 | 14585 |
| | Male | 159313 | 48.1 | 1,157,889 | 13759 |
| | Unknown | 2568 | 0.78 | . | . |
| Race/Ethnicity | Hispanic | 101269 | 30.6 | 763,053 | 13272 |
| | White | 85448 | 25.8 | 1,006,929 | 8486.0 |
| | Black | 29963 | 9.05 | 262,671 | 11407 |
| | Asian or Pacific Islander | 24770 | 7.48 | 270,209 | 9167.0 |
| | American Indian, Eskimo, or Aleut | 517 | 0.16 | 15,311 | 3376.6 |
| | Other | 22230 | 6.71 | . | . |
| | Unknown | 66910 | 20.2 | . | . |
| Underlying Medical Condition | Yes | 62594 | 18.9 | . | . |
| | No/Unknown | 268513 | 81.1 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 146 | 0.7 | 149,165 | 97.88 |
| | Aged 5 to 17 | 261 | 1.2 | 406,595 | 64.19 |
| | Aged 18 to 24 | 467 | 2.2 | 216,762 | 215.44 |
| | Aged 25 to 49 | 5254 | 24.6 | 803,732 | 653.70 |
| | Aged 50 to 64 | 6024 | 28.2 | 423,461 | 1422.6 |
| | Aged 64+ | 9245 | 43.2 | 318,459 | 2903.0 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 9479 | 44.3 | 1,160,285 | 816.95 |
| | Male | 11885 | 55.5 | 1,157,889 | 1026.4 |
| | Unknown | 35 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 5995 | 28.0 | 763,053 | 785.66 |
| | White | 7826 | 36.6 | 1,006,929 | 777.21 |
| | Black | 3015 | 14.1 | 262,671 | 1147.8 |
| | Asian or Pacific Islander | 2289 | 10.7 | 270,209 | 847.12 |
| | American Indian, Eskimo, or Aleut | 46 | 0.2 | 15,311 | 300.43 |
| | Other | 836 | 3.9 | . | . |
| | Unknown | 1392 | 6.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 5080 | 23.7 |
| | No | 16319 | 76.3 |
| ICU | Yes | 5478 | 25.6 |
| | No | 15921 | 74.4 |
| Intubated | Yes | 2613 | 12.2 |
| | No | 18786 | 87.8 |
| Underlying Medical Condition | Yes | 13130 | 61.4 |
| | No | 8269 | 38.6 |
| Hypertension | Yes | 7529 | N/A |
| Immunocompromised | Yes | 464 | N/A |
| Chronic Heart Disease | Yes | 2626 | N/A |
| Chronic Liver Disease | Yes | 280 | N/A |
| Chronic Kidney Disease | Yes | 1819 | N/A |
| Diabetes | Yes | 5660 | N/A |
| Neurologic/Neurodevelopmental | Yes | 946 | N/A |
| Chronic Lung Disease | Yes | 3193 | N/A |
| Historically Healthy | Yes | 4087 | N/A |
| Other | Yes | 5259 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 4 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 13 | 0.2 | 216,762 | 6.00 |
| | Aged 25 to 49 | 540 | 9.1 | 803,732 | 67.19 |
| | Aged 50 to 64 | 1324 | 22.2 | 423,461 | 312.66 |
| | Aged 64+ | 4081 | 68.4 | 318,459 | 1281.5 |
| Birth Sex | Female | 2295 | 38.5 | 1,160,285 | 197.80 |
| | Male | 3655 | 61.3 | 1,157,889 | 315.66 |
| | Unknown | 13 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 1510 | 25.3 | 763,053 | 197.89 |
| | White | 2767 | 46.4 | 1,006,929 | 274.80 |
| | Black | 773 | 13.0 | 262,671 | 294.28 |
| | Asian or Pacific Islander | 788 | 13.2 | 270,209 | 291.63 |
| | American Indian, Eskimo, or Aleut | 18 | 0.3 | 15,311 | 117.56 |
| | Other | 71 | 1.2 | . | . |
| | Unknown | 36 | 0.6 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 5080 | 85.2 |
| | No | 883 | 14.8 |
| ICU | Yes | 2777 | 46.6 |
| | No | 3186 | 53.4 |
| Intubated | Yes | 1818 | 30.5 |
| | No | 4145 | 69.5 |
| Underlying Medical Condition | Yes | 3853 | 64.6 |
| | No | 2110 | 35.4 |
| Hypertension | Yes | 2508 | N/A |
| Immunocompromised | Yes | 178 | N/A |
| Chronic Heart Disease | Yes | 1140 | N/A |
| Chronic Liver Disease | Yes | 142 | N/A |
| Chronic Kidney Disease | Yes | 827 | N/A |
| Diabetes | Yes | 1787 | N/A |
| Neurologic/Neurodevelopmental | Yes | 420 | N/A |
| Chronic Lung Disease | Yes | 939 | N/A |
| Historically Healthy | Yes | 360 | N/A |
| Other | Yes | 1495 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
