

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 306,849 | 100 | 2,318,174 | 13236.67 | 306,149 | 700 |
| Hospitalized | 19,604 | 6.39 | 2,318,174 | 845.67 | 19,563 | 41 |
| Deceased | 5,278 | 1.72 | 2,318,174 | 227.68 | 5,265 | 13 |
| Recovered | 289,406 | 94.3 | 2,318,174 | 12484.22 | 288,691 | 715 |
| MIS-C Case | 79 | -- | -- | -- | 79 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 6648 | 2.17 | 149,165 | 4456.8 |
| | Aged 5 to 17 | 31760 | 10.4 | 406,595 | 7811.2 |
| | Aged 18 to 24 | 37706 | 12.3 | 216,762 | 17395 |
| | Aged 25 to 49 | 140563 | 45.8 | 803,732 | 17489 |
| | Aged 50 to 64 | 58169 | 19.0 | 423,461 | 13737 |
| | Aged 64+ | 31901 | 10.4 | 318,459 | 10017 |
| | Unknown | 102 | 0.03 | . | . |
| Birth Sex | Female | 156935 | 51.1 | 1,160,285 | 13526 |
| | Male | 147462 | 48.1 | 1,157,889 | 12735 |
| | Unknown | 2452 | 0.80 | . | . |
| Race/Ethnicity | Hispanic | 94520 | 30.8 | 763,053 | 12387 |
| | White | 77747 | 25.3 | 1,006,929 | 7721.2 |
| | Black | 26779 | 8.73 | 262,671 | 10195 |
| | Asian or Pacific Islander | 22764 | 7.42 | 270,209 | 8424.6 |
| | American Indian, Eskimo, or Aleut | 463 | 0.15 | 15,311 | 3023.9 |
| | Other | 21054 | 6.86 | . | . |
| | Unknown | 63522 | 20.7 | . | . |
| Underlying Medical Condition | Yes | 57934 | 18.9 | . | . |
| | No/Unknown | 248915 | 81.1 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 130 | 0.7 | 149,165 | 87.15 |
| | Aged 5 to 17 | 237 | 1.2 | 406,595 | 58.29 |
| | Aged 18 to 24 | 421 | 2.1 | 216,762 | 194.22 |
| | Aged 25 to 49 | 4808 | 24.5 | 803,732 | 598.21 |
| | Aged 50 to 64 | 5505 | 28.1 | 423,461 | 1300.0 |
| | Aged 64+ | 8501 | 43.4 | 318,459 | 2669.4 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 8665 | 44.2 | 1,160,285 | 746.80 |
| | Male | 10905 | 55.6 | 1,157,889 | 941.80 |
| | Unknown | 34 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 5619 | 28.7 | 763,053 | 736.38 |
| | White | 7021 | 35.8 | 1,006,929 | 697.27 |
| | Black | 2696 | 13.8 | 262,671 | 1026.4 |
| | Asian or Pacific Islander | 2143 | 10.9 | 270,209 | 793.09 |
| | American Indian, Eskimo, or Aleut | 37 | 0.2 | 15,311 | 241.65 |
| | Other | 767 | 3.9 | . | . |
| | Unknown | 1321 | 6.7 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 4482 | 22.9 |
| | No | 15122 | 77.1 |
| ICU | Yes | 5043 | 25.7 |
| | No | 14561 | 74.3 |
| Intubated | Yes | 2440 | 12.4 |
| | No | 17164 | 87.6 |
| Underlying Medical Condition | Yes | 12244 | 62.5 |
| | No | 7360 | 37.5 |
| Hypertension | Yes | 7031 | N/A |
| Immunocompromised | Yes | 417 | N/A |
| Chronic Heart Disease | Yes | 2451 | N/A |
| Chronic Liver Disease | Yes | 255 | N/A |
| Chronic Kidney Disease | Yes | 1692 | N/A |
| Diabetes | Yes | 5305 | N/A |
| Neurologic/Neurodevelopmental | Yes | 889 | N/A |
| Chronic Lung Disease | Yes | 2978 | N/A |
| Historically Healthy | Yes | 3740 | N/A |
| Other | Yes | 4957 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 4 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 12 | 0.2 | 216,762 | 5.54 |
| | Aged 25 to 49 | 438 | 8.3 | 803,732 | 54.50 |
| | Aged 50 to 64 | 1131 | 21.4 | 423,461 | 267.08 |
| | Aged 64+ | 3692 | 70.0 | 318,459 | 1159.3 |
| Birth Sex | Female | 2032 | 38.5 | 1,160,285 | 175.13 |
| | Male | 3237 | 61.3 | 1,157,889 | 279.56 |
| | Unknown | 9 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1376 | 26.1 | 763,053 | 180.33 |
| | White | 2414 | 45.7 | 1,006,929 | 239.74 |
| | Black | 665 | 12.6 | 262,671 | 253.17 |
| | Asian or Pacific Islander | 719 | 13.6 | 270,209 | 266.09 |
| | American Indian, Eskimo, or Aleut | 14 | 0.3 | 15,311 | 91.44 |
| | Other | 65 | 1.2 | . | . |
| | Unknown | 25 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 4482 | 84.9 |
| | No | 796 | 15.1 |
| ICU | Yes | 2543 | 48.2 |
| | No | 2735 | 51.8 |
| Intubated | Yes | 1702 | 32.2 |
| | No | 3576 | 67.8 |
| Underlying Medical Condition | Yes | 3553 | 67.3 |
| | No | 1725 | 32.7 |
| Hypertension | Yes | 2316 | N/A |
| Immunocompromised | Yes | 165 | N/A |
| Chronic Heart Disease | Yes | 1069 | N/A |
| Chronic Liver Disease | Yes | 127 | N/A |
| Chronic Kidney Disease | Yes | 759 | N/A |
| Diabetes | Yes | 1652 | N/A |
| Neurologic/Neurodevelopmental | Yes | 407 | N/A |
| Chronic Lung Disease | Yes | 868 | N/A |
| Historically Healthy | Yes | 321 | N/A |
| Other | Yes | 1394 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
