

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 315,181 | 100 | 2,318,174 | 13596.09 | 314,776 | 405 |
| Hospitalized | 20,134 | 6.39 | 2,318,174 | 868.53 | 20,102 | 32 |
| Deceased | 5,475 | 1.74 | 2,318,174 | 236.18 | 5,460 | 15 |
| Recovered | 298,314 | 94.6 | 2,318,174 | 12868.49 | 297,884 | 430 |
| MIS-C Case | 82 | -- | -- | -- | 82 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 6896 | 2.19 | 149,165 | 4623.1 |
| | Aged 5 to 17 | 33512 | 10.6 | 406,595 | 8242.1 |
| | Aged 18 to 24 | 38434 | 12.2 | 216,762 | 17731 |
| | Aged 25 to 49 | 143976 | 45.7 | 803,732 | 17913 |
| | Aged 50 to 64 | 59534 | 18.9 | 423,461 | 14059 |
| | Aged 64+ | 32725 | 10.4 | 318,459 | 10276 |
| | Unknown | 104 | 0.03 | . | . |
| Birth Sex | Female | 161127 | 51.1 | 1,160,285 | 13887 |
| | Male | 151525 | 48.1 | 1,157,889 | 13086 |
| | Unknown | 2529 | 0.80 | . | . |
| Race/Ethnicity | Hispanic | 96617 | 30.7 | 763,053 | 12662 |
| | White | 80032 | 25.4 | 1,006,929 | 7948.1 |
| | Black | 27849 | 8.84 | 262,671 | 10602 |
| | Asian or Pacific Islander | 23325 | 7.40 | 270,209 | 8632.2 |
| | American Indian, Eskimo, or Aleut | 474 | 0.15 | 15,311 | 3095.7 |
| | Other | 21565 | 6.84 | . | . |
| | Unknown | 65319 | 20.7 | . | . |
| Underlying Medical Condition | Yes | 59128 | 18.8 | . | . |
| | No/Unknown | 256053 | 81.2 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 134 | 0.7 | 149,165 | 89.83 |
| | Aged 5 to 17 | 246 | 1.2 | 406,595 | 60.50 |
| | Aged 18 to 24 | 435 | 2.2 | 216,762 | 200.68 |
| | Aged 25 to 49 | 4952 | 24.6 | 803,732 | 616.13 |
| | Aged 50 to 64 | 5672 | 28.2 | 423,461 | 1339.4 |
| | Aged 64+ | 8693 | 43.2 | 318,459 | 2729.7 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 8909 | 44.2 | 1,160,285 | 767.83 |
| | Male | 11189 | 55.6 | 1,157,889 | 966.33 |
| | Unknown | 36 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 5756 | 28.6 | 763,053 | 754.34 |
| | White | 7245 | 36.0 | 1,006,929 | 719.51 |
| | Black | 2783 | 13.8 | 262,671 | 1059.5 |
| | Asian or Pacific Islander | 2176 | 10.8 | 270,209 | 805.30 |
| | American Indian, Eskimo, or Aleut | 39 | 0.2 | 15,311 | 254.71 |
| | Other | 789 | 3.9 | . | . |
| | Unknown | 1346 | 6.7 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 4652 | 23.1 |
| | No | 15482 | 76.9 |
| ICU | Yes | 5162 | 25.6 |
| | No | 14972 | 74.4 |
| Intubated | Yes | 2491 | 12.4 |
| | No | 17643 | 87.6 |
| Underlying Medical Condition | Yes | 12457 | 61.9 |
| | No | 7677 | 38.1 |
| Hypertension | Yes | 7129 | N/A |
| Immunocompromised | Yes | 429 | N/A |
| Chronic Heart Disease | Yes | 2485 | N/A |
| Chronic Liver Disease | Yes | 260 | N/A |
| Chronic Kidney Disease | Yes | 1724 | N/A |
| Diabetes | Yes | 5395 | N/A |
| Neurologic/Neurodevelopmental | Yes | 901 | N/A |
| Chronic Lung Disease | Yes | 3026 | N/A |
| Historically Healthy | Yes | 3846 | N/A |
| Other | Yes | 5034 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 4 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 12 | 0.2 | 216,762 | 5.54 |
| | Aged 25 to 49 | 473 | 8.6 | 803,732 | 58.85 |
| | Aged 50 to 64 | 1190 | 21.7 | 423,461 | 281.02 |
| | Aged 64+ | 3795 | 69.3 | 318,459 | 1191.7 |
| Birth Sex | Female | 2102 | 38.4 | 1,160,285 | 181.16 |
| | Male | 3362 | 61.4 | 1,157,889 | 290.36 |
| | Unknown | 11 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1427 | 26.1 | 763,053 | 187.01 |
| | White | 2502 | 45.7 | 1,006,929 | 248.48 |
| | Black | 697 | 12.7 | 262,671 | 265.35 |
| | Asian or Pacific Islander | 733 | 13.4 | 270,209 | 271.27 |
| | American Indian, Eskimo, or Aleut | 16 | 0.3 | 15,311 | 104.50 |
| | Other | 72 | 1.3 | . | . |
| | Unknown | 28 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 4652 | 85.0 |
| | No | 823 | 15.0 |
| ICU | Yes | 2590 | 47.3 |
| | No | 2885 | 52.7 |
| Intubated | Yes | 1732 | 31.6 |
| | No | 3743 | 68.4 |
| Underlying Medical Condition | Yes | 3619 | 66.1 |
| | No | 1856 | 33.9 |
| Hypertension | Yes | 2358 | N/A |
| Immunocompromised | Yes | 166 | N/A |
| Chronic Heart Disease | Yes | 1086 | N/A |
| Chronic Liver Disease | Yes | 131 | N/A |
| Chronic Kidney Disease | Yes | 773 | N/A |
| Diabetes | Yes | 1684 | N/A |
| Neurologic/Neurodevelopmental | Yes | 408 | N/A |
| Chronic Lung Disease | Yes | 885 | N/A |
| Historically Healthy | Yes | 328 | N/A |
| Other | Yes | 1415 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).