Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|-----------------------|----------------------------|
| COVID19 Case | 500,140 | 100 | 2,318,174 | 21574.74 | 499,673 | 467 |
| Hospitalized | 26,083 | 5.22 | 2,318,174 | 1,125.15 | 26,047 | 36 |
| Deceased | 7,847 | 1.57 | 2,318,174 | 338.50 | 7,840 | 7 |
| Recovered | 483,261 | 96.6 | 2,318,174 | 20846.62 | 482,831 | 430 |
| MIS-C Case | 108 | | | | 108 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 12844 | 2.57 | 149,165 | 8610.6 |
| | Aged 5 to 17 | 61847 | 12.4 | 406,595 | 15211 |
| | Aged 18 to 24 | 57823 | 11.6 | 216,762 | 26676 |
| | Aged 25 to 49 | 223521 | 44.7 | 803,732 | 27810 |
| | Aged 50 to 64 | 92071 | 18.4 | 423,461 | 21743 |
| | Aged 64+ | 51907 | 10.4 | 318,459 | 16299 |
| | Unknown | 127 | 0.03 | • | |
| Birth Sex | Female | 259277 | 51.8 | 1,160,285 | 22346 |
| | Male | 236857 | 47.4 | 1,157,889 | 20456 |
| | Unknown | 4006 | 0.80 | • | |
| Race/Ethnicity | Hispanic | 142213 | 28.4 | 763,053 | 18637 |
| | White | 129818 | 26.0 | 1,006,929 | 12892 |
| | Black | 47593 | 9.52 | 262,671 | 18119 |
| | Asian or Pacific Islander | 41446 | 8.29 | 270,209 | 15338 |
| | American Indian, Eskimo, or Aleut | 655 | 0.13 | 15,311 | 4277.9 |
| | Other | 37206 | 7.44 | | |
| | Unknown | 101209 | 20.2 | • | |
| Underlying Medical Condition | Yes | 76754 | 15.3 | | |
| | No/Unknown | 423386 | 84.7 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 238 | 0.9 | 149,165 | 159.55 |
| | Aged 5 to 17 | 336 | 1.3 | 406,595 | 82.64 |
| | Aged 18 to 24 | 568 | 2.2 | 216,762 | 262.04 |
| | Aged 25 to 49 | 6166 | 23.6 | 803,732 | 767.17 |
| | Aged 50 to 64 | 7109 | 27.3 | 423,461 | 1678.8 |
| | Aged 64+ | 11664 | 44.7 | 318,459 | 3662.6 |
| | Unknown | 2 | 0.0 | | |
| Birth Sex | Female | 11635 | 44.6 | 1,160,285 | 1002.8 |
| | Male | 14407 | 55.2 | 1,157,889 | 1244.2 |
| | Unknown | 41 | 0.2 | | • |
| Race/Ethnicity | Hispanic | 6910 | 26.5 | 763,053 | 905.57 |
| | White | 10043 | 38.5 | 1,006,929 | 997.39 |
| | Black | 3695 | 14.2 | 262,671 | 1406.7 |
| | Asian or Pacific Islander | 2699 | 10.3 | 270,209 | 998.86 |
| | American Indian, Eskimo, or Aleut | 65 | 0.2 | 15,311 | 424.52 |
| | Other | 1013 | 3.9 | | |
| | Unknown | 1658 | 6.4 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 6631 | 25.4 |
| | No | 19452 | 74.6 |
| ICU | Yes | 6394 | 24.5 |
| | No | 19689 | 75.5 |
| Intubated | Yes | 3057 | 11.7 |
| | No | 23026 | 88.3 |
| Underlying Medical Condition | Yes | 16089 | 61.7 |
| | No | 9994 | 38.3 |
| Hypertension | Yes | 9366 | N/A |
| Immunocompromised | Yes | 585 | N/A |
| Chronic Heart Disease | Yes | 3384 | N/A |
| Chronic Liver Disease | Yes | 364 | N/A |
| Chronic Kidney Disease | Yes | 2317 | N/A |
| Diabetes | Yes | 6797 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1176 | N/A |
| Chronic Lung Disease | Yes | 3975 | N/A |
| Historically Healthy | Yes | 4695 | N/A |
| Other | Yes | 6591 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 2 | 0.0 | 149,165 | |
| | Aged 5 to 17 | 6 | 0.1 | 406,595 | |
| | Aged 18 to 24 | 19 | 0.2 | 216,762 | 8.77 |
| | Aged 25 to 49 | 689 | 8.8 | 803,732 | 85.73 |
| | Aged 50 to 64 | 1730 | 22.0 | 423,461 | 408.54 |
| | Aged 64+ | 5401 | 68.8 | 318,459 | 1696.0 |
| Birth Sex | Female | 3053 | 38.9 | 1,160,285 | 263.13 |
| | Male | 4783 | 61.0 | 1,157,889 | 413.08 |
| | Unknown | 11 | 0.1 | | |
| Race/Ethnicity | Hispanic | 1877 | 23.9 | 763,053 | 245.99 |
| | White | 3790 | 48.3 | 1,006,929 | 376.39 |
| | Black | 1011 | 12.9 | 262,671 | 384.89 |
| | Asian or Pacific Islander | 1000 | 12.7 | 270,209 | 370.08 |
| | American Indian, Eskimo, or Aleut | 29 | 0.4 | 15,311 | 189.40 |
| | Other | 101 | 1.3 | • | • |
| | Unknown | 39 | 0.5 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|-----------|--------------|------|
| Hospitalized | Yes No | 6631 1216 | 84.5 |
| | INO | 1210 | 15.5 |
| ICU | Yes | 3377 | 43.0 |
| | No | 4470 | 57.0 |
| Intubated | Yes | 2179 | 27.8 |
| | No | 5668 | 72.2 |
| Underlying Medical Condition | Yes | 5033 | 64.1 |
| | No | 2814 | 35.9 |
| Hypertension | Yes | 3295 | N/A |
| Immunocompromised | Yes | 237 | N/A |
| Chronic Heart Disease | Yes | 1522 | N/A |
| Chronic Liver Disease | Yes | 184 | N/A |
| Chronic Kidney Disease | Yes | 1084 | N/A |
| Diabetes | Yes | 2301 | N/A |
| Neurologic/Neurodevelopmental | Yes | 522 | N/A |
| Chronic Lung Disease | Yes | 1255 | N/A |
| Historically Healthy | Yes | 456 | N/A |
| Other | Yes | 1999 | N/A |
| | | | |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).