Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|-----------------------|----------------------------|
| COVID19 Case | 574,139 | 100 | 2,318,174 | 24766.86 | 573,969 | 170 |
| Hospitalized | 28,256 | 4.92 | 2,318,174 | 1,218.89 | 28,240 | 16 |
| Deceased | 8,908 | 1.55 | 2,318,174 | 384.27 | 8,903 | 5 |
| Recovered | 554,456 | 96.6 | 2,318,174 | 23917.79 | 554,269 | 187 |
| MIS-C Case | 112 | | | | 112 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 15093 | 2.63 | 149,165 | 10118 |
| | Aged 5 to 17 | 68403 | 11.9 | 406,595 | 16823 |
| | Aged 18 to 24 | 64032 | 11.2 | 216,762 | 29540 |
| | Aged 25 to 49 | 253968 | 44.2 | 803,732 | 31599 |
| | Aged 50 to 64 | 108379 | 18.9 | 423,461 | 25594 |
| | Aged 64+ | 64097 | 11.2 | 318,459 | 20127 |
| | Unknown | 167 | 0.03 | • | |
| Birth Sex | Female | 299309 | 52.1 | 1,160,285 | 25796 |
| | Male | 270199 | 47.1 | 1,157,889 | 23335 |
| | Unknown | 4631 | 0.81 | • | |
| Race/Ethnicity | Hispanic | 158444 | 27.6 | 763,053 | 20764 |
| | White | 151098 | 26.3 | 1,006,929 | 15006 |
| | Black | 55010 | 9.58 | 262,671 | 20943 |
| | Asian or Pacific Islander | 50012 | 8.71 | 270,209 | 18509 |
| | American Indian, Eskimo, or Aleut | 2225 | 0.39 | 15,311 | 14532 |
| | Other | 41200 | 7.18 | | |
| | Unknown | 116150 | 20.2 | • | |
| Underlying Medical Condition | Yes | 88027 | 15.3 | | |
| | No/Unknown | 486112 | 84.7 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 294 | 1.0 | 149,165 | 197.10 |
| · go caraganas | Aged 5 to 17 | 369 | 1.3 | 406,595 | 90.75 |
| | Aged 18 to 24 | 611 | 2.2 | 216,762 | 281.88 |
| | Aged 25 to 49 | 6483 | 22.9 | 803,732 | 806.61 |
| | Aged 50 to 64 | 7572 | 26.8 | 423,461 | 1788.1 |
| | Aged 64+ | 12924 | 45.7 | 318,459 | 4058.3 |
| | Unknown | 3 | 0.0 | | |
| Birth Sex | Female | 12692 | 44.9 | 1,160,285 | 1093.9 |
| | Male | 15532 | 55.0 | 1,157,889 | 1341.4 |
| | Unknown | 32 | 0.1 | | |
| Race/Ethnicity | Hispanic | 7217 | 25.5 | 763,053 | 945.81 |
| - | White | 11293 | 40.0 | 1,006,929 | 1121.5 |
| | Black | 4046 | 14.3 | 262,671 | 1540.3 |
| | Asian or Pacific Islander | 2887 | 10.2 | 270,209 | 1068.4 |
| | American Indian, Eskimo, or Aleut | 131 | 0.5 | 15,311 | 855.57 |
| | Other | 1072 | 3.8 | | |
| | Unknown | 1610 | 5.7 | • | |
| | Unknown | 1610 | 5.7 | • | • |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 7161 | 25.3 |
| | No | 21095 | 74.7 |
| ICU | Yes | 6657 | 23.6 |
| | No | 21599 | 76.4 |
| Intubated | Yes | 3147 | 11.1 |
| | No | 25109 | 88.9 |
| Underlying Medical Condition | Yes | 17684 | 62.6 |
| | No | 10572 | 37.4 |
| Hypertension | Yes | 10427 | N/A |
| Immunocompromised | Yes | 657 | N/A |
| Chronic Heart Disease | Yes | 3820 | N/A |
| Chronic Liver Disease | Yes | 398 | N/A |
| Chronic Kidney Disease | Yes | 2600 | N/A |
| Diabetes | Yes | 7361 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1331 | N/A |
| Chronic Lung Disease | Yes | 4371 | N/A |
| Historically Healthy | Yes | 4903 | N/A |
| Other | Yes | 7512 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 4 | 0.0 | 149,165 | |
| | Aged 5 to 17 | 7 | 0.1 | 406,595 | |
| | Aged 18 to 24 | 20 | 0.2 | 216,762 | 9.23 |
| | Aged 25 to 49 | 752 | 8.4 | 803,732 | 93.56 |
| | Aged 50 to 64 | 1880 | 21.1 | 423,461 | 443.96 |
| | Aged 64+ | 6245 | 70.1 | 318,459 | 1961.0 |
| Birth Sex | Female | 3540 | 39.7 | 1,160,285 | 305.10 |
| | Male | 5367 | 60.2 | 1,157,889 | 463.52 |
| | Unknown | 1 | 0.0 | | |
| Race/Ethnicity | Hispanic | 2029 | 22.8 | 763,053 | 265.91 |
| | White | 4507 | 50.6 | 1,006,929 | 447.60 |
| | Black | 1141 | 12.8 | 262,671 | 434.38 |
| | Asian or Pacific Islander | 1084 | 12.2 | 270,209 | 401.17 |
| | American Indian, Eskimo, or Aleut | 48 | 0.5 | 15,311 | 313.49 |
| | Other | 88 | 1.0 | • | • |
| | Unknown | 11 | 0.1 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 7161 | 80.4 |
| | No | 1747 | 19.6 |
| ICU | Yes | 3547 | 39.8 |
| | No | 5361 | 60.2 |
| Intubated | Yes | 2258 | 25.3 |
| | No | 6650 | 74.7 |
| Underlying Medical Condition | Yes | 5658 | 63.5 |
| | No | 3250 | 36.5 |
| Hypertension | Yes | 3687 | N/A |
| Immunocompromised | Yes | 271 | N/A |
| Chronic Heart Disease | Yes | 1722 | N/A |
| Chronic Liver Disease | Yes | 213 | N/A |
| Chronic Kidney Disease | Yes | 1235 | N/A |
| Diabetes | Yes | 2543 | N/A |
| Neurologic/Neurodevelopmental | Yes | 601 | N/A |
| Chronic Lung Disease | Yes | 1423 | N/A |
| Historically Healthy | Yes | 477 | N/A |
| Other | Yes | 2365 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).