Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|-----------------------|----------------------------|
| COVID19 Case | 447,266 | 100 | 2,318,174 | 19293.89 | 443,592 | 3,674 |
| Hospitalized | 23,579 | 5.27 | 2,318,174 | 1,017.14 | 23,555 | 24 |
| Deceased | 6,715 | 1.50 | 2,318,174 | 289.67 | 6,694 | 21 |
| Recovered | 398,997 | 89.2 | 2,318,174 | 17211.69 | 393,386 | 5,611 |
| MIS-C Case | 102 | | | | 102 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 11065 | 2.47 | 149,165 | 7418.0 |
| | Aged 5 to 17 | 53475 | 12.0 | 406,595 | 13152 |
| | Aged 18 to 24 | 53230 | 11.9 | 216,762 | 24557 |
| | Aged 25 to 49 | 202180 | 45.2 | 803,732 | 25155 |
| | Aged 50 to 64 | 82294 | 18.4 | 423,461 | 19434 |
| | Aged 64+ | 44904 | 10.0 | 318,459 | 14100 |
| | Unknown | 118 | 0.03 | | |
| Birth Sex | Female | 231673 | 51.8 | 1,160,285 | 19967 |
| | Male | 212105 | 47.4 | 1,157,889 | 18318 |
| | Unknown | 3488 | 0.78 | | |
| Race/Ethnicity | Hispanic | 127711 | 28.6 | 763,053 | 16737 |
| | White | 115058 | 25.7 | 1,006,929 | 11427 |
| | Black | 42524 | 9.51 | 262,671 | 16189 |
| | Asian or Pacific Islander | 35917 | 8.03 | 270,209 | 13292 |
| | American Indian, Eskimo, or Aleut | 596 | 0.13 | 15,311 | 3892.5 |
| | Other | 33760 | 7.55 | | • |
| | Unknown | 91700 | 20.5 | | |
| Underlying Medical Condition | Yes | 70136 | 15.7 | | |
| | No/Unknown | 377130 | 84.3 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 172 | 0.7 | 149,165 | 115.31 |
| | Aged 5 to 17 | 297 | 1.3 | 406,595 | 73.05 |
| | Aged 18 to 24 | 530 | 2.2 | 216,762 | 244.51 |
| | Aged 25 to 49 | 5738 | 24.3 | 803,732 | 713.92 |
| | Aged 50 to 64 | 6608 | 28.0 | 423,461 | 1560.5 |
| | Aged 64+ | 10232 | 43.4 | 318,459 | 3213.0 |
| | Unknown | 2 | 0.0 | • | |
| Birth Sex | Female | 10480 | 44.4 | 1,160,285 | 903.23 |
| | Male | 13063 | 55.4 | 1,157,889 | 1128.2 |
| | Unknown | 36 | 0.2 | • | |
| Race/Ethnicity | Hispanic | 6451 | 27.4 | 763,053 | 845.42 |
| | White | 8854 | 37.6 | 1,006,929 | 879.31 |
| | Black | 3333 | 14.1 | 262,671 | 1268.9 |
| | Asian or Pacific Islander | 2484 | 10.5 | 270,209 | 919.29 |
| | American Indian, Eskimo, or Aleut | 55 | 0.2 | 15,311 | 359.21 |
| | Other | 896 | 3.8 | • | |
| | Unknown | 1506 | 6.4 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 5697 | 24.2 |
| | No | 17882 | 75.8 |
| ICU | Yes | 5893 | 25.0 |
| | No | 17686 | 75.0 |
| Intubated | Yes | 2806 | 11.9 |
| | No | 20773 | 88.1 |
| Underlying Medical Condition | Yes | 14399 | 61.1 |
| | No | 9180 | 38.9 |
| Hypertension | Yes | 8288 | N/A |
| Immunocompromised | Yes | 518 | N/A |
| Chronic Heart Disease | Yes | 2923 | N/A |
| Chronic Liver Disease | Yes | 310 | N/A |
| Chronic Kidney Disease | Yes | 1980 | N/A |
| Diabetes | Yes | 6165 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1050 | N/A |
| Chronic Lung Disease | Yes | 3530 | N/A |
| Historically Healthy | Yes | 4485 | N/A |
| Other | Yes | 5787 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1 | 0.0 | 149,165 | |
| | Aged 5 to 17 | 5 | 0.1 | 406,595 | |
| | Aged 18 to 24 | 15 | 0.2 | 216,762 | 6.92 |
| | Aged 25 to 49 | 620 | 9.2 | 803,732 | 77.14 |
| | Aged 50 to 64 | 1518 | 22.6 | 423,461 | 358.47 |
| | Aged 64+ | 4556 | 67.8 | 318,459 | 1430.6 |
| Birth Sex | Female | 2584 | 38.5 | 1,160,285 | 222.70 |
| | Male | 4121 | 61.4 | 1,157,889 | 355.91 |
| | Unknown | 10 | 0.1 | • | |
| Race/Ethnicity | Hispanic | 1669 | 24.9 | 763,053 | 218.73 |
| | White | 3166 | 47.1 | 1,006,929 | 314.42 |
| | Black | 856 | 12.7 | 262,671 | 325.88 |
| | Asian or Pacific Islander | 880 | 13.1 | 270,209 | 325.67 |
| | American Indian, Eskimo, or Aleut | 22 | 0.3 | 15,311 | 143.68 |
| | Other | 83 | 1.2 | • | |
| | Unknown | 39 | 0.6 | | |

Note1: Breakdown of Race is exlusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 5697 | 84.8 |
| | No | 1018 | 15.2 |
| ICU | Yes | 2983 | 44.4 |
| | No | 3732 | 55.6 |
| Intubated | Yes | 1951 | 29.1 |
| | No | 4764 | 70.9 |
| Underlying Medical Condition | Yes | 4249 | 63.3 |
| | No | 2466 | 36.7 |
| Hypertension | Yes | 2770 | N/A |
| Immunocompromised | Yes | 202 | N/A |
| Chronic Heart Disease | Yes | 1243 | N/A |
| Chronic Liver Disease | Yes | 153 | N/A |
| Chronic Kidney Disease | Yes | 895 | N/A |
| Diabetes | Yes | 1965 | N/A |
| Neurologic/Neurodevelopmental | Yes | 455 | N/A |
| Chronic Lung Disease | Yes | 1046 | N/A |
| Historically Healthy | Yes | 397 | N/A |
| Other | Yes | 1663 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exlusive (i.e., a person can have more than one risk factor).