

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 489,273 | 100 | 2,318,174 | 21105.97 | 489,011 | 262 |
| Hospitalized | 24,934 | 5.10 | 2,318,174 | 1,075.59 | 24,888 | 46 |
| Deceased | 7,570 | 1.55 | 2,318,174 | 326.55 | 7,552 | 18 |
| Recovered | 472,963 | 96.7 | 2,318,174 | 20402.39 | 472,652 | 311 |
| MIS-C Case | 108 | -- | -- | -- | 108 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 12590 | 2.57 | 149,165 | 8440.3 |
| | Aged 5 to 17 | 60575 | 12.4 | 406,595 | 14898 |
| | Aged 18 to 24 | 56779 | 11.6 | 216,762 | 26194 |
| | Aged 25 to 49 | 218460 | 44.6 | 803,732 | 27181 |
| | Aged 50 to 64 | 90008 | 18.4 | 423,461 | 21255 |
| | Aged 64+ | 50740 | 10.4 | 318,459 | 15933 |
| | Unknown | 121 | 0.02 | . | . |
| Birth Sex | Female | 253820 | 51.9 | 1,160,285 | 21876 |
| | Male | 231507 | 47.3 | 1,157,889 | 19994 |
| | Unknown | 3946 | 0.81 | . | . |
| Race/Ethnicity | Hispanic | 138389 | 28.3 | 763,053 | 18136 |
| | White | 127055 | 26.0 | 1,006,929 | 12618 |
| | Black | 46536 | 9.51 | 262,671 | 17716 |
| | Asian or Pacific Islander | 40531 | 8.28 | 270,209 | 15000 |
| | American Indian, Eskimo, or Aleut | 632 | 0.13 | 15,311 | 4127.6 |
| | Other | 36554 | 7.47 | . | . |
| | Unknown | 99576 | 20.4 | . | . |
| Underlying Medical Condition | Yes | 73915 | 15.1 | . | . |
| | No/Unknown | 415358 | 84.9 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 204 | 0.8 | 149,165 | 136.76 |
| | Aged 5 to 17 | 320 | 1.3 | 406,595 | 78.70 |
| | Aged 18 to 24 | 544 | 2.2 | 216,762 | 250.97 |
| | Aged 25 to 49 | 5890 | 23.6 | 803,732 | 732.83 |
| | Aged 50 to 64 | 6862 | 27.5 | 423,461 | 1620.5 |
| | Aged 64+ | 11112 | 44.6 | 318,459 | 3489.3 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 11090 | 44.5 | 1,160,285 | 955.80 |
| | Male | 13808 | 55.4 | 1,157,889 | 1192.5 |
| | Unknown | 36 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 6717 | 26.9 | 763,053 | 880.28 |
| | White | 9540 | 38.3 | 1,006,929 | 947.43 |
| | Black | 3526 | 14.1 | 262,671 | 1342.4 |
| | Asian or Pacific Islander | 2609 | 10.5 | 270,209 | 965.55 |
| | American Indian, Eskimo, or Aleut | 62 | 0.2 | 15,311 | 404.93 |
| | Other | 935 | 3.7 | . | . |
| | Unknown | 1545 | 6.2 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 6391 | 25.6 |
| | No | 18543 | 74.4 |
| ICU | Yes | 6191 | 24.8 |
| | No | 18743 | 75.2 |
| Intubated | Yes | 2955 | 11.9 |
| | No | 21979 | 88.1 |
| Underlying Medical Condition | Yes | 15151 | 60.8 |
| | No | 9783 | 39.2 |
| Hypertension | Yes | 8722 | N/A |
| Immunocompromised | Yes | 551 | N/A |
| Chronic Heart Disease | Yes | 3155 | N/A |
| Chronic Liver Disease | Yes | 337 | N/A |
| Chronic Kidney Disease | Yes | 2141 | N/A |
| Diabetes | Yes | 6463 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1104 | N/A |
| Chronic Lung Disease | Yes | 3740 | N/A |
| Historically Healthy | Yes | 4608 | N/A |
| Other | Yes | 6105 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 6 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 17 | 0.2 | 216,762 | 7.84 |
| | Aged 25 to 49 | 666 | 8.8 | 803,732 | 82.86 |
| | Aged 50 to 64 | 1688 | 22.3 | 423,461 | 398.62 |
| | Aged 64+ | 5192 | 68.6 | 318,459 | 1630.4 |
| Birth Sex | Female | 2930 | 38.7 | 1,160,285 | 252.52 |
| | Male | 4629 | 61.1 | 1,157,889 | 399.78 |
| | Unknown | 11 | 0.1 | . | -- |
| Race/Ethnicity | Hispanic | 1840 | 24.3 | 763,053 | 241.14 |
| | White | 3616 | 47.8 | 1,006,929 | 359.11 |
| | Black | 979 | 12.9 | 262,671 | 372.71 |
| | Asian or Pacific Islander | 976 | 12.9 | 270,209 | 361.20 |
| | American Indian, Eskimo, or Aleut | 28 | 0.4 | 15,311 | 182.87 |
| | Other | 94 | 1.2 | . | . |
| | Unknown | 37 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 6391 | 84.4 |
| | No | 1179 | 15.6 |
| ICU | Yes | 3227 | 42.6 |
| | No | 4343 | 57.4 |
| Intubated | Yes | 2087 | 27.6 |
| | No | 5483 | 72.4 |
| Underlying Medical Condition | Yes | 4657 | 61.5 |
| | No | 2913 | 38.5 |
| Hypertension | Yes | 3018 | N/A |
| Immunocompromised | Yes | 220 | N/A |
| Chronic Heart Disease | Yes | 1397 | N/A |
| Chronic Liver Disease | Yes | 171 | N/A |
| Chronic Kidney Disease | Yes | 993 | N/A |
| Diabetes | Yes | 2144 | N/A |
| Neurologic/Neurodevelopmental | Yes | 489 | N/A |
| Chronic Lung Disease | Yes | 1155 | N/A |
| Historically Healthy | Yes | 435 | N/A |
| Other | Yes | 1814 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).