

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 491,516 | 100 | 2,318,174 | 21202.72 | 491,021 | 495 |
| Hospitalized | 25,156 | 5.12 | 2,318,174 | 1,085.16 | 25,112 | 44 |
| Deceased | 7,660 | 1.56 | 2,318,174 | 330.43 | 7,653 | 7 |
| Recovered | 475,419 | 96.7 | 2,318,174 | 20508.34 | 474,916 | 503 |
| MIS-C Case | 108 | -- | -- | -- | 108 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 12628 | 2.57 | 149,165 | 8465.8 |
| | Aged 5 to 17 | 60790 | 12.4 | 406,595 | 14951 |
| | Aged 18 to 24 | 57020 | 11.6 | 216,762 | 26305 |
| | Aged 25 to 49 | 219544 | 44.7 | 803,732 | 27316 |
| | Aged 50 to 64 | 90405 | 18.4 | 423,461 | 21349 |
| | Aged 64+ | 51008 | 10.4 | 318,459 | 16017 |
| | Unknown | 121 | 0.02 | . | . |
| Birth Sex | Female | 254910 | 51.9 | 1,160,285 | 21970 |
| | Male | 232612 | 47.3 | 1,157,889 | 20089 |
| | Unknown | 3994 | 0.81 | . | . |
| Race/Ethnicity | Hispanic | 139134 | 28.3 | 763,053 | 18234 |
| | White | 127612 | 26.0 | 1,006,929 | 12673 |
| | Black | 46776 | 9.52 | 262,671 | 17808 |
| | Asian or Pacific Islander | 40703 | 8.28 | 270,209 | 15064 |
| | American Indian, Eskimo, or Aleut | 637 | 0.13 | 15,311 | 4160.3 |
| | Other | 36688 | 7.46 | . | . |
| | Unknown | 99966 | 20.3 | . | . |
| Underlying Medical Condition | Yes | 74429 | 15.1 | . | . |
| | No/Unknown | 417087 | 84.9 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 209 | 0.8 | 149,165 | 140.11 |
| | Aged 5 to 17 | 327 | 1.3 | 406,595 | 80.42 |
| | Aged 18 to 24 | 545 | 2.2 | 216,762 | 251.43 |
| | Aged 25 to 49 | 5925 | 23.6 | 803,732 | 737.19 |
| | Aged 50 to 64 | 6909 | 27.5 | 423,461 | 1631.6 |
| | Aged 64+ | 11239 | 44.7 | 318,459 | 3529.2 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 11188 | 44.5 | 1,160,285 | 964.25 |
| | Male | 13926 | 55.4 | 1,157,889 | 1202.7 |
| | Unknown | 42 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 6761 | 26.9 | 763,053 | 886.05 |
| | White | 9636 | 38.3 | 1,006,929 | 956.97 |
| | Black | 3553 | 14.1 | 262,671 | 1352.6 |
| | Asian or Pacific Islander | 2624 | 10.4 | 270,209 | 971.10 |
| | American Indian, Eskimo, or Aleut | 62 | 0.2 | 15,311 | 404.93 |
| | Other | 946 | 3.8 | . | . |
| | Unknown | 1574 | 6.3 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 6470 | 25.7 |
| | No | 18686 | 74.3 |
| ICU | Yes | 6260 | 24.9 |
| | No | 18896 | 75.1 |
| Intubated | Yes | 2991 | 11.9 |
| | No | 22165 | 88.1 |
| Underlying Medical Condition | Yes | 15343 | 61.0 |
| | No | 9813 | 39.0 |
| Hypertension | Yes | 8842 | N/A |
| Immunocompromised | Yes | 556 | N/A |
| Chronic Heart Disease | Yes | 3209 | N/A |
| Chronic Liver Disease | Yes | 341 | N/A |
| Chronic Kidney Disease | Yes | 2176 | N/A |
| Diabetes | Yes | 6540 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1119 | N/A |
| Chronic Lung Disease | Yes | 3805 | N/A |
| Historically Healthy | Yes | 4627 | N/A |
| Other | Yes | 6194 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 6 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 19 | 0.2 | 216,762 | 8.77 |
| | Aged 25 to 49 | 671 | 8.8 | 803,732 | 83.49 |
| | Aged 50 to 64 | 1698 | 22.2 | 423,461 | 400.98 |
| | Aged 64+ | 5265 | 68.7 | 318,459 | 1653.3 |
| Birth Sex | Female | 2968 | 38.7 | 1,160,285 | 255.80 |
| | Male | 4680 | 61.1 | 1,157,889 | 404.18 |
| | Unknown | 12 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 1849 | 24.1 | 763,053 | 242.32 |
| | White | 3670 | 47.9 | 1,006,929 | 364.47 |
| | Black | 993 | 13.0 | 262,671 | 378.04 |
| | Asian or Pacific Islander | 983 | 12.8 | 270,209 | 363.79 |
| | American Indian, Eskimo, or Aleut | 28 | 0.4 | 15,311 | 182.87 |
| | Other | 96 | 1.3 | . | . |
| | Unknown | 41 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 6470 | 84.5 |
| | No | 1190 | 15.5 |
| ICU | Yes | 3278 | 42.8 |
| | No | 4382 | 57.2 |
| Intubated | Yes | 2121 | 27.7 |
| | No | 5539 | 72.3 |
| Underlying Medical Condition | Yes | 4745 | 61.9 |
| | No | 2915 | 38.1 |
| Hypertension | Yes | 3077 | N/A |
| Immunocompromised | Yes | 224 | N/A |
| Chronic Heart Disease | Yes | 1430 | N/A |
| Chronic Liver Disease | Yes | 172 | N/A |
| Chronic Kidney Disease | Yes | 1012 | N/A |
| Diabetes | Yes | 2181 | N/A |
| Neurologic/Neurodevelopmental | Yes | 495 | N/A |
| Chronic Lung Disease | Yes | 1189 | N/A |
| Historically Healthy | Yes | 443 | N/A |
| Other | Yes | 1850 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).