

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 496,110 | 100 | 2,318,174 | 21400.90 | 495,766 | 344 |
| Hospitalized | 25,664 | 5.17 | 2,318,174 | 1,107.08 | 25,616 | 48 |
| Deceased | 7,760 | 1.56 | 2,318,174 | 334.75 | 7,759 | 1 |
| Recovered | 479,553 | 96.7 | 2,318,174 | 20686.67 | 479,274 | 279 |
| MIS-C Case | 108 | -- | -- | -- | 108 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 12731 | 2.57 | 149,165 | 8534.8 |
| | Aged 5 to 17 | 61313 | 12.4 | 406,595 | 15080 |
| | Aged 18 to 24 | 57477 | 11.6 | 216,762 | 26516 |
| | Aged 25 to 49 | 221710 | 44.7 | 803,732 | 27585 |
| | Aged 50 to 64 | 91279 | 18.4 | 423,461 | 21555 |
| | Aged 64+ | 51477 | 10.4 | 318,459 | 16164 |
| | Unknown | 123 | 0.02 | . | . |
| Birth Sex | Female | 257278 | 51.9 | 1,160,285 | 22174 |
| | Male | 234775 | 47.3 | 1,157,889 | 20276 |
| | Unknown | 4057 | 0.82 | . | . |
| Race/Ethnicity | Hispanic | 140671 | 28.4 | 763,053 | 18435 |
| | White | 128830 | 26.0 | 1,006,929 | 12794 |
| | Black | 47231 | 9.52 | 262,671 | 17981 |
| | Asian or Pacific Islander | 41055 | 8.28 | 270,209 | 15194 |
| | American Indian, Eskimo, or Aleut | 642 | 0.13 | 15,311 | 4193.0 |
| | Other | 36991 | 7.46 | . | . |
| | Unknown | 100690 | 20.3 | . | . |
| Underlying Medical Condition | Yes | 75682 | 15.3 | . | . |
| | No/Unknown | 420428 | 84.7 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 219 | 0.9 | 149,165 | 146.82 |
| | Aged 5 to 17 | 331 | 1.3 | 406,595 | 81.41 |
| | Aged 18 to 24 | 560 | 2.2 | 216,762 | 258.35 |
| | Aged 25 to 49 | 6071 | 23.7 | 803,732 | 755.35 |
| | Aged 50 to 64 | 7022 | 27.4 | 423,461 | 1658.2 |
| | Aged 64+ | 11459 | 44.7 | 318,459 | 3598.3 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 11435 | 44.6 | 1,160,285 | 985.53 |
| | Male | 14187 | 55.3 | 1,157,889 | 1225.2 |
| | Unknown | 42 | 0.2 | . | . |
| Race/Ethnicity | Hispanic | 6850 | 26.7 | 763,053 | 897.71 |
| | White | 9851 | 38.4 | 1,006,929 | 978.32 |
| | Black | 3634 | 14.2 | 262,671 | 1383.5 |
| | Asian or Pacific Islander | 2668 | 10.4 | 270,209 | 987.38 |
| | American Indian, Eskimo, or Aleut | 63 | 0.2 | 15,311 | 411.46 |
| | Other | 981 | 3.8 | . | . |
| | Unknown | 1617 | 6.3 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 6570 | 25.6 |
| | No | 19094 | 74.4 |
| ICU | Yes | 6343 | 24.7 |
| | No | 19321 | 75.3 |
| Intubated | Yes | 3035 | 11.8 |
| | No | 22629 | 88.2 |
| Underlying Medical Condition | Yes | 15775 | 61.5 |
| | No | 9889 | 38.5 |
| Hypertension | Yes | 9146 | N/A |
| Immunocompromised | Yes | 575 | N/A |
| Chronic Heart Disease | Yes | 3307 | N/A |
| Chronic Liver Disease | Yes | 356 | N/A |
| Chronic Kidney Disease | Yes | 2251 | N/A |
| Diabetes | Yes | 6691 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1148 | N/A |
| Chronic Lung Disease | Yes | 3911 | N/A |
| Historically Healthy | Yes | 4667 | N/A |
| Other | Yes | 6412 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 6 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 19 | 0.2 | 216,762 | 8.77 |
| | Aged 25 to 49 | 681 | 8.8 | 803,732 | 84.73 |
| | Aged 50 to 64 | 1711 | 22.0 | 423,461 | 404.05 |
| | Aged 64+ | 5342 | 68.8 | 318,459 | 1677.5 |
| Birth Sex | Female | 3020 | 38.9 | 1,160,285 | 260.28 |
| | Male | 4729 | 60.9 | 1,157,889 | 408.42 |
| | Unknown | 11 | 0.1 | . | -- |
| Race/Ethnicity | Hispanic | 1866 | 24.0 | 763,053 | 244.54 |
| | White | 3729 | 48.1 | 1,006,929 | 370.33 |
| | Black | 1003 | 12.9 | 262,671 | 381.85 |
| | Asian or Pacific Islander | 995 | 12.8 | 270,209 | 368.23 |
| | American Indian, Eskimo, or Aleut | 29 | 0.4 | 15,311 | 189.40 |
| | Other | 98 | 1.3 | . | . |
| | Unknown | 40 | 0.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 6570 | 84.7 |
| | No | 1190 | 15.3 |
| ICU | Yes | 3342 | 43.1 |
| | No | 4418 | 56.9 |
| Intubated | Yes | 2162 | 27.9 |
| | No | 5598 | 72.1 |
| Underlying Medical Condition | Yes | 4917 | 63.4 |
| | No | 2843 | 36.6 |
| Hypertension | Yes | 3209 | N/A |
| Immunocompromised | Yes | 234 | N/A |
| Chronic Heart Disease | Yes | 1482 | N/A |
| Chronic Liver Disease | Yes | 182 | N/A |
| Chronic Kidney Disease | Yes | 1051 | N/A |
| Diabetes | Yes | 2256 | N/A |
| Neurologic/Neurodevelopmental | Yes | 504 | N/A |
| Chronic Lung Disease | Yes | 1232 | N/A |
| Historically Healthy | Yes | 451 | N/A |
| Other | Yes | 1938 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).