

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 516,133 | 100 | 2,318,174 | 22264.64 | 515,608 | 525 |
| Hospitalized | 26,882 | 5.21 | 2,318,174 | 1,159.62 | 26,841 | 41 |
| Deceased | 8,470 | 1.64 | 2,318,174 | 365.37 | 8,462 | 8 |
| Recovered | 496,601 | 96.2 | 2,318,174 | 21422.08 | 496,299 | 302 |
| MIS-C Case | 109 | -- | -- | -- | 109 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 13231 | 2.56 | 149,165 | 8870.0 |
| | Aged 5 to 17 | 63730 | 12.3 | 406,595 | 15674 |
| | Aged 18 to 24 | 59199 | 11.5 | 216,762 | 27311 |
| | Aged 25 to 49 | 230606 | 44.7 | 803,732 | 28692 |
| | Aged 50 to 64 | 95362 | 18.5 | 423,461 | 22520 |
| | Aged 64+ | 53859 | 10.4 | 318,459 | 16912 |
| | Unknown | 146 | 0.03 | . | . |
| Birth Sex | Female | 267310 | 51.8 | 1,160,285 | 23038 |
| | Male | 244612 | 47.4 | 1,157,889 | 21126 |
| | Unknown | 4211 | 0.82 | . | . |
| Race/Ethnicity | Hispanic | 147183 | 28.5 | 763,053 | 19289 |
| | White | 134220 | 26.0 | 1,006,929 | 13330 |
| | Black | 48941 | 9.48 | 262,671 | 18632 |
| | Asian or Pacific Islander | 43116 | 8.35 | 270,209 | 15957 |
| | American Indian, Eskimo, or Aleut | 682 | 0.13 | 15,311 | 4454.2 |
| | Other | 38046 | 7.37 | . | . |
| | Unknown | 103945 | 20.1 | . | . |
| Underlying Medical Condition | Yes | 80336 | 15.6 | . | . |
| | No/Unknown | 435797 | 84.4 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 254 | 0.9 | 149,165 | 170.28 |
| | Aged 5 to 17 | 353 | 1.3 | 406,595 | 86.82 |
| | Aged 18 to 24 | 580 | 2.2 | 216,762 | 267.57 |
| | Aged 25 to 49 | 6331 | 23.6 | 803,732 | 787.70 |
| | Aged 50 to 64 | 7318 | 27.2 | 423,461 | 1728.1 |
| | Aged 64+ | 12044 | 44.8 | 318,459 | 3782.0 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 12014 | 44.7 | 1,160,285 | 1035.4 |
| | Male | 14830 | 55.2 | 1,157,889 | 1280.8 |
| | Unknown | 38 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 7049 | 26.2 | 763,053 | 923.79 |
| | White | 10448 | 38.9 | 1,006,929 | 1037.6 |
| | Black | 3830 | 14.2 | 262,671 | 1458.1 |
| | Asian or Pacific Islander | 2762 | 10.3 | 270,209 | 1022.2 |
| | American Indian, Eskimo, or Aleut | 66 | 0.2 | 15,311 | 431.05 |
| | Other | 1056 | 3.9 | . | . |
| | Unknown | 1671 | 6.2 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 6892 | 25.6 |
| | No | 19990 | 74.4 |
| ICU | Yes | 6502 | 24.2 |
| | No | 20380 | 75.8 |
| Intubated | Yes | 3097 | 11.5 |
| | No | 23785 | 88.5 |
| Underlying Medical Condition | Yes | 16760 | 62.3 |
| | No | 10122 | 37.7 |
| Hypertension | Yes | 9823 | N/A |
| Immunocompromised | Yes | 613 | N/A |
| Chronic Heart Disease | Yes | 3547 | N/A |
| Chronic Liver Disease | Yes | 377 | N/A |
| Chronic Kidney Disease | Yes | 2432 | N/A |
| Diabetes | Yes | 7031 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1246 | N/A |
| Chronic Lung Disease | Yes | 4138 | N/A |
| Historically Healthy | Yes | 4773 | N/A |
| Other | Yes | 7020 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 6 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 20 | 0.2 | 216,762 | 9.23 |
| | Aged 25 to 49 | 720 | 8.5 | 803,732 | 89.58 |
| | Aged 50 to 64 | 1822 | 21.5 | 423,461 | 430.26 |
| | Aged 64+ | 5901 | 69.7 | 318,459 | 1853.0 |
| Birth Sex | Female | 3337 | 39.4 | 1,160,285 | 287.60 |
| | Male | 5111 | 60.3 | 1,157,889 | 441.41 |
| | Unknown | 22 | 0.3 | . | . |
| Race/Ethnicity | Hispanic | 1968 | 23.2 | 763,053 | 257.91 |
| | White | 4174 | 49.3 | 1,006,929 | 414.53 |
| | Black | 1088 | 12.8 | 262,671 | 414.21 |
| | Asian or Pacific Islander | 1040 | 12.3 | 270,209 | 384.89 |
| | American Indian, Eskimo, or Aleut | 31 | 0.4 | 15,311 | 202.46 |
| | Other | 107 | 1.3 | . | . |
| | Unknown | 62 | 0.7 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 6892 | 81.4 |
| | No | 1578 | 18.6 |
| ICU | Yes | 3475 | 41.0 |
| | No | 4995 | 59.0 |
| Intubated | Yes | 2218 | 26.2 |
| | No | 6252 | 73.8 |
| Underlying Medical Condition | Yes | 5413 | 63.9 |
| | No | 3057 | 36.1 |
| Hypertension | Yes | 3527 | N/A |
| Immunocompromised | Yes | 254 | N/A |
| Chronic Heart Disease | Yes | 1644 | N/A |
| Chronic Liver Disease | Yes | 204 | N/A |
| Chronic Kidney Disease | Yes | 1173 | N/A |
| Diabetes | Yes | 2448 | N/A |
| Neurologic/Neurodevelopmental | Yes | 574 | N/A |
| Chronic Lung Disease | Yes | 1351 | N/A |
| Historically Healthy | Yes | 466 | N/A |
| Other | Yes | 2228 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).