

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 528,600 | 100 | 2,318,174 | 22802.43 | 527,915 | 685 |
| Hospitalized | 27,093 | 5.13 | 2,318,174 | 1,168.72 | 27,067 | 26 |
| Deceased | 8,522 | 1.61 | 2,318,174 | 367.62 | 8,513 | 9 |
| Recovered | 505,619 | 95.7 | 2,318,174 | 21811.09 | 504,965 | 654 |
| MIS-C Case | 109 | -- | -- | -- | 109 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 13554 | 2.56 | 149,165 | 9086.6 |
| | Aged 5 to 17 | 65017 | 12.3 | 406,595 | 15991 |
| | Aged 18 to 24 | 60244 | 11.4 | 216,762 | 27793 |
| | Aged 25 to 49 | 235692 | 44.6 | 803,732 | 29325 |
| | Aged 50 to 64 | 98150 | 18.6 | 423,461 | 23178 |
| | Aged 64+ | 55791 | 10.6 | 318,459 | 17519 |
| | Unknown | 152 | 0.03 | . | . |
| Birth Sex | Female | 274638 | 52.0 | 1,160,285 | 23670 |
| | Male | 249710 | 47.2 | 1,157,889 | 21566 |
| | Unknown | 4252 | 0.80 | . | . |
| Race/Ethnicity | Hispanic | 149787 | 28.3 | 763,053 | 19630 |
| | White | 137804 | 26.1 | 1,006,929 | 13686 |
| | Black | 50220 | 9.50 | 262,671 | 19119 |
| | Asian or Pacific Islander | 44702 | 8.46 | 270,209 | 16543 |
| | American Indian, Eskimo, or Aleut | 694 | 0.13 | 15,311 | 4532.6 |
| | Other | 38609 | 7.30 | . | . |
| | Unknown | 106784 | 20.2 | . | . |
| Underlying Medical Condition | Yes | 81860 | 15.5 | . | . |
| | No/Unknown | 446740 | 84.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 257 | 0.9 | 149,165 | 172.29 |
| | Aged 5 to 17 | 356 | 1.3 | 406,595 | 87.56 |
| | Aged 18 to 24 | 586 | 2.2 | 216,762 | 270.34 |
| | Aged 25 to 49 | 6360 | 23.5 | 803,732 | 791.31 |
| | Aged 50 to 64 | 7355 | 27.1 | 423,461 | 1736.9 |
| | Aged 64+ | 12177 | 44.9 | 318,459 | 3823.7 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 12125 | 44.8 | 1,160,285 | 1045.0 |
| | Male | 14939 | 55.1 | 1,157,889 | 1290.2 |
| | Unknown | 29 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 7087 | 26.2 | 763,053 | 928.77 |
| | White | 10588 | 39.1 | 1,006,929 | 1051.5 |
| | Black | 3873 | 14.3 | 262,671 | 1474.5 |
| | Asian or Pacific Islander | 2790 | 10.3 | 270,209 | 1032.5 |
| | American Indian, Eskimo, or Aleut | 66 | 0.2 | 15,311 | 431.05 |
| | Other | 1063 | 3.9 | . | . |
| | Unknown | 1626 | 6.0 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 6922 | 25.5 |
| | No | 20171 | 74.5 |
| ICU | Yes | 6528 | 24.1 |
| | No | 20565 | 75.9 |
| Intubated | Yes | 3106 | 11.5 |
| | No | 23987 | 88.5 |
| Underlying Medical Condition | Yes | 16907 | 62.4 |
| | No | 10186 | 37.6 |
| Hypertension | Yes | 9919 | N/A |
| Immunocompromised | Yes | 620 | N/A |
| Chronic Heart Disease | Yes | 3599 | N/A |
| Chronic Liver Disease | Yes | 382 | N/A |
| Chronic Kidney Disease | Yes | 2463 | N/A |
| Diabetes | Yes | 7079 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1258 | N/A |
| Chronic Lung Disease | Yes | 4172 | N/A |
| Historically Healthy | Yes | 4792 | N/A |
| Other | Yes | 7093 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 2 | 0.0 | 149,165 | -- |
| | Aged 5 to 17 | 6 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 20 | 0.2 | 216,762 | 9.23 |
| | Aged 25 to 49 | 724 | 8.5 | 803,732 | 90.08 |
| | Aged 50 to 64 | 1830 | 21.5 | 423,461 | 432.15 |
| | Aged 64+ | 5940 | 69.7 | 318,459 | 1865.2 |
| Birth Sex | Female | 3366 | 39.5 | 1,160,285 | 290.10 |
| | Male | 5154 | 60.5 | 1,157,889 | 445.12 |
| | Unknown | 2 | 0.0 | . | -- |
| Race/Ethnicity | Hispanic | 1979 | 23.2 | 763,053 | 259.35 |
| | White | 4244 | 49.8 | 1,006,929 | 421.48 |
| | Black | 1096 | 12.9 | 262,671 | 417.25 |
| | Asian or Pacific Islander | 1045 | 12.3 | 270,209 | 386.74 |
| | American Indian, Eskimo, or Aleut | 31 | 0.4 | 15,311 | 202.46 |
| | Other | 103 | 1.2 | . | . |
| | Unknown | 24 | 0.3 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 6922 | 81.2 |
| | No | 1600 | 18.8 |
| ICU | Yes | 3485 | 40.9 |
| | No | 5037 | 59.1 |
| Intubated | Yes | 2223 | 26.1 |
| | No | 6299 | 73.9 |
| Underlying Medical Condition | Yes | 5445 | 63.9 |
| | No | 3077 | 36.1 |
| Hypertension | Yes | 3543 | N/A |
| Immunocompromised | Yes | 254 | N/A |
| Chronic Heart Disease | Yes | 1653 | N/A |
| Chronic Liver Disease | Yes | 207 | N/A |
| Chronic Kidney Disease | Yes | 1182 | N/A |
| Diabetes | Yes | 2463 | N/A |
| Neurologic/Neurodevelopmental | Yes | 577 | N/A |
| Chronic Lung Disease | Yes | 1358 | N/A |
| Historically Healthy | Yes | 467 | N/A |
| Other | Yes | 2245 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
