

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 578,540 | 100 | 2,318,174 | 24956.71 | 578,506 | 34 |
| Hospitalized | 28,554 | 4.94 | 2,318,174 | 1,231.75 | 28,552 | 2 |
| Deceased | 8,991 | 1.55 | 2,318,174 | 387.85 | 8,991 | 0 |
| Recovered | 559,576 | 96.7 | 2,318,174 | 24138.65 | 559,536 | 40 |
| MIS-C Case | 112 | -- | -- | -- | 112 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 15400 | 2.66 | 149,165 | 10324 |
| | Aged 5 to 17 | 68793 | 11.9 | 406,595 | 16919 |
| | Aged 18 to 24 | 64352 | 11.1 | 216,762 | 29688 |
| | Aged 25 to 49 | 255539 | 44.2 | 803,732 | 31794 |
| | Aged 50 to 64 | 109279 | 18.9 | 423,461 | 25806 |
| | Aged 64+ | 65008 | 11.2 | 318,459 | 20413 |
| | Unknown | 169 | 0.03 | . | . |
| Birth Sex | Female | 301349 | 52.1 | 1,160,285 | 25972 |
| | Male | 272271 | 47.1 | 1,157,889 | 23514 |
| | Unknown | 4920 | 0.85 | . | . |
| Race/Ethnicity | Hispanic | 159947 | 27.6 | 763,053 | 20961 |
| | White | 152850 | 26.4 | 1,006,929 | 15180 |
| | Black | 55625 | 9.61 | 262,671 | 21177 |
| | Asian or Pacific Islander | 50751 | 8.77 | 270,209 | 18782 |
| | American Indian, Eskimo, or Aleut | 2244 | 0.39 | 15,311 | 14656 |
| | Other | 41323 | 7.14 | . | . |
| | Unknown | 115800 | 20.0 | . | . |
| Underlying Medical Condition | Yes | 89682 | 15.5 | . | . |
| | No/Unknown | 488858 | 84.5 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 312 | 1.1 | 149,165 | 209.16 |
| | Aged 5 to 17 | 378 | 1.3 | 406,595 | 92.97 |
| | Aged 18 to 24 | 612 | 2.1 | 216,762 | 282.34 |
| | Aged 25 to 49 | 6529 | 22.9 | 803,732 | 812.34 |
| | Aged 50 to 64 | 7623 | 26.7 | 423,461 | 1800.2 |
| | Aged 64+ | 13097 | 45.9 | 318,459 | 4112.6 |
| | Unknown | 3 | 0.0 | . | -- |
| Birth Sex | Female | 12829 | 44.9 | 1,160,285 | 1105.7 |
| | Male | 15691 | 55.0 | 1,157,889 | 1355.1 |
| | Unknown | 34 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 7265 | 25.4 | 763,053 | 952.10 |
| | White | 11450 | 40.1 | 1,006,929 | 1137.1 |
| | Black | 4084 | 14.3 | 262,671 | 1554.8 |
| | Asian or Pacific Islander | 2917 | 10.2 | 270,209 | 1079.5 |
| | American Indian, Eskimo, or Aleut | 132 | 0.5 | 15,311 | 862.10 |
| | Other | 1088 | 3.8 | . | . |
| | Unknown | 1618 | 5.7 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 7210 | 25.3 |
| | No | 21344 | 74.7 |
| ICU | Yes | 6678 | 23.4 |
| | No | 21876 | 76.6 |
| Intubated | Yes | 3154 | 11.0 |
| | No | 25400 | 89.0 |
| Underlying Medical Condition | Yes | 17893 | 62.7 |
| | No | 10661 | 37.3 |
| Hypertension | Yes | 10545 | N/A |
| Immunocompromised | Yes | 665 | N/A |
| Chronic Heart Disease | Yes | 3862 | N/A |
| Chronic Liver Disease | Yes | 404 | N/A |
| Chronic Kidney Disease | Yes | 2625 | N/A |
| Diabetes | Yes | 7429 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1343 | N/A |
| Chronic Lung Disease | Yes | 4419 | N/A |
| Historically Healthy | Yes | 4955 | N/A |
| Other | Yes | 7641 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 6 | 0.1 | 149,165 | -- |
| | Aged 5 to 17 | 7 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 20 | 0.2 | 216,762 | 9.23 |
| | Aged 25 to 49 | 760 | 8.5 | 803,732 | 94.56 |
| | Aged 50 to 64 | 1891 | 21.0 | 423,461 | 446.56 |
| | Aged 64+ | 6307 | 70.1 | 318,459 | 1980.5 |
| Birth Sex | Female | 3578 | 39.8 | 1,160,285 | 308.37 |
| | Male | 5412 | 60.2 | 1,157,889 | 467.40 |
| | Unknown | 1 | 0.0 | . | -- |
| Race/Ethnicity | Hispanic | 2040 | 22.7 | 763,053 | 267.35 |
| | White | 4558 | 50.7 | 1,006,929 | 452.66 |
| | Black | 1155 | 12.8 | 262,671 | 439.71 |
| | Asian or Pacific Islander | 1089 | 12.1 | 270,209 | 403.02 |
| | American Indian, Eskimo, or Aleut | 48 | 0.5 | 15,311 | 313.49 |
| | Other | 89 | 1.0 | . | . |
| | Unknown | 12 | 0.1 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 7210 | 80.2 |
| | No | 1781 | 19.8 |
| ICU | Yes | 3554 | 39.5 |
| | No | 5437 | 60.5 |
| Intubated | Yes | 2262 | 25.2 |
| | No | 6729 | 74.8 |
| Underlying Medical Condition | Yes | 5700 | 63.4 |
| | No | 3291 | 36.6 |
| Hypertension | Yes | 3704 | N/A |
| Immunocompromised | Yes | 275 | N/A |
| Chronic Heart Disease | Yes | 1737 | N/A |
| Chronic Liver Disease | Yes | 216 | N/A |
| Chronic Kidney Disease | Yes | 1244 | N/A |
| Diabetes | Yes | 2556 | N/A |
| Neurologic/Neurodevelopmental | Yes | 602 | N/A |
| Chronic Lung Disease | Yes | 1432 | N/A |
| Historically Healthy | Yes | 477 | N/A |
| Other | Yes | 2395 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
