

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 580,261 | 100 | 2,318,174 | 25030.95 | 580,156 | 105 |
| Hospitalized | 28,670 | 4.94 | 2,318,174 | 1,236.75 | 28,660 | 10 |
| Deceased | 9,015 | 1.55 | 2,318,174 | 388.88 | 9,012 | 3 |
| Recovered | 560,891 | 96.7 | 2,318,174 | 24195.38 | 560,780 | 111 |
| MIS-C Case | 113 | -- | -- | -- | 113 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 15478 | 2.67 | 149,165 | 10376 |
| | Aged 5 to 17 | 68912 | 11.9 | 406,595 | 16949 |
| | Aged 18 to 24 | 64459 | 11.1 | 216,762 | 29737 |
| | Aged 25 to 49 | 256145 | 44.1 | 803,732 | 31869 |
| | Aged 50 to 64 | 109667 | 18.9 | 423,461 | 25898 |
| | Aged 64+ | 65443 | 11.3 | 318,459 | 20550 |
| | Unknown | 157 | 0.03 | . | . |
| Birth Sex | Female | 302325 | 52.1 | 1,160,285 | 26056 |
| | Male | 273031 | 47.1 | 1,157,889 | 23580 |
| | Unknown | 4905 | 0.85 | . | . |
| Race/Ethnicity | Hispanic | 160527 | 27.7 | 763,053 | 21037 |
| | White | 153551 | 26.5 | 1,006,929 | 15249 |
| | Black | 55903 | 9.63 | 262,671 | 21283 |
| | Asian or Pacific Islander | 51048 | 8.80 | 270,209 | 18892 |
| | American Indian, Eskimo, or Aleut | 2255 | 0.39 | 15,311 | 14728 |
| | Other | 41326 | 7.12 | . | . |
| | Unknown | 115651 | 19.9 | . | . |
| Underlying Medical Condition | Yes | 90389 | 15.6 | . | . |
| | No/Unknown | 489872 | 84.4 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 316 | 1.1 | 149,165 | 211.85 |
| | Aged 5 to 17 | 381 | 1.3 | 406,595 | 93.71 |
| | Aged 18 to 24 | 616 | 2.1 | 216,762 | 284.18 |
| | Aged 25 to 49 | 6551 | 22.8 | 803,732 | 815.07 |
| | Aged 50 to 64 | 7644 | 26.7 | 423,461 | 1805.1 |
| | Aged 64+ | 13159 | 45.9 | 318,459 | 4132.1 |
| | Unknown | 3 | 0.0 | . | -- |
| Birth Sex | Female | 12896 | 45.0 | 1,160,285 | 1111.5 |
| | Male | 15740 | 54.9 | 1,157,889 | 1359.4 |
| | Unknown | 34 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 7287 | 25.4 | 763,053 | 954.98 |
| | White | 11510 | 40.1 | 1,006,929 | 1143.1 |
| | Black | 4100 | 14.3 | 262,671 | 1560.9 |
| | Asian or Pacific Islander | 2930 | 10.2 | 270,209 | 1084.3 |
| | American Indian, Eskimo, or Aleut | 133 | 0.5 | 15,311 | 868.63 |
| | Other | 1090 | 3.8 | . | . |
| | Unknown | 1620 | 5.7 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 7228 | 25.2 |
| | No | 21442 | 74.8 |
| ICU | Yes | 6688 | 23.3 |
| | No | 21982 | 76.7 |
| Intubated | Yes | 3156 | 11.0 |
| | No | 25514 | 89.0 |
| Underlying Medical Condition | Yes | 17978 | 62.7 |
| | No | 10692 | 37.3 |
| Hypertension | Yes | 10585 | N/A |
| Immunocompromised | Yes | 672 | N/A |
| Chronic Heart Disease | Yes | 3871 | N/A |
| Chronic Liver Disease | Yes | 406 | N/A |
| Chronic Kidney Disease | Yes | 2638 | N/A |
| Diabetes | Yes | 7451 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1349 | N/A |
| Chronic Lung Disease | Yes | 4442 | N/A |
| Historically Healthy | Yes | 4965 | N/A |
| Other | Yes | 7693 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 6 | 0.1 | 149,165 | -- |
| | Aged 5 to 17 | 7 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 20 | 0.2 | 216,762 | 9.23 |
| | Aged 25 to 49 | 762 | 8.5 | 803,732 | 94.81 |
| | Aged 50 to 64 | 1894 | 21.0 | 423,461 | 447.27 |
| | Aged 64+ | 6326 | 70.2 | 318,459 | 1986.4 |
| Birth Sex | Female | 3586 | 39.8 | 1,160,285 | 309.06 |
| | Male | 5428 | 60.2 | 1,157,889 | 468.78 |
| | Unknown | 1 | 0.0 | . | -- |
| Race/Ethnicity | Hispanic | 2043 | 22.7 | 763,053 | 267.74 |
| | White | 4574 | 50.7 | 1,006,929 | 454.25 |
| | Black | 1159 | 12.9 | 262,671 | 441.24 |
| | Asian or Pacific Islander | 1091 | 12.1 | 270,209 | 403.76 |
| | American Indian, Eskimo, or Aleut | 48 | 0.5 | 15,311 | 313.49 |
| | Other | 88 | 1.0 | . | . |
| | Unknown | 12 | 0.1 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 7228 | 80.2 |
| | No | 1787 | 19.8 |
| ICU | Yes | 3557 | 39.5 |
| | No | 5458 | 60.5 |
| Intubated | Yes | 2262 | 25.1 |
| | No | 6753 | 74.9 |
| Underlying Medical Condition | Yes | 5715 | 63.4 |
| | No | 3300 | 36.6 |
| Hypertension | Yes | 3715 | N/A |
| Immunocompromised | Yes | 276 | N/A |
| Chronic Heart Disease | Yes | 1744 | N/A |
| Chronic Liver Disease | Yes | 218 | N/A |
| Chronic Kidney Disease | Yes | 1247 | N/A |
| Diabetes | Yes | 2560 | N/A |
| Neurologic/Neurodevelopmental | Yes | 607 | N/A |
| Chronic Lung Disease | Yes | 1432 | N/A |
| Historically Healthy | Yes | 477 | N/A |
| Other | Yes | 2405 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).