

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 575,399 | 100 | 2,318,174 | 24821.22 | 575,339 | 60 |
| Hospitalized | 28,340 | 4.93 | 2,318,174 | 1,222.51 | 28,335 | 5 |
| Deceased | 8,930 | 1.55 | 2,318,174 | 385.22 | 8,931 | -1 |
| Recovered | 556,104 | 96.6 | 2,318,174 | 23988.88 | 555,997 | 107 |
| MIS-C Case | 112 | -- | -- | -- | 112 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|--------|------|------------|------------------|
| Age Categories | Aged 4 or less | 15153 | 2.63 | 149,165 | 10159 |
| | Aged 5 to 17 | 68521 | 11.9 | 406,595 | 16852 |
| | Aged 18 to 24 | 64134 | 11.1 | 216,762 | 29587 |
| | Aged 25 to 49 | 254453 | 44.2 | 803,732 | 31659 |
| | Aged 50 to 64 | 108642 | 18.9 | 423,461 | 25656 |
| | Aged 64+ | 64329 | 11.2 | 318,459 | 20200 |
| | Unknown | 167 | 0.03 | . | . |
| Birth Sex | Female | 299960 | 52.1 | 1,160,285 | 25852 |
| | Male | 270812 | 47.1 | 1,157,889 | 23388 |
| | Unknown | 4627 | 0.80 | . | . |
| Race/Ethnicity | Hispanic | 158846 | 27.6 | 763,053 | 20817 |
| | White | 151551 | 26.3 | 1,006,929 | 15051 |
| | Black | 55200 | 9.59 | 262,671 | 21015 |
| | Asian or Pacific Islander | 50208 | 8.73 | 270,209 | 18581 |
| | American Indian, Eskimo, or Aleut | 2234 | 0.39 | 15,311 | 14590 |
| | Other | 41206 | 7.16 | . | . |
| | Unknown | 116154 | 20.2 | . | . |
| Underlying Medical Condition | Yes | 88463 | 15.4 | . | . |
| | No/Unknown | 486936 | 84.6 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 299 | 1.1 | 149,165 | 200.45 |
| | Aged 5 to 17 | 371 | 1.3 | 406,595 | 91.25 |
| | Aged 18 to 24 | 612 | 2.2 | 216,762 | 282.34 |
| | Aged 25 to 49 | 6495 | 22.9 | 803,732 | 808.10 |
| | Aged 50 to 64 | 7583 | 26.8 | 423,461 | 1790.7 |
| | Aged 64+ | 12977 | 45.8 | 318,459 | 4074.9 |
| | Unknown | 3 | 0.0 | . | -- |
| Birth Sex | Female | 12732 | 44.9 | 1,160,285 | 1097.3 |
| | Male | 15575 | 55.0 | 1,157,889 | 1345.1 |
| | Unknown | 33 | 0.1 | . | . |
| Race/Ethnicity | Hispanic | 7226 | 25.5 | 763,053 | 946.99 |
| | White | 11335 | 40.0 | 1,006,929 | 1125.7 |
| | Black | 4060 | 14.3 | 262,671 | 1545.7 |
| | Asian or Pacific Islander | 2899 | 10.2 | 270,209 | 1072.9 |
| | American Indian, Eskimo, or Aleut | 132 | 0.5 | 15,311 | 862.10 |
| | Other | 1078 | 3.8 | . | . |
| | Unknown | 1610 | 5.7 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-------|------|
| Deceased | Yes | 7176 | 25.3 |
| | No | 21164 | 74.7 |
| ICU | Yes | 6662 | 23.5 |
| | No | 21678 | 76.5 |
| Intubated | Yes | 3150 | 11.1 |
| | No | 25190 | 88.9 |
| Underlying Medical Condition | Yes | 17741 | 62.6 |
| | No | 10599 | 37.4 |
| Hypertension | Yes | 10459 | N/A |
| Immunocompromised | Yes | 659 | N/A |
| Chronic Heart Disease | Yes | 3833 | N/A |
| Chronic Liver Disease | Yes | 400 | N/A |
| Chronic Kidney Disease | Yes | 2609 | N/A |
| Diabetes | Yes | 7380 | N/A |
| Neurologic/Neurodevelopmental | Yes | 1338 | N/A |
| Chronic Lung Disease | Yes | 4382 | N/A |
| Historically Healthy | Yes | 4913 | N/A |
| Other | Yes | 7558 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 5 | 0.1 | 149,165 | -- |
| | Aged 5 to 17 | 7 | 0.1 | 406,595 | -- |
| | Aged 18 to 24 | 20 | 0.2 | 216,762 | 9.23 |
| | Aged 25 to 49 | 755 | 8.5 | 803,732 | 93.94 |
| | Aged 50 to 64 | 1883 | 21.1 | 423,461 | 444.67 |
| | Aged 64+ | 6260 | 70.1 | 318,459 | 1965.7 |
| Birth Sex | Female | 3550 | 39.8 | 1,160,285 | 305.96 |
| | Male | 5379 | 60.2 | 1,157,889 | 464.55 |
| | Unknown | 1 | 0.0 | . | -- |
| Race/Ethnicity | Hispanic | 2031 | 22.7 | 763,053 | 266.17 |
| | White | 4520 | 50.6 | 1,006,929 | 448.89 |
| | Black | 1144 | 12.8 | 262,671 | 435.53 |
| | Asian or Pacific Islander | 1088 | 12.2 | 270,209 | 402.65 |
| | American Indian, Eskimo, or Aleut | 48 | 0.5 | 15,311 | 313.49 |
| | Other | 87 | 1.0 | . | . |
| | Unknown | 12 | 0.1 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: The population data source is the Nevada State Demographer 2019 ASRHO Estimates and Projections Summary 2000-2038, 2020 projection, vintage 2019.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 7176 | 80.4 |
| | No | 1754 | 19.6 |
| ICU | Yes | 3549 | 39.7 |
| | No | 5381 | 60.3 |
| Intubated | Yes | 2261 | 25.3 |
| | No | 6669 | 74.7 |
| Underlying Medical Condition | Yes | 5671 | 63.5 |
| | No | 3259 | 36.5 |
| Hypertension | Yes | 3693 | N/A |
| Immunocompromised | Yes | 273 | N/A |
| Chronic Heart Disease | Yes | 1727 | N/A |
| Chronic Liver Disease | Yes | 215 | N/A |
| Chronic Kidney Disease | Yes | 1240 | N/A |
| Diabetes | Yes | 2548 | N/A |
| Neurologic/Neurodevelopmental | Yes | 601 | N/A |
| Chronic Lung Disease | Yes | 1425 | N/A |
| Historically Healthy | Yes | 477 | N/A |
| Other | Yes | 2375 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).