

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 52,239 | 100 | 2,329,514 | 2,242.48 | 51,457 | 782 |
| Hospitalized | 3,579 | 6.85 | 2,329,514 | 153.64 | 3,511 | 68 |
| Deceased | 908 | 1.74 | 2,329,514 | 38.98 | 884 | 24 |
| Recovered | 44,957 | 86.1 | 2,329,514 | 1,929.89 | 44,246 | 711 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: Population data source for calculating rate estimates: 2019 ASRHOEstimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1004 | 1.92 | 149,376 | 672.13 |
| | Aged 5 to 17 | 3859 | 7.39 | 407,435 | 947.14 |
| | Aged 18 to 24 | 6731 | 12.9 | 218,094 | 3086.3 |
| | Aged 25 to 49 | 25387 | 48.6 | 804,743 | 3154.7 |
| | Aged 50 to 64 | 10089 | 19.3 | 423,628 | 2381.6 |
| | Aged 64+ | 5148 | 9.85 | 318,766 | 1615.0 |
| | Unknown | 21 | 0.04 | . | . |
| Birth Sex | Female | 26654 | 51.0 | 1,159,798 | 2298.2 |
| | Male | 25179 | 48.2 | 1,162,244 | 2166.4 |
| | Unknown | 406 | 0.78 | . | . |
| Race/Ethnicity | Hispanic | 14564 | 27.9 | 764,558 | 1904.9 |
| | White | 9233 | 17.7 | 1,007,806 | 916.15 |
| | Black | 3317 | 6.35 | 263,219 | 1260.2 |
| | Asian or Pacific Islander | 2714 | 5.20 | 271,136 | 1001.0 |
| | American Indian, Eskimo, or Aleut | 45 | 0.09 | 15,324 | 293.66 |
| | Other | 6141 | 11.8 | . | . |
| | Unknown | 16225 | 31.1 | . | . |
| Underlying Medical Condition | Yes | 5741 | 11.0 | . | . |
| | No/Unknown | 46498 | 89.0 | . | . |
| Laboratory | Commercial | 21965 | 42.0 | . | . |
| | Hospital System | 22050 | 42.2 | . | . |
| | NSPHL | 478 | 0.92 | . | . |
| | Other | 1777 | 3.40 | . | . |
| | Out-of-State | 138 | 0.26 | . | . |
| | SNPHL | 5812 | 11.1 | . | . |
| | Unknown | 19 | 0.04 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 19 | 0.5 | 149,376 | 12.72 |
| | Aged 5 to 17 | 32 | 0.9 | 407,435 | 7.85 |
| | Aged 18 to 24 | 86 | 2.4 | 218,094 | 39.43 |
| | Aged 25 to 49 | 977 | 27.3 | 804,743 | 121.41 |
| | Aged 50 to 64 | 1056 | 29.5 | 423,628 | 249.28 |
| | Aged 64+ | 1407 | 39.3 | 318,766 | 441.39 |
| | Unknown | 2 | 0.1 | . | -- |
| Birth Sex | Female | 1571 | 43.9 | 1,159,798 | 135.45 |
| | Male | 2001 | 55.9 | 1,162,244 | 172.17 |
| | Unknown | 7 | 0.2 | . | -- |
| Race/Ethnicity | Hispanic | 1300 | 36.3 | 764,558 | 170.03 |
| | White | 1002 | 28.0 | 1,007,806 | 99.42 |
| | Black | 483 | 13.5 | 263,219 | 183.50 |
| | Asian or Pacific Islander | 369 | 10.3 | 271,136 | 136.09 |
| | American Indian, Eskimo, or Aleut | 1 | 0.0 | 15,324 | -- |
| | Other | 186 | 5.2 | . | . |
| | Unknown | 238 | 6.6 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Deceased | Yes | 754 | 21.1 |
| | No | 2825 | 78.9 |
| ICU | Yes | 1185 | 33.1 |
| | No | 2394 | 66.9 |
| Intubated | Yes | 676 | 18.9 |
| | No | 2903 | 81.1 |
| Underlying Medical Condition | Yes | 2058 | 57.5 |
| | No | 1521 | 42.5 |
| Hypertension | Yes | 1222 | N/A |
| Immunocompromised | Yes | 92 | N/A |
| Chronic Heart Disease | Yes | 391 | N/A |
| Chronic Liver Disease | Yes | 43 | N/A |
| Chronic Kidney Disease | Yes | 313 | N/A |
| Diabetes | Yes | 963 | N/A |
| Neurologic/Neurodevelopmental | Yes | 175 | N/A |
| Chronic Lung Disease | Yes | 466 | N/A |
| Historically Healthy | Yes | 674 | N/A |
| Other | Yes | 767 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|---------------------------|-----|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 2 | 0.2 | 407,435 | -- |
| | Aged 18 to 24 | 1 | 0.1 | 218,094 | -- |
| | Aged 25 to 49 | 58 | 6.4 | 804,743 | 7.21 |
| | Aged 50 to 64 | 181 | 19.9 | 423,628 | 42.73 |
| | Aged 64+ | 666 | 73.3 | 318,766 | 208.93 |
| Birth Sex | Female | 334 | 36.8 | 1,159,798 | 28.80 |
| | Male | 570 | 62.8 | 1,162,244 | 49.04 |
| | Unknown | 4 | 0.4 | . | -- |
| Race/Ethnicity | Hispanic | 250 | 27.5 | 764,558 | 32.70 |
| | White | 353 | 38.9 | 1,007,806 | 35.03 |
| | Black | 127 | 14.0 | 263,219 | 48.25 |
| | Asian or Pacific Islander | 128 | 14.1 | 271,136 | 47.21 |
| | Other | 24 | 2.6 | . | . |
| | Unknown | 26 | 2.9 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-----|------|
| Hospitalized | Yes | 754 | 83.0 |
| | No | 154 | 17.0 |
| ICU | Yes | 541 | 59.6 |
| | No | 367 | 40.4 |
| Intubated | Yes | 406 | 44.7 |
| | No | 502 | 55.3 |
| Underlying Medical Condition | Yes | 583 | 64.2 |
| | No | 325 | 35.8 |
| Hypertension | Yes | 382 | N/A |
| Immunocompromised | Yes | 34 | N/A |
| Chronic Heart Disease | Yes | 165 | N/A |
| Chronic Liver Disease | Yes | 22 | N/A |
| Chronic Kidney Disease | Yes | 145 | N/A |
| Diabetes | Yes | 281 | N/A |
| Neurologic/Neurodevelopmental | Yes | 74 | N/A |
| Chronic Lung Disease | Yes | 130 | N/A |
| Historically Healthy | Yes | 53 | N/A |
| Other | Yes | 225 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
