

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 70,730 | 100 | 2,329,514 | 3,036.26 | 70,121 | 609 |
| Hospitalized | 6,721 | 9.50 | 2,329,514 | 288.52 | 6,670 | 51 |
| Deceased | 1,438 | 2.03 | 2,329,514 | 61.73 | 1,431 | 7 |
| Recovered | 64,775 | 91.6 | 2,329,514 | 2,780.62 | 64,400 | 375 |
| MIS-C Case | 11 | -- | -- | -- | 11 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: Population data source for calculating rate estimates: 2019 ASRHOEstimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1467 | 2.07 | 149,376 | 982.09 |
| | Aged 5 to 17 | 5614 | 7.94 | 407,435 | 1377.9 |
| | Aged 18 to 24 | 9153 | 12.9 | 218,094 | 4196.8 |
| | Aged 25 to 49 | 33731 | 47.7 | 804,743 | 4191.5 |
| | Aged 50 to 64 | 13670 | 19.3 | 423,628 | 3226.9 |
| | Aged 64+ | 7077 | 10.0 | 318,766 | 2220.1 |
| | Unknown | 18 | 0.03 | . | . |
| Birth Sex | Female | 36096 | 51.0 | 1,159,798 | 3112.3 |
| | Male | 34218 | 48.4 | 1,162,244 | 2944.1 |
| | Unknown | 416 | 0.59 | . | . |
| Race/Ethnicity | Hispanic | 27913 | 39.5 | 764,558 | 3650.9 |
| | White | 14279 | 20.2 | 1,007,806 | 1416.8 |
| | Black | 5459 | 7.72 | 263,219 | 2073.9 |
| | Asian or Pacific Islander | 4605 | 6.51 | 271,136 | 1698.4 |
| | American Indian, Eskimo, or Aleut | 87 | 0.12 | 15,324 | 567.75 |
| | Other | 5040 | 7.13 | . | . |
| | Unknown | 13347 | 18.9 | . | . |
| Underlying Medical Condition | Yes | 14245 | 20.1 | . | . |
| | No/Unknown | 56485 | 79.9 | . | . |
| Laboratory | Commercial | 27409 | 38.8 | . | . |
| | Hospital System | 30850 | 43.6 | . | . |
| | NSPHL | 588 | 0.83 | . | . |
| | Other | 4968 | 7.02 | . | . |
| | Out-of-State | 165 | 0.23 | . | . |
| | SNPHL | 6724 | 9.51 | . | . |
| | Unknown | 26 | 0.04 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 39 | 0.6 | 149,376 | 26.11 |
| | Aged 5 to 17 | 59 | 0.9 | 407,435 | 14.48 |
| | Aged 18 to 24 | 183 | 2.7 | 218,094 | 83.91 |
| | Aged 25 to 49 | 1843 | 27.4 | 804,743 | 229.02 |
| | Aged 50 to 64 | 1986 | 29.5 | 423,628 | 468.81 |
| | Aged 64+ | 2609 | 38.8 | 318,766 | 818.47 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 2975 | 44.3 | 1,159,798 | 256.51 |
| | Male | 3738 | 55.6 | 1,162,244 | 321.62 |
| | Unknown | 8 | 0.1 | . | -- |
| Race/Ethnicity | Hispanic | 2415 | 35.9 | 764,558 | 315.87 |
| | White | 1916 | 28.5 | 1,007,806 | 190.12 |
| | Black | 914 | 13.6 | 263,219 | 347.24 |
| | Asian or Pacific Islander | 673 | 10.0 | 271,136 | 248.22 |
| | American Indian, Eskimo, or Aleut | 2 | 0.0 | 15,324 | -- |
| | Other | 311 | 4.6 | . | . |
| | Unknown | 490 | 7.3 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Deceased | Yes | 1241 | 18.5 |
| | No | 5480 | 81.5 |
| ICU | Yes | 2151 | 32.0 |
| | No | 4570 | 68.0 |
| Intubated | Yes | 1108 | 16.5 |
| | No | 5613 | 83.5 |
| Underlying Medical Condition | Yes | 4233 | 63.0 |
| | No | 2488 | 37.0 |
| Hypertension | Yes | 2487 | N/A |
| Immunocompromised | Yes | 177 | N/A |
| Chronic Heart Disease | Yes | 844 | N/A |
| Chronic Liver Disease | Yes | 88 | N/A |
| Chronic Kidney Disease | Yes | 636 | N/A |
| Diabetes | Yes | 1969 | N/A |
| Neurologic/Neurodevelopmental | Yes | 365 | N/A |
| Chronic Lung Disease | Yes | 981 | N/A |
| Historically Healthy | Yes | 1371 | N/A |
| Other | Yes | 1641 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 2 | 0.1 | 407,435 | -- |
| | Aged 18 to 24 | 3 | 0.2 | 218,094 | -- |
| | Aged 25 to 49 | 112 | 7.8 | 804,743 | 13.92 |
| | Aged 50 to 64 | 290 | 20.2 | 423,628 | 68.46 |
| | Aged 64+ | 1031 | 71.7 | 318,766 | 323.43 |
| Birth Sex | Female | 546 | 38.0 | 1,159,798 | 47.08 |
| | Male | 888 | 61.8 | 1,162,244 | 76.40 |
| | Unknown | 4 | 0.3 | . | -- |
| Race/Ethnicity | Hispanic | 432 | 30.0 | 764,558 | 56.50 |
| | White | 570 | 39.6 | 1,007,806 | 56.56 |
| | Black | 204 | 14.2 | 263,219 | 77.50 |
| | Asian or Pacific Islander | 198 | 13.8 | 271,136 | 73.03 |
| | American Indian, Eskimo, or Aleut | 1 | 0.1 | 15,324 | -- |
| | Other | 20 | 1.4 | . | . |
| | Unknown | 13 | 0.9 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 1241 | 86.3 |
| | No | 197 | 13.7 |
| ICU | Yes | 902 | 62.7 |
| | No | 536 | 37.3 |
| Intubated | Yes | 659 | 45.8 |
| | No | 779 | 54.2 |
| Underlying Medical Condition | Yes | 1047 | 72.8 |
| | No | 391 | 27.2 |
| Hypertension | Yes | 680 | N/A |
| Immunocompromised | Yes | 60 | N/A |
| Chronic Heart Disease | Yes | 320 | N/A |
| Chronic Liver Disease | Yes | 37 | N/A |
| Chronic Kidney Disease | Yes | 248 | N/A |
| Diabetes | Yes | 497 | N/A |
| Neurologic/Neurodevelopmental | Yes | 155 | N/A |
| Chronic Lung Disease | Yes | 249 | N/A |
| Historically Healthy | Yes | 86 | N/A |
| Other | Yes | 407 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
