

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 59,857 | 100 | 2,329,514 | 2,569.51 | 59,716 | 141 |
| Hospitalized | 4,978 | 8.32 | 2,329,514 | 213.69 | 4,865 | 113 |
| Deceased | 1,157 | 1.93 | 2,329,514 | 49.67 | 1,134 | 23 |
| Recovered | 54,396 | 90.9 | 2,329,514 | 2,335.08 | 53,861 | 535 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: Population data source for calculating rate estimates: 2019 ASRHOEstimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1205 | 2.01 | 149,376 | 806.69 |
| | Aged 5 to 17 | 4587 | 7.66 | 407,435 | 1125.8 |
| | Aged 18 to 24 | 7701 | 12.9 | 218,094 | 3531.0 |
| | Aged 25 to 49 | 28806 | 48.1 | 804,743 | 3579.5 |
| | Aged 50 to 64 | 11576 | 19.3 | 423,628 | 2732.6 |
| | Aged 64+ | 5966 | 9.97 | 318,766 | 1871.6 |
| | Unknown | 16 | 0.03 | . | . |
| Birth Sex | Female | 30591 | 51.1 | 1,159,798 | 2637.6 |
| | Male | 28868 | 48.2 | 1,162,244 | 2483.8 |
| | Unknown | 398 | 0.66 | . | . |
| Race/Ethnicity | Hispanic | 20294 | 33.9 | 764,558 | 2654.3 |
| | White | 11092 | 18.5 | 1,007,806 | 1100.6 |
| | Black | 4260 | 7.12 | 263,219 | 1618.4 |
| | Asian or Pacific Islander | 3474 | 5.80 | 271,136 | 1281.3 |
| | American Indian, Eskimo, or Aleut | 65 | 0.11 | 15,324 | 424.18 |
| | Other | 5724 | 9.56 | . | . |
| | Unknown | 14948 | 25.0 | . | . |
| Underlying Medical Condition | Yes | 8724 | 14.6 | . | . |
| | No/Unknown | 51133 | 85.4 | . | . |
| Laboratory | Commercial | 24133 | 40.3 | . | . |
| | Hospital System | 26271 | 43.9 | . | . |
| | NSPHL | 528 | 0.88 | . | . |
| | Other | 2545 | 4.25 | . | . |
| | Out-of-State | 142 | 0.24 | . | . |
| | SNPHL | 6216 | 10.4 | . | . |
| | Unknown | 22 | 0.04 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 32 | 0.6 | 149,376 | 21.42 |
| | Aged 5 to 17 | 50 | 1.0 | 407,435 | 12.27 |
| | Aged 18 to 24 | 130 | 2.6 | 218,094 | 59.61 |
| | Aged 25 to 49 | 1343 | 27.0 | 804,743 | 166.89 |
| | Aged 50 to 64 | 1470 | 29.5 | 423,628 | 347.00 |
| | Aged 64+ | 1951 | 39.2 | 318,766 | 612.05 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 2181 | 43.8 | 1,159,798 | 188.05 |
| | Male | 2791 | 56.1 | 1,162,244 | 240.14 |
| | Unknown | 6 | 0.1 | . | -- |
| Race/Ethnicity | Hispanic | 1834 | 36.8 | 764,558 | 239.88 |
| | White | 1381 | 27.7 | 1,007,806 | 137.03 |
| | Black | 670 | 13.5 | 263,219 | 254.54 |
| | Asian or Pacific Islander | 509 | 10.2 | 271,136 | 187.73 |
| | American Indian, Eskimo, or Aleut | 1 | 0.0 | 15,324 | -- |
| | Other | 252 | 5.1 | . | . |
| | Unknown | 331 | 6.6 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Deceased | Yes | 954 | 19.2 |
| | No | 4024 | 80.8 |
| ICU | Yes | 1606 | 32.3 |
| | No | 3372 | 67.7 |
| Intubated | Yes | 859 | 17.3 |
| | No | 4119 | 82.7 |
| Underlying Medical Condition | Yes | 2880 | 57.9 |
| | No | 2098 | 42.1 |
| Hypertension | Yes | 1666 | N/A |
| Immunocompromised | Yes | 123 | N/A |
| Chronic Heart Disease | Yes | 538 | N/A |
| Chronic Liver Disease | Yes | 56 | N/A |
| Chronic Kidney Disease | Yes | 426 | N/A |
| Diabetes | Yes | 1339 | N/A |
| Neurologic/Neurodevelopmental | Yes | 238 | N/A |
| Chronic Lung Disease | Yes | 655 | N/A |
| Historically Healthy | Yes | 999 | N/A |
| Other | Yes | 1041 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|---------------------------|-----|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 2 | 0.2 | 407,435 | -- |
| | Aged 18 to 24 | 1 | 0.1 | 218,094 | -- |
| | Aged 25 to 49 | 79 | 6.8 | 804,743 | 9.82 |
| | Aged 50 to 64 | 233 | 20.1 | 423,628 | 55.00 |
| | Aged 64+ | 842 | 72.8 | 318,766 | 264.14 |
| Birth Sex | Female | 433 | 37.4 | 1,159,798 | 37.33 |
| | Male | 721 | 62.3 | 1,162,244 | 62.04 |
| | Unknown | 3 | 0.3 | . | -- |
| Race/Ethnicity | Hispanic | 342 | 29.6 | 764,558 | 44.73 |
| | White | 458 | 39.6 | 1,007,806 | 45.45 |
| | Black | 161 | 13.9 | 263,219 | 61.17 |
| | Asian or Pacific Islander | 159 | 13.7 | 271,136 | 58.64 |
| | Other | 19 | 1.6 | . | . |
| | Unknown | 18 | 1.6 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|-----|------|
| Hospitalized | Yes | 954 | 82.5 |
| | No | 203 | 17.5 |
| ICU | Yes | 692 | 59.8 |
| | No | 465 | 40.2 |
| Intubated | Yes | 510 | 44.1 |
| | No | 647 | 55.9 |
| Underlying Medical Condition | Yes | 749 | 64.7 |
| | No | 408 | 35.3 |
| Hypertension | Yes | 494 | N/A |
| Immunocompromised | Yes | 42 | N/A |
| Chronic Heart Disease | Yes | 218 | N/A |
| Chronic Liver Disease | Yes | 26 | N/A |
| Chronic Kidney Disease | Yes | 181 | N/A |
| Diabetes | Yes | 363 | N/A |
| Neurologic/Neurodevelopmental | Yes | 99 | N/A |
| Chronic Lung Disease | Yes | 174 | N/A |
| Historically Healthy | Yes | 70 | N/A |
| Other | Yes | 281 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).