

Table 1: COVID19 Cases, Hospitalizations, Deaths, and Recovered

| Variable | Total (N) | % | Population | Rate per 100,000 | Previous Total (N) | Difference in Total Values |
|--------------|-----------|------|------------|------------------|--------------------|----------------------------|
| COVID19 Case | 63,877 | 100 | 2,329,514 | 2,742.07 | 63,603 | 274 |
| Hospitalized | 5,912 | 9.26 | 2,329,514 | 253.79 | 5,860 | 52 |
| Deceased | 1,327 | 2.08 | 2,329,514 | 56.96 | 1,325 | 2 |
| Recovered | 59,258 | 92.8 | 2,329,514 | 2,543.79 | 58,994 | 264 |
| MIS-C Case | 9 | -- | -- | -- | 9 | 0 |

Note1: Recovered Criteria: A case must be alive, not currently hospitalized (or at least 7 days past the hospital discharge date), have completed quarantine or isolation, and/or be 14 days past event onset date.

Note2: Population data source for calculating rate estimates: 2019 ASRHOEstimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Previous Total includes the total values (n) reported by the aggregate daily report from the previous day.

Note4: MIS-C is COVID19-Associated Multisystem Inflammatory Syndrome in Children.

Note5: Rates are suppressed for MIS-C cases due to low counts.

Table 2: COVID19 Cases

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|------------------------------|-----------------------------------|-------|------|------------|------------------|
| Age Categories | Aged 4 or less | 1318 | 2.06 | 149,376 | 882.34 |
| | Aged 5 to 17 | 4963 | 7.77 | 407,435 | 1218.1 |
| | Aged 18 to 24 | 8211 | 12.9 | 218,094 | 3764.9 |
| | Aged 25 to 49 | 30552 | 47.8 | 804,743 | 3796.5 |
| | Aged 50 to 64 | 12356 | 19.3 | 423,628 | 2916.7 |
| | Aged 64+ | 6459 | 10.1 | 318,766 | 2026.3 |
| | Unknown | 18 | 0.03 | . | . |
| Birth Sex | Female | 32686 | 51.2 | 1,159,798 | 2818.2 |
| | Male | 30827 | 48.3 | 1,162,244 | 2652.4 |
| | Unknown | 364 | 0.57 | . | . |
| Race/Ethnicity | Hispanic | 24617 | 38.5 | 764,558 | 3219.8 |
| | White | 12514 | 19.6 | 1,007,806 | 1241.7 |
| | Black | 4893 | 7.66 | 263,219 | 1858.9 |
| | Asian or Pacific Islander | 4043 | 6.33 | 271,136 | 1491.1 |
| | American Indian, Eskimo, or Aleut | 80 | 0.13 | 15,324 | 522.07 |
| | Other | 4863 | 7.61 | . | . |
| | Unknown | 12867 | 20.1 | . | . |
| Underlying Medical Condition | Yes | 11792 | 18.5 | . | . |
| | No/Unknown | 52085 | 81.5 | . | . |
| Laboratory | Commercial | 25212 | 39.5 | . | . |
| | Hospital System | 28087 | 44.0 | . | . |
| | NSPHL | 572 | 0.90 | . | . |
| | Other | 3441 | 5.39 | . | . |
| | Out-of-State | 151 | 0.24 | . | . |
| | SNPHL | 6390 | 10.0 | . | . |
| | Unknown | 24 | 0.04 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Underlying Medical Condition is any identified health condition.

Note3: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Table 3: COVID19 Hospitalizations - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|-----------------------------------|------|------|------------|------------------|
| Age Categories | Aged 4 or less | 34 | 0.6 | 149,376 | 22.76 |
| | Aged 5 to 17 | 60 | 1.0 | 407,435 | 14.73 |
| | Aged 18 to 24 | 159 | 2.7 | 218,094 | 72.90 |
| | Aged 25 to 49 | 1626 | 27.5 | 804,743 | 202.05 |
| | Aged 50 to 64 | 1743 | 29.5 | 423,628 | 411.45 |
| | Aged 64+ | 2288 | 38.7 | 318,766 | 717.77 |
| | Unknown | 2 | 0.0 | . | -- |
| Birth Sex | Female | 2605 | 44.1 | 1,159,798 | 224.61 |
| | Male | 3299 | 55.8 | 1,162,244 | 283.85 |
| | Unknown | 8 | 0.1 | . | -- |
| Race/Ethnicity | Hispanic | 2159 | 36.5 | 764,558 | 282.39 |
| | White | 1652 | 27.9 | 1,007,806 | 163.92 |
| | Black | 810 | 13.7 | 263,219 | 307.73 |
| | Asian or Pacific Islander | 606 | 10.3 | 271,136 | 223.50 |
| | American Indian, Eskimo, or Aleut | 1 | 0.0 | 15,324 | -- |
| | Other | 279 | 4.7 | . | . |
| | Unknown | 405 | 6.9 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 4: COVID19 Hospitalizations - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Deceased | Yes | 1113 | 18.8 |
| | No | 4799 | 81.2 |
| ICU | Yes | 1886 | 31.9 |
| | No | 4026 | 68.1 |
| Intubated | Yes | 986 | 16.7 |
| | No | 4926 | 83.3 |
| Underlying Medical Condition | Yes | 3502 | 59.2 |
| | No | 2410 | 40.8 |
| Hypertension | Yes | 2015 | N/A |
| Immunocompromised | Yes | 151 | N/A |
| Chronic Heart Disease | Yes | 660 | N/A |
| Chronic Liver Disease | Yes | 69 | N/A |
| Chronic Kidney Disease | Yes | 526 | N/A |
| Diabetes | Yes | 1632 | N/A |
| Neurologic/Neurodevelopmental | Yes | 283 | N/A |
| Chronic Lung Disease | Yes | 799 | N/A |
| Historically Healthy | Yes | 1241 | N/A |
| Other | Yes | 1267 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).

Table 5: COVID19 Deaths - General Characteristics

| Variable | Outcome | N | % | Population | Rate per 100,000 |
|----------------|---------------------------|-----|------|------------|------------------|
| Age Categories | Aged 5 to 17 | 2 | 0.2 | 407,435 | -- |
| | Aged 18 to 24 | 2 | 0.2 | 218,094 | -- |
| | Aged 25 to 49 | 96 | 7.2 | 804,743 | 11.93 |
| | Aged 50 to 64 | 269 | 20.3 | 423,628 | 63.50 |
| | Aged 64+ | 958 | 72.2 | 318,766 | 300.53 |
| Birth Sex | Female | 496 | 37.4 | 1,159,798 | 42.77 |
| | Male | 824 | 62.1 | 1,162,244 | 70.90 |
| | Unknown | 7 | 0.5 | . | -- |
| Race/Ethnicity | Hispanic | 390 | 29.4 | 764,558 | 51.01 |
| | White | 524 | 39.5 | 1,007,806 | 51.99 |
| | Black | 188 | 14.2 | 263,219 | 71.42 |
| | Asian or Pacific Islander | 181 | 13.6 | 271,136 | 66.76 |
| | Other | 19 | 1.4 | . | . |
| | Unknown | 25 | 1.9 | . | . |

Note1: Breakdown of Race is exclusively non-Hispanic.

Note2: Population data source for calculating rate estimates: 2019 ASRHO Estimates and Projections Summary for 2020, Office of the State Demographer for Nevada.

Note3: Rates for categories with fewer than 12 cases are suppressed due to high relative standard error.

Table 6: COVID19 Deaths - Morbidity

| Variable | Outcome | N | % |
|-------------------------------|---------|------|------|
| Hospitalized | Yes | 1113 | 83.9 |
| | No | 214 | 16.1 |
| ICU | Yes | 775 | 58.4 |
| | No | 552 | 41.6 |
| Intubated | Yes | 575 | 43.3 |
| | No | 752 | 56.7 |
| Underlying Medical Condition | Yes | 893 | 67.3 |
| | No | 434 | 32.7 |
| Hypertension | Yes | 583 | N/A |
| Immunocompromised | Yes | 52 | N/A |
| Chronic Heart Disease | Yes | 268 | N/A |
| Chronic Liver Disease | Yes | 33 | N/A |
| Chronic Kidney Disease | Yes | 218 | N/A |
| Diabetes | Yes | 432 | N/A |
| Neurologic/Neurodevelopmental | Yes | 121 | N/A |
| Chronic Lung Disease | Yes | 208 | N/A |
| Historically Healthy | Yes | 79 | N/A |
| Other | Yes | 335 | N/A |

Note1: Underlying Medical Condition is any identified health condition.

Note2: The breakdown of health conditions are not mutually exclusive (i.e., a person can have more than one risk factor).
