



Memorandum

Date: January 25, 2024

To: Southern Nevada District Board of Health

From: Christopher D. Saxton, MPH-EH, REHS, *Director of Environmental Health* CS
 Cassius Lockett, PhD, *Deputy District Health Officer-Operations* J
 Fermin Leguen, MD, MPH, *District Health Officer* FL

Subject: Environmental Health Division Monthly Report

I. FOOD OPERATIONS PROGRAM

ENVIRONMENTAL HEALTH Food Operations Program – Fiscal Year Data

Food Operation Services	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Routine Inspections	1,158	1,745	↑	11,288	11,418	↑
Reinspections	117	109	↓	1042	860	↓
Downgrades	117	86	↓	961	784	↓
Closures	6	8	↑	79	71	↓
Special Events	81	63	↓	553	425	↓
Temporary Food Establishments & Tasting Event Booths	491	424	↓	3,836	3,805	↓
TOTALS	1,970	2,435	↑	17,759	17,363	↓

1. Enforcement Actions and Investigations:

- A. **Variedades De La Mision De Cristo, 3333 S. Maryland Pkwy.:** During a reinspection on December 5, the facility was closed for exceeding the allowable demerits on a reinspection and repeating a Priority violation. The inspector documented 16 demerits. The facility remains closed at this time.
- B. **Domino's Pizza #7272, 9435 W. Tropicana Ave.:** On December 6, the facility was closed for an Imminent Health Hazard (IHH), pest infestation. The inspector documented three demerits. The facility was reinspected and reopened with three demerits on December 8.
- C. **Bronco Portable Unit for the Service of Food (PUSF), 2820 E. Lake Mead Blvd.:** On December 8, the unit was closed for an IHH, no potable or hot water. Other

violations included: operating without an approved commissary or servicing area; operating outside of the bounds of the permit; storing food inside of a retail establishment which is not permitted for remote storage; drain valve in disrepair and/or leaking; liquid petroleum system not installed and maintained to meet local Fire Department standards and other applicable laws; hot holding equipment being used to reheat food; employee personal food stored with customer food or above food contact surfaces; sanitizer solution not at recommended concentration; hand sink in restroom not stocked with paper towels; and time/temperature control for safety (TCS) food not properly labeled for a seven day use by date. The inspector documented 30 demerits. The unit remains closed at this time.

- D. **Domino's Pizza #7450, 4966 S. Maryland Pkwy.:** On December 14, the facility was closed for an IHH, no hot water. The inspector documented 20 demerits. The facility was reinspected and reopened later that day with zero demerits.
- E. **La Michoacana Fresa Restaurant, 1923 N. Decatur Blvd.:** On December 14, the facility was closed for an IHH, no hot water. The inspector documented eight demerits. The facility remains closed at this time.
- F. **Nigerian Cuisine, 5006 S. Maryland Pkwy.:** On December 18, the facility was closed for an IHH, no hot water. The inspector documented 32 demerits. Violations included: improper handwashing, expired foods, and foods held in the temperature danger zone for extended periods. On December 19, the permit holder notified the inspector that the hot water heater was repaired, but the restaurant would remain closed for the rest of the year. A reinspection is still pending.
- G. Staff closed six unpermitted food vending complaint investigations.
- 2. **Food Safety Assessment Meetings (FSAMs):**
 - A. An FSAM was held with the following facility: Havana Heat, 1935 Fremont St.
- 3. **Foodborne Illness Investigations:**
 - A. **Popeyes, 3541 Saint Rose Pkwy.:** On December 12, staff responded to multiple complaints of illness. Staff observed handwashing issues that could lead to cross-contamination, which were corrected onsite. The investigation resulted in an A grade.
- 4. **Onsite Intervention Training:**
 - A. Onsite Intervention Training was held with the following facilities: Delhi Indian Cuisine, 4022 S. Maryland Pkwy. and Daeho Las Vegas, 2580 S. Decatur Blvd.
- 5. **Supervisory/Managerial Conferences:**
 - A. A conference was held with the following facility: Nabe, 4545 Spring Mountain Rd.

II. **SOLID WASTE AND COMPLIANCE**

ENVIRONMENTAL HEALTH Solid Waste Management Authority (SWMA) Illegal Dumping Complaints and Hearing Officer Process – Fiscal Year Data

Illegal Dumping and Hearing Officer Process	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Notices of Violations (New & Remails)	12	11	↓	31	38	↑
Adjudicated Hearing Cases	6	6	→	20	28	↑
Total Cases Received	79	55	↓	477	413	↓
Total Cases Referred to Other Agencies	16	29	↑	117	146	↑
Hearing Penalties Assessed	\$14,250	\$29,000	↑	\$45,750	\$54,750	↑

ENVIRONMENTAL HEALTH Restricted Waste Management – Fiscal Year Data

Restricted Waste Management	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Inspections	187	72	↓	1,412	1,236	↓

ENVIRONMENTAL HEALTH Underground Storage Tanks (UST) Full Compliance Inspections – Fiscal Year Data

Underground Storage Tanks	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Compliance Inspections	6	23	↑	351	255	↓
Final Installation/Upgrade/Repair Inspections	0	1	↑	13	17	↑
Closure Inspections	3	1	↓	5	6	↑
Spill Report Investigations	1	2	↑	5	9	↑

ENVIRONMENTAL HEALTH Permitted Disposal Facilities (PDF) Inspections – Fiscal Year Data

Permitted Disposal Facilities	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Inspections	15	27	↑	124	113	↓
Reinspections	2	4	↑	18	11	↓

III. VECTOR SURVEILLANCE

**ENVIRONMENTAL HEALTH Vector Surveillance and Other EH Services
- Fiscal Year Data**

Vector Surveillance and Other EH Services	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
West Nile Virus Surveillance Traps Set	0	0	→	1,707	1,732	↑
West Nile Virus Surveillance Mosquitoes Tested	0	0	→	27,895	52,408	↑
West Nile Virus Surveillance Submission Pools Tested	0	0	→	2,097	2,420	↑
West Nile Virus Surveillance Positive Mosquitoes	0	0	→	0	1,007	↑
West Nile Virus Surveillance Positive Submission Pools	0	0	→	0	27	↑
Mosquito Activity Complaints	0	0	→	73	687	↑
Elevated Blood Level Home Investigations	0	0	→	1	3	↑
Legionella Residential Investigations	0	0	→	8	8	→
Legionella Travel Associated Investigations	0	1	↑	3	13	↑
Public Accommodations Inspections	18	48	↑	200	210	↑
Public Accommodations Complaints	3	24	↑	66	157	↑
Mobile Home/Recreational Vehicle Park Inspections	4	6	↑	29	30	↑
Mobile Home/Recreational Vehicle Park Complaints	1	2	↑	11	9	↓

IV. EH ENGINEERING

1. Solid Waste Plan Review Program (SWPR):

- A. **Permits Issued** – Hollywood EMX, and Western Pacific Pulp and Paper
- B. **Landfills** – Apex Regional Landfill; Boulder City Landfill; Laughlin Landfill; Nellis Air Force Base (Post Closure Monitoring); Timet; Sunrise Mountain (Post Closure Monitoring); and Wells Cargo
- C. **Facility Applications Being Processed** – Recycling Centers (3); Waste Grease (2); Materials Recovery (2); and Waste Tire Management (2)
- D. **Facilities Planned for Approval at DBOH Meetings/SNHD Workshops in January:** None

ENVIRONMENTAL HEALTH Asbestos Permitting Services – Fiscal Year Data

Asbestos Permitting Services	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Asbestos Permits Issued	67	75	↑	517	397	↓
Revised Asbestos Permits Issued	11	11	→	63	38	↓

ENVIRONMENTAL HEALTH Subdivision Program – Fiscal Year Data

Subdivision Plan Review	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Tentative Maps-Received	13	9	↓	90	77	↓
Tentative Maps-Lot Count	1,367	131	↓	6,311	2,507	↓
Final Maps-Received	17	18	↑	131	126	↓
Final Maps-Lot Count	754	591	↓	6,248	4,697	↓
Final Maps-Signed	9	23	↑	130	124	↓
Final Maps (Signed)-Lot Count	434	591	↑	6,304	5,772	↓
Improvement Plans-Received	16	22	↑	121	109	↓
Improvement Plans-Lot Count	910	647	↓	6,609	4,039	↓
Expedited Improvement Plans-Received	0	0	→	0	0	→
Expedited Improvement Plans-Lot Count	0	0	→	0	0	→

ENVIRONMENTAL HEALTH Individual Sewage Disposal System (ISDS) Program – Fiscal Year Data

Individual Sewage Disposal Systems	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Residential ISDS Permits	7	5	↓	39	38	↓
Commercial ISDS Permits	2	0	↓	2	1	↓
Commercial Holding Tank Permits	0	1	↑	20	19	↓
Residential Tenant Improvements	25	23	↓	169	138	↓
Residential Certifications	0	0	→	2	3	↑
Compliance Issues	7	6	↓	62	47	↓

ENVIRONMENTAL HEALTH Safe Drinking Water Program – Fiscal Year Data

Safe Drinking Water Program	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Public Water System Sanitary Surveys	1	11	↑	33	47	↑
Public Water System Violations Issued	1	0	↓	8	37	↑

2. Safe Drinking Water Activity:

- A. There was one *coliform*-present result reported from routine monitoring events (Shetland Water District). There were no repeat positive results.

- B. Staff continued to monitor water hauling activities for multiple public water systems: Trout Canyon; Laker Plaza; Red Rock Campground; Spring Mountain Youth Camp; Cowboy Trail Rides; Spring Mountain Youth Camp; and Coyote Springs Golf Course.
- C. On December 19, staff participated in a 6-hour Statewide Water System Alert Response Network (WARN) exercise. The exercise was overseen by Environmental Protection Agency (EPA) representatives and their contractor, Horsley Witten Group Inc. The exercise focused on assessing disaster preparedness with evolving scenario-based updates each hour. The specific scenario began with severe weather forecasts caused by a hurricane and escalated to severe flooding and a chemical spill in the Colorado River. Water systems, State bureaus, and Clark County representatives collaborated on the exercise.

V. SPECIAL PROGRAMS

ENVIRONMENTAL HEALTH Special Programs - Fiscal Year Data

Special Programs	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
School Food Facility Inspections	11	61	↑	433	432	↓
School Food Facility Complaints	0	0	→	4	3	↓
School Facility Inspections	8	60	↑	511	520	↑
School Facility Complaints	2	1	↓	16	23	↑
Summer Food Service Surveys	0	0	→	57	6	↓
Child Care Facility Inspections	6	22	↑	133	129	↓
Child Care Facility Complaints	3	2	↓	3	14	↑
Body Art Facility Inspections	54	59	↑	213	330	↑
Body Art Facility Complaints	4	1	↓	29	23	↓
Body Art Artist Special Event Inspections	2	2	→	171	32	↓
Total Program Services Completed	90	208	↑	1,440	1,512	↑

1. Child Care:

- A. **New Future Learning Daycare Center, 4610 Monterrey Ave.:** Staff investigated a complaint alleging that children’s diapers were dirty, the facility had an infestation of cockroaches and was unsanitary, and children were ill. The investigation found no ill children at the facility, diapering was occurring as evidenced by the diapering log kept by the facility, and there was no evidence of a pest infestation. Staff did find that classrooms did not have adequate cleaning products, sanitizers, and disinfectants available and that inadequate procedures were being followed. Staff provided education on proper cleaning procedures and the use of sanitizer and disinfectant. Part of the complaint was substantiated.
- B. **Imagination Station Early Learning Center Russell, 2488 E. Russell Rd.:** Staff investigated a complaint alleging that there was mold in various plumbing fixtures and an odor was causing staff and children to become sick. Even though the plumbing fixtures had not been in use since 2020, there was no mold in the fixtures. Facility Administration staff reported that an event with severe odor had occurred in the room and children and staff were relocated to another room while maintenance staff investigated and removed the odor. Maintenance staff found that the traps under

the plumbing fixtures had dried out, allowing sewer gas to enter the room. After the condition was addressed, the odor was no longer present. The complaint was substantiated.

- C. **Clark County Child Haven, 701 N. Pecos Rd.:** Staff investigated a complaint alleging that a child had bedbug bites and that the facility was unfit for children. The complaint investigation was conducted concurrently with the annual inspection and the facility was clean and in good repair with no evidence of bedbugs. The complaint was not substantiated.
- D. **Little Hearts Childcare 5055 S. Duneville St.:** During a routine inspection, staff found a play structure that was noncompliant with SNHD Regulations. Violations included splintered wood panels, exposed projections with sharp edges, and the chain ladder climber had been improperly repaired. The structure was taken out of service and the permit holder was instructed to remove or repair it. Staff will follow up to verify corrections.

VI. PLAN REVIEW PROGRAM

ENVIRONMENTAL HEALTH Plan Review Program - Fiscal Year Data						
	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Food Pre-Permitting Services						
Food Safety Assessment Meetings	3	1	↓	5	2	↓
Total Pre-Permitting Services	847	1,270	↑	7,475	8,430	↑
New Project Submissions	229	176	↓	1,666	1,712	↑
Released Projects	237	299	↑	1,586	2,140	↑
Total Service Requests Currently in Pre-Permitting	1,490	1,293	↓			

1. Enforcement Actions and Investigations:

- A. **Rizzo’s Pizzeria and Grill, 5821 E. Charleston Blvd.:** During a change of permit holder (CPH) inspection, multiple sections of vinyl cove base were not sealed to the floor-wall junctions, and there were several small penetrations in the walls throughout the kitchen. The weatherstripping at the exterior door was also in disrepair. SNHD Regulations require floors, walls, and ceilings to be smooth and easily cleanable, as well as sealed to prevent the entry and harborage of pests. The person-in-charge (PIC) was instructed to seal the wall penetrations, repair or replace the unsealed cove base, and provide new weatherstripping and a door sweep for the exterior door. The health permit was approved.
- B. **Vegas Candi, 6370 Windy Rd.:** A CPH inspection was completed following the installation of a new grease interceptor. SNHD staff previously received notice from the Clark County Water Reclamation District (CCWRD) that this facility had an interceptor that was not compliant with CCWRD Service Rules and the Uniform Plumbing code. To obtain a health permit, SNHD Regulations require approval from all other agencies. After four months, a new inground grease interceptor was approved by CCWRD, the CPH inspection was completed, and the health permit was approved.
- C. **Honey’s, 3750 S. Valley View Blvd.:** Plans were reviewed for a new kitchen addition in a facility that was operating as a drinking establishment. The plans were not

approved because the applicant submitted a general plan of the facility that did not include kitchen equipment or a menu. Permit applicants must submit all required documents with their application. A resubmittal with accurate plans and menu is required to complete the first step in the plan review process.

- D. Yeshiva Day School of Las Vegas, 5555 Redwood St.:** During a pre-permitting inspection, staff found that multiple hand sinks measured above the minimum height requirement in childcare rooms. SNHD Regulations require hand sinks to be installed at heights that are appropriate for the intended age range. The final permitting inspection will occur after the hand sinks are lowered.
- E. El Menudazo LV, 3100 E. Lake Mead Blvd.:** During a CPH inspection, staff discovered an unapproved remodel which included the addition of two gas stock-pot burners and a griddle under a ventilation hood which lacked fire suppression. SNHD Regulations require plan approval before adding or making changes to equipment. Ventilation hood systems and devices must be sufficient in number and capacity and approved by Fire Prevention. The operator was given five business days to submit the remodel application and must provide approvals from North Las Vegas Fire Prevention. The health permit was approved with a stipulation to operate utilizing only the approved equipment. The remodel is still pending.
- F. B.O.S.S. 3NT Burgers and Stuff, 110 S. Rainbow Blvd.:** Plans were reviewed for a new restaurant operating in the Rainbow Take Out Commissary. The plans indicated that refrigeration was limited to one make-table refrigerator, which would be inadequate in size to support the proposed operation. SNHD Regulations require equipment to be of sufficient quantity and capacity to support the planned menu. Revised plans must be submitted and approved before the final permitting inspection can be scheduled.
- G. Carolina's Mexican Kitchen, 4450 N. Tenaya Way:** During a CPH inspection, staff found violations including: a household coffee machine in use, an unfinished patched wall, low light levels in the food preparation area, and gaps around a sewer cleanout in the wall. SNHD Regulations require adequate light levels, cleanable surfaces, and equipment that meets commercial standards for sanitation. The permits were approved with stipulations.
- H. Sea Fresh, 3400 S. Jones Blvd.:** A CPH inspection resulted in failure due to an IHH, pest infestation. The facility must remain closed until all hazards are eliminated and documented violations are corrected and verified by SNHD. Staff provided comprehensive education for the new owner regarding the food safety and structural issues. The permit is still pending.

VII. AQUATIC HEALTH PROGRAM

**ENVIRONMENTAL HEALTH Aquatic Health Operations Program
- Fiscal Year Data**

Aquatic Health Operations	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Total Operation Inspections	407	711	↑	3,572	4,387	↑
Complaint Investigations	16	5	↓	151	182	↑
Inactive Body of Water Surveys	4	6	↑	58	52	↓
Drowning/Near Drowning/Accident Investigations at Permitted Facilities	0	0	→	26	15	↓
Total Program Services Completed	427	722	↑	3,807	4,636	↑

1. Aquatic Health Operations

- A. Castile Multi-Family Apartments, 1545 W. Wigwam Pkwy.:** A routine inspection conducted at the West Pool resulted in closure due to multiple IHHs. One entry gate was propped open, and the pH was too high. An unsecured gate can allow unauthorized access into the enclosure and can result in drowning. High pH reduces the effectiveness of the disinfectant. A reinspection was conducted the same day, and the pool was approved to reopen.
- B. Falls Homeowner’s Association (HOA), 9050 W. Warm Springs Rd.:** A routine inspection conducted at the spa resulted in a compliance schedule. The spa was management closed at the time of the inspection, but the main drain covers were broken. Broken drain covers pose entrapment and/or entanglement risks which could result in drowning. The spa remains closed pending verification of the replaced main drain covers.
- C. Ashford Park, 5901 Smoke Ranch Dr.:** A routine inspection conducted at the pool resulted in an IHH closure due to a gate not self-latching. A reinspection is still pending.
- D. Vdara, 2600 W. Harmon Ave.:** A routine inspection conducted at the Men’s Spa resulted in an IHH closure due to excessively hot water (107.8°F). Water temperatures greater than 104°F can result in heat stress, dehydration, burns, and rashes. A reinspection was conducted the same day, and the spa was approved to reopen.
- E. Mission Ridge HOA, 700 Carnegie St.:** A routine inspection conducted at Pool 2 resulted in an IHH closure due to a gate not self-closing. A reinspection was conducted the same day, and the pool was approved to reopen.
- F. Fremont Villas, 121 N. 15th St.:** A routine inspection at the pool resulted in an IHH closure due to low chlorine. Inadequate chlorine levels can allow the spread of diseases. A reinspection was conducted the same day, and the pool was approved to reopen.

**ENVIRONMENTAL HEALTH Aquatic Health Plan Review
Program - Fiscal Year Data**

Aquatic Health Plan Review	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Total Pre-Permitting Services	368	429	↑	2,642	2,675	↑
New Project Submissions	87	77	↓	424	413	↓
Released Projects	41	40	↓	454	502	↑
Total Projects Currently in Plan Review	446	463	↑			

2. Aquatic Health Plan Review:

- A. One Queens Ridge Place, 9103 Alta Dr.:** During a plumbing remodel inspection, the suction outlet fitting assembly (SOFA) configuration was evaluated and the size of the circulation pipe was incompatible with the listed SOFA maximum flow ratings. Incompatibilities between plumbing and flow ratings increase the risk for suction entrapments. The remodel was conditionally approved pending submittal of documentation from the SOFA manufacturer allowing the existing configuration. The applicant has since submitted an alternative SOFA application which is scheduled to be evaluated.
- B. Lakeside at Sunrise Villas, 2724 ½ Cape Hope Way:** A final remodel inspection was conducted for installation of a sand filter and filtration pump. The filtration pump did not have functional gauges and the contractor did not have spare gauges for onsite correction so the system flow could not be calculated. The pool must remain closed until corrections are made. A reinspection is still pending.
- C. The Martin, 4471 Dean Martin Dr.:** Final remodel inspections were conducted for the pool and spas. The interior and exterior depth markings were incorrect, which could cause bathers to unknowingly swim within an area that may be too deep for their swimming ability. The applicant was instructed to correct the depth markings within 30 days. Verification of depth marker replacement is still pending.
- D. Worldmark Club, 8601 S. Las Vegas Blvd.:** A final remodel inspection for the replacement of spa SOFAs could not be completed due to a safety hazard onsite. Equipment information and gauge readings could not be obtained because there were electrical cords and wiring covering the equipment room floor. A reinspection is still pending.
- E. Fontainebleau Las Vegas, 2777 S. Las Vegas Blvd.:** Final permitting inspections for the new construction of seven aquatic venues at the Health Club could not be approved since construction and finishing work inside the Health Club was still ongoing. Two weeks later, the reinspection was conducted, and the permits were approved. The Fontainebleau LV Health Club was able to be open in time for its Grand Opening.
- F. Cordillera, 11860 Stone Run Ave.:** A pre-plaster inspection conducted on the pool resulted in failure due to sections of the enclosure being less than six feet in height, hand/foot holds present, and a gate not self-closing and self-latching. A reinspection is still pending.

VIII. REGULATORY SUPPORT

- 1. Regulatory Support Office (RSO) staff participated in or performed the following activities and participated in the following external meetings: Council for Food Protection (CFP) leadership meetings; Retail Flexible Funding Model (RFFM) Mentorship end-of-year sharing session and post-assessment survey; webinar-Food Safety Culture: Storytelling

to Shape, Reinforce, and Inspire; Association of Food and Drug Officials (AFDO) environmental sampling discussion; Healthy People 2030 Norovirus Advisory Group meeting; grant project (conversion of trainings to digital format); Quality Assurance Audits; and data collection for the Centers for Disease Control and Prevention (CDC) Ill Worker Multi-Site Study.

2. RSO staff released Environmental Health Specialist (EHS), Alexis Galvez, to the Specialized Food Office on December 8.
3. RSO staff participated in the AFDO National Curriculum Standard Retail Workgroup in conjunction with the Food and Drug Administration (FDA) in Detroit, Michigan on December 12-15.
4. Special Processes staff met with various operators in a virtual setting, via phone calls and WebEx meetings, regarding submission of labels for review, waivers, operational plans, and Hazard and Critical Control Point (HACCP) plans. There are currently six cook chill/sous vide plans, seven 2-barrier plans, 18 other HACCP plans, five waivers, and two operational plans in review.

IX. SPECIAL PROCESSES

ENVIRONMENTAL HEALTH Label Review – Fiscal Year Data

Label Review	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Facility Label Review Submissions	17	7	↓	126	103	↓
Facility Label Review Releases	14	7	↓	123	101	↓
Number of Labels Approved	162	94	↓	1,743	1,492	↓

ENVIRONMENTAL HEALTH Special Processes Plan Review - Fiscal Year Data

Special Processes Review	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Cook Chill/Sous Vide Submissions	0	0	→	2	2	→
Cook Chill/Sous Vide Releases	0	0	→	3	4	↑
2-Barrier ROP Submissions	1	0	↓	5	2	↓
2-Barrier ROP Releases	2	0	↓	9	1	↓
Other HAACP Special Processes Submissions (Including ROP of fish, unpasteurized durably packaged juice, preservation, curing, etc.)	0	1	↑	3	5	↑
Other Special Processes Releases	1	9	↑	2	14	↑

ENVIRONMENTAL HEALTH Special Processes Waivers & Operational Plans Review - Fiscal Year Data

Waivers & Operational Plans Review	Dec. 2022	Dec. 2023		FY 22-23	FY 23-24	
Waiver Review Submissions	0	0	→	7	4	↓
Waiver Review Releases	0	1	↑	6	10	↑
Operational Plan Submissions	0	0	→	1	2	↑
Operational Plan Releases	1	0	↓	4	2	↓

ENVIRONMENTAL HEALTH Cottage Food Operations Registrations - Fiscal Year Data

Cottage Food Operations Registrations	July 2022	July 2023		FY 22-23	FY 23-24	
Registrations Approved Without Voluntary Label Review	0	6	↑	0	80	↑

CDS/hh