



Memorandum

Date: October 22, 2026

To: Southern Nevada District Board of Health

From: Christopher D. Saxton, MPH-EH, REHS, *Director of Environmental Health DB for ES*
Cassius Lockett, PhD, *District Health Officer* 

Subject: Environmental Health Division Monthly Report

I. FOOD OPERATIONS PROGRAM

ENVIRONMENTAL HEALTH Food Operations Program – Fiscal Year Data

Food Operation Services	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Routine Inspections	2,342	2,358	↑	7,242	6,632	↓
Reinspections	184	164	↓	614	532	↓
Downgrades	181	159	↓	609	532	↓
Closures	16	4	↓	49	37	↓
Special Events	78	77	↓	209	186	↓
Temporary Food Establishments & Tasting Event Booths	758	702	↓	1,365	1,220	↓
TOTALS	3,559	3,464	↓	10,088	9,139	↓

↑ (Up Arrow) - Indicates an increase compared to the previous period.
↓ (Down Arrow) - Indicates a decrease compared to the previous period.
→ (Right Arrow) - Indicates no significant change compared to the previous period.

1. Enforcement Actions and Investigations:

- A. K-SSAMBAP, 3909 W. Sahara Ave.:** On September 10, the facility was closed for excessive demerits. The inspector documented 58 demerits. The facility was reinspected and reopened with zero demerits on September 25.
- B. Main Street Kitchens Commissary, 809 S. Main St.:** On September 14, the facility was closed for an Imminent Health Hazard (IHH), no hot water. The inspector documented five demerits. The facility was reinspected and reopened with zero demerits on September 15.

- C. **Two Sisters Broasted Chicken and Ribs, 1469 E. Lake Mead Pkwy.:** On September 29, the facility was closed due to a change of ownership with an inspection exceeding 15 demerits. The inspector documented 27 demerits. The facility remains closed at this time.
- D. Staff conducted unpermitted food vending complaint investigations with Las Vegas Metropolitan Police Department and City of North Las Vegas Business License representatives.
- E. Staff closed 23 unpermitted food vending complaint investigations.
- 2. **Food Safety Assessment Meetings (FSAMs):**
An FSAM was held with the following facility: BYM Kitchen, 2100 N. Boulder Hwy.
- 3. **Supervisory/Managerial Conferences:**
A. Conferences were held with the following facilities: Pho Kim Long II, 4023 Spring Mountain Rd.; and Hashtag India, 855 E. Twain Ave.

ENVIRONMENTAL HEALTH Outbreak Support – Fiscal Year Data

Outbreak Support	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Childhood Elevated Blood Lead Levels	0	0	→	6	0	↓
Foodborne Illness Investigations	10	4	↓	29	21	↓
Healthcare Associated Infections (HAI)	0	2	↑	0	9	↑
Legionella Travel Associated Investigations	0	3	↑	3	7	↑
Legionella Residential Investigations	10	2	↓	14	5	↓
Legionella HAI Investigations	0	0	→	0	1	↑

- 4. **Legionella Response:**
 - A. Residential Legionella investigations began in January 2020 as part of a Centers for Disease Control and Prevention (CDC) grant-funded project. A residential investigation is prompted by a resident becoming ill and the investigation is conducted in their home.
 - B. Travel-associated investigations are prompted by a visitor who became ill after staying at a permitted public accommodation. An investigation is conducted at the hotel(s) they stayed at while in town.
 - C. Legionella HAI investigations are prompted by a person becoming ill while, or shortly after, receiving healthcare. An investigation is conducted at the healthcare facility they visited.
- 5. **Foodborne Illness Response:**
 - A. **Arby's, 4830 S. Fort Apache Rd.:** On September 9, staff responded to multiple complaints of illness. Staff observed risk factors that could lead to illness including improper handwashing practices. The inspection resulted in an A grade.
 - B. **Mon Ami Gabi, 3365 S. Las Vegas Blvd.:** On September 9, staff responded to a confirmed case of Shiga toxin-producing E. coli (STEC). Staff did not observe any risk factors that could lead to illness. The inspection resulted in an A grade.
 - C. **Scoops Y Cafe, 2442 N. Las Vegas Blvd.:** On September 10, staff responded to multiple reports of illness. Staff observed risk factors that could lead to illness including improper handwashing and warewashing practices. The inspection resulted in a B downgrade. The facility passed its reinspection with an A grade.
 - D. **KFC, 4420 W. Sahara Ave.:** On September 25, staff responded to a confirmed case of Salmonella. Staff observed risk factors that could lead to illness including improper

handwashing practices, cross-contamination of single use items from raw foods, and unsanitary dishware. The inspection resulted in an A grade.

II. SOLID WASTE AND COMPLIANCE

ENVIRONMENTAL HEALTH Solid Waste Management Authority (SWMA) Illegal Dumping Complaints and Hearing Officer Process – Fiscal Year Data

Illegal Dumping and Hearing Officer Process	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Notices of Violations (New & Remails)	0	2	↑	12	15	↑
Adjudicated Hearing Cases	8	8	→	8	8	→
Total Cases Received	82	60	↓	236	192	↓
Total Cases Referred to Other Agencies	13	18	↑	39	40	↑
Hearing Penalties Assessed	\$8,000	\$8,138	↑	\$8,000	\$8,138	↑

Remails - Notices of Violations that are returned by the postal service and then mailed to a newly found address.

ENVIRONMENTAL HEALTH Restricted Waste Management – Fiscal Year Data

Restricted Waste Management	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Inspections	271	138	↓	819	555	↓

ENVIRONMENTAL HEALTH Underground Storage Tanks (UST) Full Compliance Inspections – Fiscal Year Data

Underground Storage Tanks	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Compliance Inspections	0	105	↑	126	293	↑
Final Installation/Upgrade/Repair Inspections	0	2	↑	5	8	↑
Closure Inspections	1	0	↓	2	3	↑
Spill Report Investigations	1	2	↑	3	7	↑

ENVIRONMENTAL HEALTH Permitted Disposal Facilities (PDF) Inspections – Fiscal Year Data

Permitted Disposal Facilities	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Inspections	9	21	↑	72	54	↓
Reinspections	2	0	↓	7	1	↓

III. VECTOR SURVEILLANCE

ENVIRONMENTAL HEALTH Vector Surveillance and Other EH Services - Fiscal Year Data

Vector Surveillance and Other EH Services	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
West Nile Virus Surveillance Traps Set	447	479	↑	1,204	1,407	↑
West Nile Virus Surveillance Mosquitoes Tested	6,340	4,544	↓	17,046	13,727	↓
West Nile Virus Surveillance Submission Pools Tested	402	282	↓	1,049	861	↓
West Nile Virus Surveillance Positive Mosquitoes	0	44	↑	545	1,147	↑
West Nile Virus Surveillance Positive Submission Pools	0	1	↑	14	32	↑
St. Louis Encephalitis Surveillance Positive Mosquitoes	0	0	→	0	0	→
St. Louis Encephalitis Surveillance Positive Submission Pools	0	0	→	0	0	→
Mosquito Activity Complaints	49	19	↓	373	74	↓
Public Accommodations Inspections	11	8	↓	35	19	↓
Public Accommodations Complaints	16	20	↑	52	53	↑
Mobile Home/Recreational Vehicle Park Inspections	0	0	→	4	1	↓
Mobile Home/Recreational Vehicle Park Complaints	0	0	→	2	2	→

A sample pool is a collection of 50 or less female mosquitoes, from the same species and location, combined into a vial for testing. It is used to determine the prevalence and distribution of arboviruses and can be used to trigger mosquito breeding and disease prevention messages.

IV. EH ENGINEERING

1. Solid Waste Plan Review Program (SWPR):

- A. **Permits Issued** – None
- B. **Landfills** – Apex Regional Landfill; Boulder City Landfill; Laughlin Landfill; Nellis Air Force Base (Post Closure Monitoring); Timet; Sunrise Mountain (Post Closure Monitoring); and Wells Cargo
- C. **Facility Applications Being Processed** – Recycling Centers (7); Transfer Station (1); and Materials Recovery Facilities (2)
- D. **Facilities Planned for Approval at DBOH Meetings/SNHD Workshops in October:** Phoenix Group Metals (Recycling Center)

ENVIRONMENTAL HEALTH Asbestos Permitting Services – Fiscal Year Data

Asbestos Permitting Services	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Asbestos Permits Issued	62	35	↓	178	151	↓
Revised Asbestos Permits Issued	3	5	↑	10	16	↑

ENVIRONMENTAL HEALTH Subdivision Program – Fiscal Year Data

Subdivision Plan Review	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Tentative Maps-Received	16	13	↓	39	35	↓
Tentative Maps-Lot Count	655	886	↑	1,420	1,740	↑
Final Maps-Received	29	21	↓	66	53	↓
Final Maps-Lot Count	1,269	972	↓	2,258	2,003	↓
Final Maps-Signed	12	25	↑	53	50	↓
Final Maps (Signed)-Lot Count	156	1,550	↑	1,465	2,383	↑
Improvement Plans-Received	30	19	↓	71	44	↓
Improvement Plans-Lot Count	1,278	952	↓	2,310	1,916	↓
Expedited Improvement Plans-Received	0	0	→	0	1	↑
Expedited Improvement Plans-Lot Count	0	0	→	0	7	↑

ENVIRONMENTAL HEALTH Individual Sewage Disposal System (ISDS) Program – Fiscal Year Data

Individual Sewage Disposal Systems	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Residential ISDS Permits	6	6	→	16	17	↑
Commercial ISDS Permits	0	0	→	0	2	↑
Commercial Holding Tank Permits	1	1	→	17	12	↓
Residential Tenant Improvements	16	22	↑	60	70	↑
Residential Certifications	0	0	→	2	2	→
Compliance Issues	8	9	↑	27	27	→

ENVIRONMENTAL HEALTH Safe Drinking Water Program – Fiscal Year Data

Safe Drinking Water Program	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Public Water System Sanitary Surveys	19	24	↑	41	24	↓
Public Water System Violations Issued	26	4	↓	39	10	↓

2. Safe Drinking Water Activity:

- A. Eight *coliform* positive results were reported from routine monitoring events. Other than where noted, those samples were *E. coli* negative:

- **Las Vegas Valley Water District:** One routine sample was *coliform*-positive. The repeat samples were *coliform*-negative.
 - **Primm Valley Casino Resorts:** One routine sample was *coliform*-positive. Three repeat samples were *coliform*-positive. This outcome triggered a Level 1 Treatment Technique Assessment; that assessment and corrective action report are due from the permittee by October 6.
 - **North Las Vegas Utilities:** One routine sample was *coliform*-positive. The repeat samples were *coliform*-negative.
 - **City of Henderson:** One routine sample was *coliform*-positive. The repeat samples were *coliform*-negative.
 - **Terrible Herbst 392:** One routine sample was *coliform*-positive. The repeat samples were *coliform*-negative
- B. Sandy Valley High School Clark County School District (CCSD):** CCSD representatives resolved and reported the January and April 2026, Level 2 Assessments on September 8. The Tier 1 "Boil Water Order" was rescinded on September 9. During September, CCSD underwent continued formal enforcement by the Nevada Division of Environmental Protection (NDEP) for past due corrective action reporting and public notice certification reporting between January and September 2026.
- C.** Staff continued to monitor water hauling activities for multiple public water systems: Trout Canyon; Laker Plaza; Red Rock Campground; Cowboy Trail Rides; Spring Mountain Youth Camp; and the Coyote Springs Golf Course.

V. SPECIAL PROGRAMS

ENVIRONMENTAL HEALTH Special Programs - Fiscal Year Data

Special Programs	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
School and Child Care Kitchen Inspections	97	115	↑	169	129	↓
School Facility Inspections and Surveys	109	114	↑	200	115	↓
Summer Food Service Surveys	12	2	↓	8	7	↓
Child Care Facility Inspections and Surveys	26	35	↑	132	90	↓
Body Art Facility Inspections and Surveys	35	35	→	193	85	↓
Body Art Special Event Inspections	4	10	↑	150	14	↓
Complaints	13	17	↑	28	20	↓
Total Program Services Completed	296	328	↑	880	460	↓

1. Schools:

- A. Hyde Park Jr. High School, 900 Hinson St.:** A complaint alleging that classes were being held in classrooms with low temperatures was verified. Exposure to low temperatures for extended periods of time can lead to shivering, fatigue, and confusion. School staff were instructed that students in classrooms with low temperatures must be relocated and that classes in affected classrooms could not resume until adequate temperatures were restored. The classrooms remain closed at this time.
- B. Ruby Duncan Elementary School, 250 W. Rome Blvd.:** During a routine inspection, staff observed evidence of a bat infestation that resulted in a compliance

schedule. Staff observed droppings which CCSD staff stated came from bats which were previously observed in an enclosed area on school grounds. Bats carry diseases which can be transmitted to people and make them sick. SNHD staff instructed CCSD staff to provide proof that the Nevada Department of Wildlife (NDoW) was contacted to obtain guidance on how to safely remove and exclude bats from school grounds since bats are a protected species. Following communication and guidance from NDoW, which was provided to SNHD staff as required, CCSD staff identified entry points into the enclosed area and will begin exclusion measures.

2. **Child Care:**

A. Bizzy Bee Preschool, 709 E. Horizon Ridge Pkwy.: A complaint alleging unsanitary conditions and a pest infestation at the facility was verified. Staff observed dishes that were not properly sanitized being used to feed children. Dishes that are not properly sanitized expose children to pathogens that can make them sick. Additional sanitation violations were identified including dirty floors and walls and improper cleaning of tables, toys, and diapering areas. No live pests were present but household pesticides, which are prohibited from being in the facility, were observed. The facility was placed on non-complaint status, and a reinspection is still pending.

3. **Body Art:**

A. Rock Star Ink at Neonopolis, 450 Fremont St.: A complaint alleging unsanitary conditions at the facility was verified. Staff observed improper sterilization of equipment and biohazardous waste not being stored and disposed of properly. Improper sterilization of equipment and biohazardous waste that is not stored and disposed of properly exposes patrons to pathogens that can make them sick. The facility was placed on non-complaint status, and a reinspection is still pending.

B. Rockin' Ink Tattoo at Westgate Hotel, 3000 Paradise Rd.: During a routine inspection, staff observed multiple violations that resulted in a non-compliant inspection. Staff observed improper sterilization of piercing equipment. Documentation of required testing of sterilization equipment and documentation of proper biohazardous waste disposal could not be provided upon request. A Cease-and-Desist Order for piercing services was issued. A reinspection is still pending.

C. Bloodline Tattoo Kollektive, 9155 S. Las Vegas Blvd.: A reinspection of the facility, previously placed on non-compliant status, resulted in a failed inspection due to repeat violations. The permit holder continued to allow body art procedures to be performed by individuals without SNHD Body Art cards. Documentation of proper storage and disposal of biohazardous waste could not be provided upon request and patron consent and aftercare forms were missing required information. The facility remains on a non-compliant status. A reinspection is still pending.

VI. PLAN REVIEW PROGRAM

ENVIRONMENTAL HEALTH Plan Review Program - Fiscal Year Data

Food Pre-Permitting Services	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Total Pre-Permitting Services	864	597	↓	2,988	1,806	↓
New Project Submissions	182	370	↑	754	829	↑
Completed Projects	228	227	↓	800	785	↓
Total Service Requests Currently in Pre-Permitting	1,234	1,504	↑			

1. Enforcement Actions and Investigations:

- A. Anthony's Brunch Buffet at M Resort, 12300 S. Las Vegas Blvd.:** While reviewing the plans for a Sunday brunch buffet, staff noted that an omelet and carving station were planned with a portable hand sink. SNHD Regulations for open food handling in a buffet require a permanently plumbed hand sink. Plans were not approved. The applicant resubmitted plans showing that the omelet and carving stations were relocated to existing permitted areas with plumbed hand sinks. The revised plans were approved. A final inspection is still pending.
- B. Mystic Cafe, 9151 S. Las Vegas Blvd.:** During a final permitting inspection, staff observed a blender, soup warmer, hot dog roller, toaster, milk frother, and warming unit that were not sanitation listed. All food equipment must be rated for commercial use and sanitation listed to American National Standards Institute (ANSI)/National Sanitation Foundation (NSF) standards. The permit was approved with the stipulation that all unapproved equipment is removed or replaced with equipment that is compliant with SNHD Regulations.
- C. W Las Vegas VIP Lounge Daily Buffet, 3950 S. Las Vegas Blvd.:** A final remodel inspection was not approved due to active construction and missing food service equipment. SNHD Regulations require all construction and installations to be complete. Construction was finished, equipment was installed, and a reinspection was approved.
- D. Ready Cut Vegetables, 3700 Capella Ave.:** Plans were not approved for a remodel that included installation of a new three-compartment sink and a barrel washer. The three-compartment sink was missing one drain board due to space constraints. SNHD Regulations require two integral drainboards on warewashing sinks. A resubmission of plans with approved equipment is still pending.
- E. Soup Dumplings, 5300 Spring Mountain Rd.:** A final permitting inspection failed due to unapproved equipment. Staff observed the three-compartment sink with only one integral drainboard. A reinspection is still pending.
- F. First Watch #1188, 6557 S. Las Vegas Blvd.:** During the final permitting inspection, the restaurant prep sink was improperly installed and directly plumbed to the sewer. The dish machine was not sanitizing properly, and the wash cycle did not reach the required temperature. SNHD Regulations require the dish machine to properly sanitize with chlorine at 50–100 parts per million (ppm) and the wash cycle to reach 120°F. Prep sinks must drain indirectly to the sewer. The dish machine was placed out-of-service, and the prep sink drain was indirectly plumbed to sewer during the inspection. The health permit was approved.

VII. AQUATIC HEALTH PROGRAM

ENVIRONMENTAL HEALTH Aquatic Health Operations Program - Fiscal Year Data

Aquatic Health Operations	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Total Operation Inspections	568	421	↓	1,838	1,281	↓
Complaint Investigations	15	30	↑	149	86	↓
Inactive Body of Water Surveys	2	6	↑	16	9	↓
Drowning/Near Drowning/Accident Investigations at Permitted Facilities	4	1	↓	15	12	↓
Total Program Services Completed	589	458	↓	2,018	1,388	↓

1. Aquatic Health Operations

- A. **Stone Creek North Homeowners Association (HOA), 7115 Dire Wolf Ave.:** A routine inspection conducted at the spa resulted in an IHH closure for damage to drain covers. A broken or damaged drain cover can present a potential suction entrapment hazard. A reinspection is still pending.
- B. **Smoke Ranch Maintenance District, 2750 Chandler Mews Dr.:** A routine inspection conducted at the spa resulted in an IHH closure for multiple violations. The spa had high levels of chlorine and cyanuric acid. High chlorine concentrations can cause skin, eye, and lung irritation. High cyanuric acid inhibits the effectiveness of chlorine. Immediate corrections were made, and the spa was reinspected the same day and approved to reopen.
- C. **Evora, 6159 S. Buffalo Dr.:** A routine inspection conducted at the Southwest Pool resulted in an IHH closure for a gate that was not self-closing and another gate that was propped open. An improperly working gate can allow unattended access to the enclosure and pose an increased drowning risk for children. Immediate corrections were made, and the pool was reinspected the same day and approved to reopen.
- D. **Las Vegas Grand Apartments, 818 E. Flamingo Rd.:** A routine inspection conducted at the pool resulted in an IHH closure for multiple violations. A gate was not self-closing, another gate was propped open, the pool had low chlorine, and the circulation pump was off. A circulation system not continuously operating exposes bathers to water that is not filtered and disinfected, increasing bather exposure to pathogens that can make them sick. A reinspection is still pending.
- E. **The Plaza Hotel, 1 S. Main St.:** A complaint alleging that the pool had black algae was verified. The pool was management closed and the chlorine pump was disconnected. A disinfection system not continuously operating will not maintain chlorine residue, exposing bathers to unknown pathogens. The permit holder was given a compliance schedule to reinstall the chlorine pump before reopening the pool.
- F. **Vestra at UnCommons, 6850 Ruby Duncan St.:** A routine inspection conducted at Southwest Spa 1 resulted in an IHH closure for no detectable disinfectant residual. Immediate corrections were made, and the spa was reinspected the same day and approved to reopen.
- G. **Lifetime Athletic, 121 Carnegie St.:** A routine inspection at the Indoor Women's Spa resulted in an IHH closure for a broken drain cover. A reinspection is still pending.
- H. **Parc Haven, 250 S. City Pkwy.:** A routine inspection at the pool resulted in an IHH closure for a broken drain cover. A reinspection is still pending.

- I. **Sand Creek, 2627 S. Lamb Blvd.:** A routine inspection at the pool resulted in an IHH closure for a gate not self-latching. Immediate corrections were made, and the pool was reinspected the same day and approved to reopen.

ENVIRONMENTAL HEALTH Aquatic Health Plan Review Program - Fiscal Year Data

Aquatic Health Plan Review	Sept. 2025	Sept. 2026		FY 25-26	FY 26-27	
Total Pre-Permitting Services	297	258	↓	1,275	690	↓
New Project Submissions	71	75	↑	334	315	↓
Completed Projects	90	24	↓	361	310	↓
Total Projects Currently in Plan Review	466	281	↓			

2. Aquatic Health Plan Review:

- A. **Solevita Condominiums, 2120 Ramrod Ave.:** A final permitting inspection for a new spa resulted in failure because many items for the new aquatic venue were not completed. A reinspection is still pending.
- B. **Los Prados Family Pool, 5150 Los Prados Cir.:** A final inspection for an enclosure remodel resulted in failure due to an incorrect enclosure height, which could result in unauthorized access to the aquatic venue by children. Verification of correction is still pending.
- C. **Silverton Hyatt Place Spa, 8380 Dean Martin Dr.:** A final inspection for a heater remodel was not approved because the equipment was not connected. A reinspection is still pending.
- D. **Tuscany Apartments, 725 S. Hualapai Way:** A pre-plaster inspection for new construction resulted in failure due to an insufficient enclosure height. Verification of correction is required prior to scheduling the final inspection.
- E. **Wellington Park; 9710 Ravine Ave.:** A final inspection for an enclosure remodel failed due to non-compliance, which could allow unauthorized access to the aquatic venue by children. A reinspection is still pending.
- F. **Village of Woodbury/Woodcroft HOA, 4034 Claybrooke Way:** A final inspection for an enclosure remodel failed due to non-compliance. A reinspection is still pending.

VIII. TRAINING OFFICE

1. Staff provided onsite intervention training to: Chicago Joe's, 820 S. 4th St.; and Tacos El Compita #2, 7622 W. Westcliff Dr.
2. Staff supported Environmental Health administrative staff in responding to industry partner inquiries and assisted walk-in customers with Accela-related questions throughout the month.
3. Staff attended the 2026 Partnership for Regulatory Education and Training Seminar on September 28.

IX. REGULATORY SUPPORT

1. Staff participated in or performed the following activities and participated in the following external meetings: National Environmental Health Association (NEHA) Environmental Health Leadership Academy mentor meetings; Conference for Food Protection (CFP) Food Safety Culture at Retail Committee meetings; CFP Program Standards Committee

meetings; CFP Food Safety Management System Committee meetings; Retail Flexible Funding Model (RFFM) mentorship site visit with Central Nevada Health District; Retail Laboratory Training System (RLTS) Mentorship introductory meeting with Archuleta County, Colorado; RLTS Competency Profile Reviews; RLTS Steering Committee meeting; Association of Food and Drug Officials (AFDO) Healthy People 2030 Noro Communications meeting; and Risk Factor Study data collection.

2. SNHD was asked to take an additional RFFM mentee mid-program (Archuleta County, Colorado) due to their mentor no longer being available. This increased the RFMENT26 grant award by \$3,000. In addition, the mentorship program will have an in-person meeting which also increased the RFMENT26 grant award by \$3,000, totaling \$18,000 for the program.
3. The Regulatory Support Office supervisor attended the CFP Executive Board meeting in Keasbey, New Jersey on September 14 and 15.
4. Staff updated the cottage food page on the SNHD website to properly reference Nevada Revised Statute (NRS) 580, including the updated gross sales amount.
5. Label Review staff continued working on a new procedure and staff training for ongoing label review processes and succession planning. Staff met with subject matter experts for label review program training and coordinated with Training Office staff to develop training on the new procedure and refresher training on label requirements. This training will be provided at the October Food Operations General Staff meeting.
6. Special Processes and Label Review staff met with various operators in-person and in a virtual setting, via phone calls and virtual platform meetings, regarding submission of labels for review, waivers, operational plans, and Hazard and Critical Control Point (HACCP) plans.
7. Special Processes staff received three new submissions and released six special process files affecting six facilities. There are currently 14 files in review.
8. Label Review staff received 10 new submissions and released 18 label files consisting of 41 labels. There are currently 33 active files in review.
9. Cottage Food Operations staff completed 32 new registrations, three updated registrations, and 94 new inquiries, frequently with multiple follow-up inquiries per individual.

Chart data provisional due to implementation of new software system.