



Memorandum

Date: July 23, 2020

To: Southern Nevada District Board of Health

From: Christopher D. Saxton, MPH-EH, REHS, *Director of Environmental Health* *CS*
 Fermin Leguen, MD, MPH, *Acting Chief Health Officer* *FL*

Subject: Environmental Health Division Monthly Report

I. FOOD OPERATIONS PROGRAM

ENVIRONMENTAL HEALTH Food Operations Program – Fiscal Year Data

Food Operation Services	June 2019	June 2020		FY 18-19	FY 19-20	
Routine Inspections	2,232	1,983	↓	25,139	20,276	↓
Reinspections	205	111	↓	2,324	1,667	↓
Downgrades	202	130	↓	2,325	1,618	↓
Closures	20	12	↓	204	139	↓
Special Events	67	2	↓	982	697	↓
Temporary Food Establishments & Tasting Event Booths	389	3	↓	7,312	4,560	↓
TOTALS	3,115	2,241	↓	38,286	28,957	↓

1. Enforcement Actions and Investigations:

- A. **Veggiat, 1910 Village Center Cir.:** On June 1, the facility was closed for an Imminent Health Hazard (IHH), no hot water. The inspector documented 17 demerits. The facility was reinspected and reopened with five demerits the next day.
- B. **Tonkatsu Kiyoshi, 7780 S. Jones Blvd.:** On June 4, the facility was closed for an IHH, pest infestation. The facility was reinspected and reopened with zero demerits on June 10.
- C. **Habaneros Taco Grill #2, 604 N. Rainbow Blvd.:** On June 5, the facility was closed for an IHH, pest infestation. The inspector documented 23 demerits. The facility was reinspected and reopened with zero demerits on June 16.

- D. **Food Express, 2003 S. Decatur Blvd.:** On June 9, the facility was closed for an IHH, pest infestation. The inspector documented 25 demerits. The facility was reinspected and reopened with five demerits on June 15.
 - E. **Good Ranchers, 7400 S. Las Vegas Blvd.:** During a complaint investigation on June 12, staff issued a Cease and Desist Order for a temporary sales operation that was set-up without a health permit. The company has been ceased and desisted previously at multiple times and various locations throughout the Las Vegas Valley. The operator completed the permitting process with Plan Review and resumed operations on June 15.
 - F. **Mang Felix, 7920 S. Rainbow Blvd.:** On June 24, the facility was closed for an IHH, wastewater backup from the floor sink. The facility was reinspected and reopened with three demerits on June 1.
 - G. **Tacoguey, 7920 S. Rainbow Blvd.:** On June 12, the facility was closed for an IHH, wastewater backup from the floor sink. The facility was reopened with zero demerits later that day.
 - H. **India Express, 3785 S. Las Vegas Blvd.:** On June 30, the facility was closed for two IHHs, pest infestation and gross unsanitary conditions. The inspector documented 19 demerits. The facility was reinspected and reopened with zero demerits two days later.
2. **Supervisory/Managerial Conferences:**
A. A Conference was held with the following facility: China A Go Go, 5960 N. Losee Rd.
3. **Community Outreach:**
A. Staff has conducted multiple surveys to coordinate with major properties reopening on the Strip and worked with the sanitarians and engineering departments, as needed, to assist in reopening plans.
B. Staff conducted a WebEx Question and Answer meeting with Mesquite Industry Partners regarding the Governor's directives.

II. SOLID WASTE AND COMPLIANCE PROGRAMS

ENVIRONMENTAL HEALTH Solid Waste Management Authority (SWMA) Illegal Dumping Complaints and Hearing Officer Process – Fiscal Year Data

Illegal Dumping and Hearing Officer Process	June 2019	June 2020		FY 18-19	FY 19-20	
Notices of Violations (New & Remails)	0	8	↑	104	102	↓
Adjudicated Hearing Cases	14	0	↓	99	77	↓
Total Cases Received	122	135	↑	1,701	1,537	↓
Total Cases Referred to Other Agencies	29	24	↓	255	254	↓
Hearing Penalties Assessed	\$7,500	\$0	↓	\$99,675	\$76,625	↓

ENVIRONMENTAL HEALTH Restricted Waste Management – Fiscal Year Data

Restricted Waste Management	June 2019	June 2020		FY 18-19	FY 19-20	
Inspections	242	386	↑	2,831	2,779	↓

ENVIRONMENTAL HEALTH Underground Storage Tanks (UST) Full Compliance Inspections – Fiscal Year Data

Underground Storage Tanks	June 2019	June 2020		FY 18-19	FY 19-20	
Compliance Inspections	62	50	↓	781	639	↓
Final Installation/Upgrade/Repair Inspections	7	6	↓	93	71	↓
Closure Inspections	1	3	↑	16	14	↓
Spill Report Investigations	0	1	↑	7	8	↑
Reinspections	0	0	→	23	0	↓

ENVIRONMENTAL HEALTH Permitted Disposal Facilities (PDF) Inspections – Fiscal Year Data

Permitted Disposal Facilities	June 2019	June 2020		FY 18-19	FY 19-20	
Inspections	13	57	↑	244	233	↓
Reinspections	0	1	↑	24	27	↑

1. Solid Waste Plan Review Program (SWPR):

- A. **Permits Issued** – None
- B. **Landfills** – Apex Regional Landfill; Boulder City Landfill; Laughlin Landfill; Nellis Air Force Base (Post Closure Monitoring); Timet; Sunrise Mountain (Post Closure Monitoring); and Wells Cargo
- C. **Facility Applications Being Processed** – Materials Recovery Facilities (2); Recycling Centers (4); and Transfer Station (1)
- D. **Facilities Planned for Approval at DBOH Meetings/SNHD Workshops in July:**
Elevation Auto Core (RC)

ENVIRONMENTAL HEALTH Asbestos Permitting Services – Fiscal Year Data

Asbestos Permitting Services	June 2019	June 2020		FY 18-19	FY 19-20	
Asbestos Permits Issued	74	60	↓	766	830	↑
Revised Asbestos Permits Issued	4	7	↑	34	43	↑

ENVIRONMENTAL HEALTH Subdivision Program – Fiscal Year Data

Subdivision Plan Review	June 2019	June 2020		FY 18-19	FY 19-20	
Tentative Maps-Received	12	17	↑	200	240	↑
Tentative Maps-Lot Count	603	2,113	↑	13,004	17,456	↑
Final Maps-Received	25	25	→	322	334	↑
Final Maps-Lot Count	597	1,322	↑	12,088	14,448	↑
Final Maps-Signed	23	20	↓	257	254	↓
Final Maps (Signed)-Lot Count	561	1,386	↑	9,662	12,045	↑
Improvement Plans-Received	17	24	↑	280	299	↑
Improvement Plans-Lot Count	588	1,384	↑	11,697	13,455	↑
Expedited Improvement Plans-Received	5	7	↑	54	55	↑
Expedited Improvement Plans-Lot Count	271	476	↑	3,602	3,402	↓
Fees Paid	\$22,347	\$69,477	↑	\$427,847	\$492,837	↑

ENVIRONMENTAL HEALTH Individual Sewage Disposal System (ISDS) Program – Fiscal Year Data

Individual Sewage Disposal Systems	June 2019	June 2020		FY 18-19	FY 19-20	
Residential ISDS Permits	9	10	↑	114	110	↓
Commercial ISDS Permits	0	0	→	6	10	↑
Commercial Holding Tank Permits	2	11	↑	45	36	↓
Residential Tenant Improvements	21	24	↑	235	329	↑
Residential Certifications	0	6	↑	13	18	↑
Compliance Issues	0	6	↑	27	67	↑

ENVIRONMENTAL HEALTH Safe Drinking Water Program – Fiscal Year Data

Safe Drinking Water Program	June 2019	June 2020		FY 18-19	FY 19-20	
Public Water System Sanitary Surveys	0	0	→	44	46	↑
Public Water System Violation Letters	0	2	↑	2	20	↑
Public Water System Complaints	0	0	→	6	1	↓

2. Safe Drinking Water Activity:

- A. No *coliform*-present, *Escherichia coli*-absent sample events were reported.
- B. **Blue Diamond Rainbow SW Plaza:** In April, the permit had more than one sample which was *coliform*-positive. In May, staff conducted a Level 2 Treatment Technique Assessment. Staff identified one technical capability and one managerial capability which required corrective action. The permit team met one deadline, but the second deadline was missed and fulfilled late without an extension having been requested or

granted. The late corrective actions equate to a Tier 3 Violation and will require public notification.

- C. **Blue Diamond Rainbow NW Plaza:** The water system services a convenience store and gas station at the northwest corner of Blue Diamond and Rainbow. This month, staff concluded that the water system owner must possess a permit to operate a transient, non-community ground water system. On June 22, staff identified one IHH. That hazard was corrected while staff was onsite. Water quality monitoring was ordered to begin immediately, and an application to operate a public water system must be filed with the State by August 15, 2020. A permit to operate will be defined by the State at a future date. In the interim, water quality data and routine sanitary surveys will ensure IHHs are mitigated.
- D. **Aravada Springs:** This month, staff concluded that the water system is operated as a public water system. This conclusion was reached after the permit provided a summary of their operating plan at the end of May. Since the spring is an unapproved water source and has multiple IHHs, the spring water may not be used for human consumption. On June 26, staff reiterated water quality milestones to the water system team. In the interim, the site is voluntarily closed until late August.
- E. Staff continued to monitor water hauling activities for multiple public water systems: Speed Vegas; Red Rock Visitor Center; Red Rock Campground; and Laker Plaza.

III. VECTOR CONTROL OFFICE

**ENVIRONMENTAL HEALTH Vector Control and Other EH Services -
Fiscal Year Data**

Vector Control and Other EH Services	June 2019	June 2020		FY 18-19	FY 19-20	
West Nile Virus Surveillance Traps Set	387	879	↑	2,242	4,349	↑
West Nile Virus Surveillance Mosquitoes Tested	18,766	17,426	↓	47,417	55,852	↑
West Nile Virus Surveillance Submission Pools Tested	568	910	↑	1,867	3,517	↑
West Nile Virus Surveillance Positive Mosquitoes	2,834	174	↓	2,834	5,282	↑
West Nile Virus Surveillance Positive Submission Pools	71	5	↓	71	201	↑
Saint Louis Encephalitis Positive Mosquitoes	152	0	↓	152	452	↑
Saint Louis Encephalitis Positive Submission Pools	5	0	↓	5	25	↑
Western Equine Encephalitis Positive Mosquitoes	0	0	→	0	0	→
Western Equine Encephalitis Positive Pools	0	0	→	0	0	→
Elevated Blood Level Home Investigations	0	0	→	10	5	↓
Healthy Homes/Landlord Tenant Response (LLT)	4	1	↓	354	277	↓
Public Accommodations Inspections	30	15	↓	227	211	↓
Public Accommodations Complaints	0	2	↑	147	153	↑
Mobile Home/Recreational Vehicle Park Inspections	7	0	↓	38	23	↓
Mobile Home/Recreational Vehicle Park Complaints	387	879	↑	2,242	4,349	↑

IV. SPECIAL PROGRAMS

ENVIRONMENTAL HEALTH Special Programs - Fiscal Year Data

Special Programs	June 2019	June 2020		FY 18-19	FY 19-20	
School Food Facility Inspections	1	0	↓	811	596	↓
School Food Facility Complaints	0	0	→	5	11	↑
School Facility Inspections	0	0	→	992	714	↓
School Facility Complaints	0	0	→	35	40	↑
Child Care Facility Inspections	46	14	↓	401	259	↓
Child Care Facility Complaints	5	0	↓	43	27	↓
Body Art Facility Inspections	97	1	↓	645	477	↓
Body Art Facility Complaints	3	1	↓	20	20	→
Body Art Artist Special Event Inspections	0	0	→	353	168	↓
Total Program Services Completed	152	16	↓	3,305	2,312	↓

1. Schools:

- A. Six Environmental Health Specialist (EHS) staff were trained by the Office of Epidemiology and Disease Surveillance (OEDS) to conduct COVID-19 case and contact interviews. Staff assisted OEDS all month.
- B. One staff member conducted surveys of the summer food service program sites that were sponsored by the Clark County School District (CCSD) but not held on CCSD property. Eleven surveys were completed.

2. Child Care:

- A. Due to the closure of many child care facilities, one staff member conducted routine inspections of the child care facilities that remained open. Education on social distancing and other COVID-19 mitigation measures was provided during these inspections.
- B. Dante Merriweather was the Nevada Hero of the Day for June 10, as a result of the work he did in March, April, and May to ensure that child care facilities were operating in a safe manner.

3. Body Art:

- A. When Nevada moved into Phase 2 of reopening businesses at the end of May, body art facilities reopened with some limitations. In June, staff resumed routine inspections of these facilities.

V. PLAN REVIEW PROGRAM

**ENVIRONMENTAL HEALTH Plan Review Program - Fiscal Year
Data**

Food Pre-Permitting Services	June 2019	June 2020		FY 18-19	FY 19-20	
Food Safety Assessment Meetings	7	1	↓	92	52	↓
Total Food Pre-Permitting Services	1,364	1,247	↓	15,256	15,529	↑
Total Service Request Intake	275	131	↓	3,545	2,957	↓
Total Service Request Released	249	61	↓	3,277	2,890	↓
Total Service Requests Currently in Pre-Permitting	1,516	1,636	↑			

1. Enforcement Actions and Investigations:

- A. Stacks & Yolks, 7150 S. Durango Dr.:** A Change of Permit Holder (CPH) inspection resulted in failure due to an IHH, pest infestation, and several uncontrolled risk factors for foodborne illness. The inspector documented 27 demerits. SNHD Regulations require that facilities earn 10 demerits or less at a scheduled CPH inspection. Other observed violations included: unwholesome food, food held in the temperature danger zone, food not covered in storage, chemicals stored next to food contact surfaces, and kitchenware stored with dried food debris. The owner corrected the violations and attended a virtual Food Safety Assessment Meeting (FSAM) prior to reinspection. The health permit was approved.
- B. Ike's Sandwiches at Fabulous Freddie's, 4350 S. Durango Dr.:** During the final permitting inspection, the three-compartment sink had only one drainboard. SNHD Regulations require a three-compartment sink to have an integral drain board on each end for storage of clean and dirty dishes during the warewashing process. The applicant was instructed to replace the three-compartment sink with one that had two drainboards. Additionally, the walls behind and around the mop sink were not lined with a smooth and easily cleanable, non-absorbent material. The applicant was instructed to line the walls with fiberglass reinforced plastic (FRP), stainless steel, or other impervious material as required. The permit was approved with stipulations and a follow-up survey is pending.
- C. Allegiant Stadium, 3333 Al Davis Way:** Staff conducted 76 pre-permitting inspections for various food handling areas that are near completion. As required for all new construction, the stadium provided results of a water commissioning test with passing results showing that the water is safe to drink. Additionally, 83 portable food and beverage service carts have been placed around the stadium and are pending inspection. Final permitting inspections are scheduled and will occur in approximately three weeks.
- D. Din Tai Fung Boba Prep and Warewash at Aria, 3730 S. Las Vegas Blvd.:** Staff conducted a remodel inspection and found the dish machine was installed backwards. The area had a functional three-compartment sink which could be used for washing, rinsing, and sanitizing. Staff approved the remodel and verified proper operation of the new dish machine after correct installation.
- E. X-Pot at Grand Canal Shops, 3377 S. Las Vegas Blvd.:** A final permitting inspection was completed for a new venue. It is a table-side hot pot cooking restaurant with four health permits. Corrections required included: insufficient lighting in the butcher shop, exposed wood in the bar over equipment, the glass

washer in the bar missing a second drainboard, and stainless-steel wall panel incorrectly sealed in the restaurant area. All permits were approved with stipulations.

- F. Next10 at YMCA, 3050 E. Centennial Pkwy.:** Staff approved a CPH inspection. During the inspection, multiple pieces of equipment had out-of-order signs, and the owner of Next10 stated that YMCA management did not intend to repair the equipment. YMCA management agreed to remove these items from the facility. No other violations were observed.
- G. City of North Las Vegas Community Correctional Center, 2332 N. Las Vegas Blvd.:** Facility staff contacted SNHD for assistance with reopening after being closed since 2011. Staff was able to provide direction for obtaining health permits and the permitting process was hastened so that inmates could be housed quickly. The facility provided operational procedures for feeding the inmates to ensure that food would be served safely. Final permitting inspections are pending.
- H. Tacos Tijuana, 3244 E. Desert Inn Rd.:** A CPH inspection resulted in failure due to several uncontrolled risk factors for foodborne illness. The inspector documented 49 demerits. Violations included: food held using time as a control without proper procedure and labels, employees not washing hands when required, food unwholesome and held at unsafe temperatures, improper reheating and cooling of food, and potential cross-contamination during food storage. The facility was closed and required to attend a virtual FSAM, which was completed successfully. The facility remains closed until further notice due to non-compliance with the Clark County Water Reclamation District (CCWRD). The Cease and Desist Order from CCWRD prohibits them from using their three-compartment sink and hand sinks; therefore, a health permit cannot be issued until the matter is resolved.
- I. Dragon Tiger Noodle, 10600 Southern Highlands Pkwy.:** Facility management is bringing the first kegged draft soup system to Las Vegas. Although the facility received final approval to operate with traditional cooking methods, the kegged draft soup system remains in review with SNHD's Special Processes team. Facility staff are actively working to ensure that the system meets all food safety parameters. Staff plans to open the first of three locations as soon as they are approved to use their new, innovative dispensing food system.
- J. Winchells Pub, 10620 S. Eastern Ave.:** A Plan Review inspection was conducted at the request of the Food Operations inspector. This facility suffered a flood and is undergoing a remodel of the floors and walls in the bar, kitchen, and dining room. All equipment has been removed and will be reinstalled in the same configuration. The operator has agreed to submit equipment specification sheets so that SNHD staff can verify that all replacement items are like-for-like and do not require a remodel permit.

VI. AQUATIC HEALTH PROGRAM

ENVIRONMENTAL HEALTH Aquatic Health Program - Fiscal Year Data

Aquatic Health Program Services	June 2019	June 2020		FY 18-19	FY 19-20	
New Projects Submitted to Plan Review	73	74	↑	766	916	↑
All Projects Released from Pool Plan Review	63	44	↓	842	729	↓
Total Projects Currently in Pool Plan Review	769	989	↑			
Total Operation Inspections	566	346	↓	4,384	2,782	↓
Complaint Investigations	30	15	↓	226	152	↓
Inactive Body of Water Surveys	6	0	↓	83	18	↓
Total Program Services Completed	1,507	1,468	↓	6,301	4,597	↓

Drowning/Near Drowning/Diving Incident Investigations at Permitted Facilities: 2

1. Aquatic Health Operations

- A. Red Rock Resort, 11011 W. Charleston Blvd.:** A routine inspection resulted in a failure due to barrier non-compliance. The barrier had a 12" x 12" hole along the south side of the pool. The hole allows for unauthorized access to the aquatic facility and enclosure. SNHD Regulations state that all vertical members in the enclosure must not be more than four inches apart. The breach was corrected while the inspector was onsite by securing a metal screen over the opening, so the facility was allowed to remain open.
- B. Pelican Bay Condos, 3950 S. Sandhill Rd.:** A compliance survey resulted in failure when the facility was found to be operating in violation of a prior closure directive associated with multiple compliance schedules. Compliance schedules exist for the decking, equipment leaks, women's restroom, spa plaster, and water fountain repair. SNHD Regulations state the owner of an aquatic facility is responsible for the facility being operated, maintained, and managed in accordance with the requirements of the regulations. The aquatic venue was closed, and the gates were padlocked. Notification was provided to the property management company and service company. Once repairs are complete, the service company must contact SNHD for reinspection and approval to operate.
- C. Brighten Village III, 10185 S. Maryland Pkwy.:** A routine inspection resulted in failure due to a noncompliant barrier. A fence panel next to the equipment room had fallen off and was completely detached from the wall. The issue was corrected while the inspector was onsite by bolting the fence back to the wall. The facility was allowed to remain open.
- D. St. Lucia Apartments, 2150 N. Tenaya Way:** A routine inspection of the office pool resulted in failure due to three observed IHHs. Violations included: inadequate disinfection levels, failure to continuously operate filtration and disinfection equipment, and absence of all required deck lifesaving equipment. The pool area was closed, and a reinspection is required after repairs are completed.
- E. Spring Oaks Homeowners Association (HOA), 4390 Gannet Cir.:** A routine inspection found a gap of 5.5 inches in the barrier between a post and the vertical rung. This gap is larger than the maximum allowed four inches and presents a

potential hazard as it may allow unauthorized access to the aquatic venue or present an entrapment hazard. A vertical rung was welded in place to remove the gap.

2. Aquatic Health Plan Review:

- A. Bellagio, 3600 S. Las Vegas Blvd.:** A final inspection for a deck remodel with flex pebble stone coating was approved. Handholds, first step, and depth markers were verified. The facility was released to Aquatic Health Operations.
- B. Falls HOA, 9050 W. Warm Springs Rd.:** A final remodel inspection involving the installation of a new feeder system on the spa was approved with a written compliance schedule. Violations included a filter leak near the top seal. SNHD Regulations state that the replacement of pumps, filters, feeders, controllers, filter valves, or other similar equipment may be done after contacting the Health Authority to review the proposed changes without the submission of altered aquatic facility plans. SNHD is currently awaiting repair of the filter or submission of an additional remodel application to replace the filter.
- C. Wigwam Loft Apartments, 1250 Wigwam Pkwy.:** A plumbing inspection for a new aquatic venue resulted in failure as the skimmer branch piping run was not consistent with the approved plans. SNHD Regulations state that the aquatic facility, all equipment, and appurtenances must be constructed and/or installed in accordance with approved plans and specifications. The contractor replumbed the skimmer branch pipe run to match the approved plans and the plumbing reinspection was approved.

VII. REGULATORY SUPPORT

- 1. Regulatory Support Office (RSO) staff participated in the Food Establishment Resource Library (FERL) Committee meeting on June 1.
- 2. Staff attended an Association of Food and Drug Officials (AFDO) webinar entitled, "Retail Virtual Inspections Update" on June 1.
- 3. Staff attended a Centers for Disease Control and Prevention (CDC) webinar entitled, "COVID-19 Response: Promising Practices in Health Equity" on June 2.
- 4. RSO staff attended an AFDO webinar entitled, "Celebrating World Food Safety Day" on June 5.
- 5. Staff attended an AFDO webinar entitled, "Cyclospora Part 2" on June 5.
- 6. Staff participated in the National Association of County and City Health Officials (NACCHO) Mentorship Program Cohort 9 virtual site meeting with mentees on June 8-9.
- 7. RSO staff provided Standardization follow-up training to Supervisors and Seniors on June 15, 23, and 24.
- 8. Staff attended a webinar entitled, "Big Cities Health Coalition COVID-19 Webinar Series: Views from the Big Cities: Los Angeles County" on June 17.
- 9. Staff attended an AFDO webinar entitled, "AFDO Professional Series: 360 Approach to Food Delivery Academia * Industry * Regulatory" on June 18.
- 10. The RSO welcomed new hire, Jaclyn Southam, to the Food Operations program on June 22.
- 11. RSO staff participated in a monthly NACCHO Mentorship Full Team call with Union County and Mecklenburg Health Departments on June 24.
- 12. Staff attended an AFDO Annual Education Conference (virtual) webinar entitled, "CBD and Cannabis: Insight into the FDA Perspective" on June 29.
- 13. RSO staff continued development of Registered Environmental Health Specialist (REHS) guidance documents and training programs and materials throughout the month.
- 14. RSO staff began the phased reopening Return-to-Work plan, alternating working remotely and in the office with 50 percent of the staff present at the office on any given

- day.
15. Staff assisted with Spanish translations of COVID-19 educational materials throughout the month.
 16. Staff continues to work on updating the SNHD Standardization procedures, Standardization workbook, and violation standards document.
 17. RSO staff participated in COVID-19 response activities, including fulfilling the role of Safety Officer under the ICS command structure. As part of this, staff attended and conducted site visits and collection (testing) events, completed and updated safety plans, and attended weekly ICS and CDC COVID-19 All States & Local Calls.
 18. RSO staff put into place the N95 respirator collection and shipping program utilizing Battelle's sterilization system and will be responsible at the SNHD Main Office for the collection of the respirators for shipment and distribution of returned sterilized N95 respirators.
 19. Special Processes staff met with various operators in a virtual setting via phone calls and WebEx meetings regarding submission of labels for review, waivers, operational plans, and HACCP plans. There are currently seven cook chill/sous vide plans, seven 2-barrier plans, six other HACCP plans, eleven waivers, and one operational plan in review.
 20. Special Processes staff provided guidance to Food Operations and Industry regarding label requirements. There are currently 22 facilities in label review.

VIII. SPECIAL PROCESSES

ENVIRONMENTAL HEALTH Label Review – Fiscal Year Data

Label Review	June 2019	June 2020		FY 18-19	FY 19-20	
Facility Label Review Submissions	5	8	↑	90	71	↓
Facility Label Review Releases	5	6	↑	90	63	↓
Number of Labels Approved	76	67	↓	1,169	945	↓

ENVIRONMENTAL HEALTH Special Processes Plan Review - Fiscal Year Data

Special Processes Review	June 2019	June 2020		FY 18-19	FY 19-20	
Cook Chill/Sous Vide Submissions	0	0	→	6	2	↓
Cook Chill/Sous Vide Releases	0	0	→	6	7	↑
2-Barrier ROP Submissions	0	0	→	5	7	↑
2-Barrier ROP Releases	1	0	↓	5	9	↑
Other HAACP Special Processes Submissions (Including ROP of fish, unpasteurized durably packaged juice, preservation, curing, etc.)	0	0	→	2	0	↓
Other Special Processes Releases	1	0	↓	1	2	↑

ENVIRONMENTAL HEALTH Special Processes Waivers & Operational Plans Review - Fiscal Year Data

Waivers & Operational Plans Review	June 2019	June 2020		FY 18-19	FY 19-20	
Waiver Review Submissions	0	0	→	2	7	↑
Waiver Review Releases	0	0	→	5	5	→
Operational Plan Submissions	1	0	↓	2	0	↓
Operational Plan Releases	0	0	→	7	1	↓

CDS/hh