



Memorandum

Date: May 25, 2023

To: Southern Nevada District Board of Health

From: Christopher D. Saxton, MPH-EH, REHS, *Director of Environmental Health* CS
 Fermin Leguen, MD, MPH, *District Health Officer* FL

Subject: Environmental Health Division Monthly Report

I. FOOD OPERATIONS PROGRAM

ENVIRONMENTAL HEALTH Food Operations Program – Fiscal Year Data

Food Operation Services	April 2022	April 2023		FY 21-22	FY 22-23	
Routine Inspections	2,138	2,211	↑	19,532	20,689	↑
Reinspections	183	169	↓	1,598	1,777	↑
Downgrades	152	190	↑	1,506	1,728	↑
Closures	8	12	↑	153	128	↓
Special Events	95	114	↑	626	897	↑
Temporary Food Establishments & Tasting Event Booths	726	889	↑	5,041	7,072	↑
TOTALS	3,302	3,585	↑	28,456	32,291	↑

1. Enforcement Actions and Investigations:

- A. **T-Mobile Arena and Surrounding Las Vegas Strip Area:** On April 1, staff conducted a joint complaint investigation for unpermitted food vending with Clark County Business License and Las Vegas Metropolitan Police Department (LVMPD) Convention Center Area Command (CCAC) representatives.
- B. **Chabelitas Mexican Grill, 3085 N. Rainbow Blvd.:** On April 4, the facility was closed during a scheduled reinspection for an Imminent Health Hazard (IHH), no hot water. The inspector documented five demerits. The facility was reinspected and reopened with three demerits on April 5.
- C. **PT'S Cantina, 3085 N. Rainbow Blvd.:** On April 4, the facility was closed for an IHH, no hot water. The inspector documented five demerits. The facility was reinspected and reopened with zero demerits on April 5.

- D. **Fat Burger at Red Rock Station, 11011 W. Charleston Blvd.:** On April 5, the facility was closed for an IHH, sewage backups from the hand and floor sinks. The inspector documented 14 demerits. The facility was reinspected and reopened with three demerits on April 5.
- E. **Alex Food Catering, 4181 Pioneer Ave.:** On April 6, the unit was closed for several IHHs, no potable water or hot water and gross unsanitary conditions. The inspector documented 52 demerits. Other violations included: unit operating outside of the approved permit; food handler using bare hands to handle ready-to-eat food; time/temperature control for safety (TCS) food in the temperature danger zone; cooking when the hood is turned off or not operational; fire suppression system overdue for inspection; ventilation hood filters not National Sanitation Foundation (NSF) or equivalent; in-use utensil improperly stored; improper storage of raw animal products; improper storage of chemicals; bottle of personal medication stored directly over food contact surface; no chlorine in sanitizer; and window open without insect screen during active food preparation. Due to repeated noncompliance on routine inspections, the operator is entering the administrative process. The unit was reinspected and reopened with zero demerits on April 20.
- F. **RJ Mini Mart Snack Bar, 1330 Karen Ave.:** On April 7, the facility was closed for an IHH, no hot water. The inspector documented 11 demerits. The facility remains closed at this time.
- G. **Habachi Boss, 3085 S. Nellis Blvd.:** On April 13, the unit was closed for an IHH, sewage or liquid waste not disposed of in an approved manner. The inspector documented 34 demerits. Other violations included: hot water not available or less than 120°F; improper storage of chemicals; employee drinks stored on or over food or food contact surfaces; no sanitizer; hand sink blocked; opening on side of truck allowing entry for pests; no thermometer; foods served undercooked not marked on the menu; and no consumer advisory on the menu. The unit remains closed at this time.
- H. **C & E Catering at MGM Arena, 3799 S. Las Vegas Blvd.:** On April 20, a Cease-and-Desist Order was issued for operating without a health permit. The operator began and did not complete the permitting process in 2022. A temporary food establishment permit was issued until April 30. The Plan Review final inspection is scheduled for May 10.
- I. **China Kitchen, 4750 E. Tropicana Ave.:** During a complaint investigation on April 21, the facility was closed for an IHH, pest infestation. The facility was reinspected and reopened with three demerits on April 27.
- J. **Downtown Las Vegas:** On April 22, staff conducted a joint complaint investigation for unpermitted food vending with City of Las Vegas Business License and LVMPD Downtown Area Command (DTAC) representatives.
- K. **Vons Gas #1963 Convenience Store Deli, 1185 E. Twain Ave.:** On April 25, the facility was closed for an IHH, no hot water. The inspector documented eight demerits. The facility remains closed at this time.
- L. **Los Gorditos Mexican Food Portable Unit for the Service of Food (PUSF), 2808 W. Craig Rd.:** During a complaint investigation on April 26, the unit was closed due to other conditions or circumstances that may endanger public health. The inspector documented ten demerits. Violations included: operators actively storing and preparing various food products and supplies in a residential garage and operators loading foods and food supplies intended for consumers into a personal vehicle for transport to the PUSF unit. The facility was reinspected and reopened with zero demerits on May 1.

- M. **Nekter Juice Bar 7500, 1990 Village Center Cir.:** On April 26, the facility was closed for an IHH, no hot water. The inspector documented 31 demerits. The facility was reinspected and reopened with eight demerits on April 27.
- N. **Caesars Vista Lounge Service Bar, 3570 S. Las Vegas Blvd.:** On April 28, the area was closed for an IHH, lack of handwashing facilities due to the hand sink being removed during an unapproved remodel. The inspector documented 11 demerits. The permitted area remains closed at this time.
- O. Staff closed 32 unpermitted food vending complaint investigations.
- 2. **Foodborne Illness Investigations:**
 - A. **Mercato Della Pescheria, 3377 S. Las Vegas Blvd.:** On April 5, staff responded to multiple complaints of illness. SNHD observed risk factors that could lead to illness including not washing hands when required. The investigation resulted in a B downgrade. The facility passed its reinspection and returned to an A grade on April 10.
 - B. **Capriotti's, 7540 Oso Blanco Rd.:** On April 10, staff responded to multiple complaints of illness. The investigation resulted in an A grade.
 - C. **Bear's Best Las Vegas, 1111 W. Flamingo Rd.:** On April 18, staff responded to multiple complaints of illness. The investigation resulted in an A grade.
- 3. **Onsite Intervention Training:**
 - A. Onsite Intervention Training was held with the following facilities: Hibachi Grill and Supreme Buffet, 313 N. Nellis Blvd.; Alex Food Catering, 4181 Pioneer Ave.; and China Kitchen, 4570 E. Tropicana Ave.

II. **SOLID WASTE AND COMPLIANCE**

ENVIRONMENTAL HEALTH Solid Waste Management Authority (SWMA) Illegal Dumping Complaints and Hearing Officer Process – Fiscal Year Data

Illegal Dumping and Hearing Officer Process	April 2022	April 2023		FY 21-22	FY 22-23	
Notices of Violations (New & Remails)	12	3	↓	80	53	↓
Adjudicated Hearing Cases	6	5	↓	60	39	↓
Total Cases Received	86	68	↓	906	724	↓
Total Cases Referred to Other Agencies	23	25	↑	203	205	↑
Hearing Penalties Assessed	\$13,500	\$6,750	↓	\$101,700	\$69,000	↓

ENVIRONMENTAL HEALTH Restricted Waste Management – Fiscal Year Data

Restricted Waste Management	April 2022	April 2023		FY 21-22	FY 22-23	
Inspections	319	365	↑	2,849	2,696	↓

ENVIRONMENTAL HEALTH Underground Storage Tanks (UST) Full Compliance Inspections – Fiscal Year Data

Underground Storage Tanks	April 2022	April 2023		FY 21-22	FY 22-23	
Compliance Inspections	60	89	↑	617	792	↑
Final Installation/Upgrade/Repair Inspections	3	3	→	34	21	↓
Closure Inspections	0	1	↑	8	7	↓
Spill Report Investigations	0	2	↑	7	8	↑

ENVIRONMENTAL HEALTH Permitted Disposal Facilities (PDF) Inspections – Fiscal Year Data

Permitted Disposal Facilities	April 2022	April 2023		FY 21-22	FY 22-23	
Inspections	23	29	↑	202	212	↑
Reinspections	1	2	↑	19	25	↑

III. VECTOR SURVEILLANCE

**ENVIRONMENTAL HEALTH Vector Surveillance and Other EH Services
- Fiscal Year Data**

Vector Surveillance and Other EH Services	April 2022	April 2023		FY 21-22	FY 22-23	
West Nile Virus Surveillance Traps Set	310	381	↑	1,889	2,117	↑
West Nile Virus Surveillance Mosquitoes Tested	1,889	168	↓	21,516	29,024	↑
West Nile Virus Surveillance Submission Pools Tested	192	82	↓	1,560	2,219	↑
West Nile Virus Surveillance Positive Mosquitoes	0	0	→	82	0	↓
West Nile Virus Surveillance Positive Submission Pools	0	0	→	2	0	↓
Saint Louis Encephalitis Positive Mosquitoes	0	0	→	0	0	→
Saint Louis Encephalitis Positive Submission Pools	0	0	→	0	0	→
Western Equine Encephalitis Positive Mosquitoes	0	0	→	0	0	→
Western Equine Encephalitis Positive Pools	0	0	→	0	0	→
Mosquito Activity Complaints	1	2	↑	21	75	↑
Elevated Blood Level Home Investigations	1	0	↓	3	3	→
Legionella Residential Investigations	0	1	↑	7	16	↑
Legionella Travel Associated Investigations	2	5	↑	10	25	↑
Public Accommodations Inspections	19	23	↑	364	365	↑
Public Accommodations SB4 Inspections	73	22	↓	765	710	↓
Public Accommodations Complaints	12	8	↓	153	103	↓
Mobile Home/Recreational Vehicle Park Inspections	3	8	↑	166	188	↑
Mobile Home/Recreational Vehicle Park Complaints	0	1	↑	9	14	↑

IV. EH ENGINEERING

1. Solid Waste Plan Review Program (SWPR):

- A. **Permits Issued** – Discount Dumpsters (Modification)
- B. **Landfills** – Apex Regional Landfill; Boulder City Landfill; Laughlin Landfill; Nellis Air Force Base (Post Closure Monitoring); Timet; Sunrise Mountain (Post Closure Monitoring); and Wells Cargo
- C. **Facility Applications Being Processed** – Recycling Centers (4); and Waste Grease (2)
- D. **Facilities Planned for Approval at DBOH Meetings/SNHD Workshops in May:**
None

ENVIRONMENTAL HEALTH Asbestos Permitting Services – Fiscal Year Data

Asbestos Permitting Services	April 2022	April 2023		FY 21-22	FY 22-23	
Asbestos Permits Issued	81	88	↑	743	874	↑
Revised Asbestos Permits Issued	5	8	↑	70	109	↑

ENVIRONMENTAL HEALTH Subdivision Program – Fiscal Year Data

Subdivision Plan Review	April 2022	April 2023		FY 21-22	FY 22-23	
Tentative Maps-Received	19	18	↓	215	157	↓
Tentative Maps-Lot Count	921	808	↓	17,074	10,024	↓
Final Maps-Received	27	23	↓	304	234	↓
Final Maps-Lot Count	1,030	1,319	↑	15,420	10,402	↓
Final Maps-Signed	21	22	↑	204	209	↑
Final Maps (Signed)-Lot Count	1,282	1,103	↓	10,656	10,099	↓
Improvement Plans-Received	23	18	↓	280	211	↓
Improvement Plans-Lot Count	1,019	801	↓	14,842	10,232	↓
Expedited Improvement Plans-Received	0	0	→	1	2	↑
Expedited Improvement Plans-Lot Count	0	0	→	1	17	↑

ENVIRONMENTAL HEALTH Individual Sewage Disposal System (ISDS) Program – Fiscal Year Data

Individual Sewage Disposal Systems	April 2022	April 2023		FY 21-22	FY 22-23	
Residential ISDS Permits	7	7	→	102	66	↓
Commercial ISDS Permits	3	0	↓	9	2	↓
Commercial Holding Tank Permits	1	0	↓	16	27	↑
Residential Tenant Improvements	27	23	↓	272	259	↓
Residential Certifications	0	0	→	12	3	↓
Compliance Issues	12	5	↓	72	93	↑

ENVIRONMENTAL HEALTH Safe Drinking Water Program – Fiscal Year Data

Safe Drinking Water Program	April 2022	April 2023		FY 21-22	FY 22-23	
Public Water System Sanitary Surveys	3	0	↓	54	33	↓
Public Water System Violations Issued	9	55	↑	28	98	↑
Public Water System Complaints	0	0	→	0	0	→

2. Safe Drinking Water Activity:

A. No *coliform*-present results were reported from routine monitoring events.

- B. Staff continued to monitor water hauling activities for multiple public water systems: Trout Canyon; Laker Plaza; Red Rock Campground; Spring Mountain Youth Camp; and Cowboy Trail Rides.
- C. On April 25, staff hosted a meeting with the Bureau of Safe Drinking Water's Source Water Protection group. The meeting included a discussion about goals for future collaborations within Clark County.

V. **SPECIAL PROGRAMS**

ENVIRONMENTAL HEALTH Special Programs - Fiscal Year Data

Special Programs	April 2022	April 2023		FY 21-22	FY 22-23	
School Food Facility Inspections	75	103	↑	804	808	↑
School Food Facility Complaints	3	1	↓	6	6	→
School Facility Inspections	118	129	↑	970	970	→
School Facility Complaints	2	2	→	50	34	↓
Summer Food Service Surveys	0	0	→	36	59	↑
Child Care Facility Inspections	57	17	↓	360	243	↓
Child Care Facility Complaints	2	0	↓	16	3	↓
Body Art Facility Inspections	48	17	↓	399	281	↓
Body Art Facility Complaints	11	4	↓	32	44	↑
Body Art Artist Special Event Inspections	33	3	↓	177	55	↓
Total Program Services Completed	349	276	↓	2,850	2,503	↓

1. **Schools:**

- A. **Faith Lutheran High School, 2015 S. Hualapai Way:** During a routine inspection, staff identified sewage residue under one of the cooling towers. School Administration reported that the sewage residue was a result of a backup through the floor drain under the outside cooling tower. The sewer blockage had been cleared by an outside contractor, but the area had not been decontaminated and the sewage spill had not been reported to SNHD as required. Staff reminded School Administration of the requirement to report health hazards. School Administration will provide a written report on the spill, the repairs, the cleanup, and the decontamination to SNHD staff when the work is completed.
- B. **Clifford J. Lawrence Junior High School, 4410 S. Juliano Rd.:** Staff investigated a complaint alleging that there was an unpleasant odor in the cafeteria. Staff saw no evidence of sewage spills or overflowing floor drains/fixtures. An odor in the cafeteria was attributed to the cooking of broccoli. The complaint was not substantiated.
- C. **Silverado High School, 1650 Silver Hawk Ave.:** Staff investigated a complaint alleging that only one set of restrooms on campus was available for use by the students. Staff found all restrooms open and operational. School Administration reported that restrooms are only closed when in need of repair. The complaint was not substantiated.

2. **Body Art:**

- A. **Unpermitted Mobile Tattoo Business:** Representatives from the City of Las Vegas Business License Department reported that an unpermitted mobile tattoo business

was being operated throughout the valley. Staff used the information provided and determined that the business was operating at a residence inside the jurisdiction of Clark County. The complaint was forwarded to Clark County Code Enforcement for investigation and action.

- B. Dolce Salon and Beauty Bar, 4175 N. Rancho Dr.:** Staff responded to a complaint alleging that a tattooing procedure at the facility resulted in an infection. The complaint also alleged that the consent and aftercare forms were not reviewed or provided. Staff determined that the artist who provided the services was not permitted by SNHD and observed several unsanitary practices including open personal items mingled with tattooing equipment. A Cease-and-Desist Order was issued, and the complaint was referred to the City of Las Vegas Code Enforcement for investigation and action.
- C. Death or Glory Tattoo, 4110 S. Maryland Pkwy.:** During a routine inspection, staff observed that the workstation and restroom handwashing sinks did not have hot water. Facility staff attempted to repair the hot water system during the inspection but were unsuccessful. SNHD staff required that the workstation be removed from service until hot water was restored. Staff returned later that day and found both handwashing sinks providing water above 90°, and the workstation was put back into use.

VI. PLAN REVIEW PROGRAM

ENVIRONMENTAL HEALTH Plan Review Program - Fiscal Year Data

Food Pre-Permitting Services	April 2022	April 2023		FY 21-22	FY 22-23	
Food Safety Assessment Meetings	1	0	↓	6	6	→
Total Pre-Permitting Services	1,641	1,154	↓	13,546	12,430	↓
New Project Submissions	246	247	↑	2,949	2,729	↓
Released Projects	435	206	↓	3,095	2,542	↓
Total Service Requests Currently in Pre-Permitting	1,265	1,614	↑			

1. Enforcement Actions and Investigations:

- A. L & L Hawaiian BBQ, 2595 S. Maryland Pkwy.:** During a Change of Permit Holder (CPH) inspection, staff found violations such as household equipment, open seams, rusted shelving, and broken trim strips. Additionally, Time as a Public Health Control (TPHC) was used without a written procedure. TPHC is a method that food establishments can use to ensure food safety while holding food outside of safe temperatures. A written procedure for TPHC is required to ensure potentially hazardous foods are not held in the temperature danger zone for too long. The permit was approved with stipulations.
- B. Port of Subs #54,10260 W. Charleston Blvd.:** A CPH inspection resulted in a referral to the City of Las Vegas Public Works Department (CLVPWD) due to lack of a grease interceptor. SNHD Regulations require installation of a grease interceptor when required by the sewer authority. If the grease interceptor must be installed indoors, the permit holder must apply for a remodel with SNHD. The permit was approved with the stipulation to apply for a remodel if an interceptor is required.

- C. Angelina's Pizzeria, 5025 S. Eastern Ave.:** A survey was conducted to assess plumbing in the dishwashing room. Facility management had removed a dishwasher, three-compartment sink, and handwashing sink from service due to plumbing problems with the floor sink and main waste lines. Fortunately, there was another three-compartment sink in the facility that could be used for ware washing. Since the dishwashing room fixtures are not operational, the operator may opt to remove the fixtures or reroute the drain lines. SNHD Regulations require that changes to plumbing fixtures or equipment have prior Plan Review approval. The permit holder was directed to apply for a remodel.
- D. Purified Water to Go, 4155 S. Buffalo Dr.:** A CPH inspection resulted in closure after algae-like growth was observed throughout the water filtration system. Additionally, the filtration media used in the alkalized water system was not approved due to lack of proof that it was safe for use in food applications. SNHD Regulations require water filters to be made of approved materials and that system flushing and disinfection occur if there are suspected contaminants. The water system was disinfected and flushed, and a water test was provided to SNHD. A reinspection resulted in permit approval with a stipulation to provide additional information for the alkaline filter media prior to use. The permit holder contracted with a Food Safety Consultant to assist with regulatory compliance.
- E. 7-Eleven #24799C, 2683 S. Maryland Pkwy.:** During a CPH inspection, staff found that the facility did not have a grease interceptor. SNHD Regulations require a grease interceptor in any food establishment that generates grease that could enter a sewer system. The permit holder was referred to Clark County Water Reclamation District to ensure compliance with grease capture. The permits were approved with stipulations.
- F. Flip N Out Xtreme Henderson, 1235 W. Warm Springs Rd.:** During a CPH inspection, staff found no violations, but the owner stated that his two-door refrigerator will be exchanged for a two-door freezer as all the foods are stored frozen. SNHD Regulations allow for the replacement of equipment without submitting remodel plans if the equipment is similar in design, function, use, maintenance, and does not alter the overall layout of the facility. The permit was approved.
- G. John C. Fremont Middle School, 1100 E. Saint Louis Ave.:** A final permitting inspection of a new middle school and kitchen resulted in approval. During the plan review process, the school made major revisions to include removal of playgrounds, a kitchen redesign, and addition of a gym. The original plan was submitted for grades K-8 but changed to grades 6-8. There are several specialty classrooms including medical labs, robotics, and a band room with roll-up doors so that equipment can be moved in and out easily.

VII. AQUATIC HEALTH PROGRAM

**ENVIRONMENTAL HEALTH Aquatic Health Operations Program
- Fiscal Year Data**

Aquatic Health Operations	April 2022	April 2023		FY 21-22	FY 22-23	
Total Operation Inspections	645	583	↓	3,957	5,343	↑
Complaint Investigations	31	16	↓	140	187	↑
Inactive Body of Water Surveys	2	11	↑	63	69	↑
Drowning/Near Drowning/Accident Investigations at Permitted Facilities	4	0	↓	32	35	↑
Total Program Services Completed	682	610	↓	4,192	5,634	↑

1. Aquatic Health Operations

- A. Mariner Shores, 2201 N. Buffalo Dr.:** Routine inspections at the pool and spa resulted in IHH closures for a gate not self-closing. Improperly functioning gates can allow unauthorized access to the aquatic venue and increase the risk of drowning for children. A reinspection was conducted, and the pool and spa were reopened.
- B. Three Crowns Mobile Home Park, 867 N. Lamb Blvd.:** Routine inspections at the pool and spa resulted in IHH closures due to no detectable disinfectant in either venue, potentially exposing bathers to pathogens. Additionally, the spa pump was not operating, exposing bathers to water that was not filtered or circulated. A reinspection is still pending.
- C. The Pearl at St. Rose, 10250 Spencer St.:** Routine inspections at the pool and spa resulted in closures for IHHs. A gate was not self-closing and self-latching, and the pool and spa disinfectant levels were low. The pool also had excessive cyanuric acid, which reduces the effectiveness of the disinfectant. A reinspection is still pending.
- D. Hawthorn Suites, 910 S. Boulder Hwy.:** Routine inspections at the pool and spa resulted in closures for IHHs. The ground fault circuit interrupter (GFCI) for the underwater lights was not working, posing an electrocution risk to bathers. The spa had no detectable disinfectant and two broken drain covers, creating an entrapment risk. A reinspection is still pending.
- E. Village at Viking Road Apartments, 3513 E. Viking Rd.:** A routine inspection at the pool resulted in an IHH closure due to excessive disinfectant and cyanuric acid levels. High levels of disinfectant can result in skin and eye irritation to bathers. A reinspection is still pending.
- F. Cannery Hotel and Casino, 2121 E. Craig Rd.:** Routine inspections at the pool and spa resulted in IHH closures. All the enclosure gates failed to self-close, and the pool and spa had no detectable disinfectant residual. The aquatic venues were reopened after reinspections were conducted and approved.
- G. Cimarron West Homeowner’s Association, 817 Pepperwood Ln.:** A routine inspection at the south pool resulted in an IHH closure due to lack of self-latching hardware on the gate. A reinspection is still pending.
- H. Resort at the Lakes, 9999 W. Katie Ave.:** Routine inspections at the pools and spas resulted in IHH closures. The phase one spa had no detectable disinfectant, and the phase two pool and spa had low disinfectant. The aquatic venues were reopened after reinspections were conducted and approved.
- I. Tides on Valley View, 2301 S. Valley View Blvd.:** A complaint investigation resulted in closure for an IHH. The pool water was green with no detectable disinfectant, and

the main drain was not visible. Water that is not clear prevents seeing a bather in need of rescue. Additionally, a space of more than seven inches was present under the enclosure, creating a risk for unauthorized access of children to the pool. Onsite maintenance addressed the enclosure violation during the complaint investigation. The water was cleaned within the allowed 72-hour timeframe, and a photo was provided showing the condition corrected. A reinspection is still pending.

- J. **The Gramercy Residencies, 9255 W. Russell Rd.:** A routine inspection at the spa resulted in closure for IHHs. The disinfectant residual measured high, and the water temperature was over 104°F. High water temperature can lead to heat stress, dehydration, burns, and rashes. Elevated disinfectant levels can result in irritation of skin and mucous membranes. The aquatic venue was reopened after a reinspection was conducted and approved.

**ENVIRONMENTAL HEALTH Aquatic Health Plan Review
Program - Fiscal Year Data**

Aquatic Health Plan Review	April 2022	April 2023		FY 21-22	FY 22-23	
Total Pre-Permitting Services	539	560	↑	6,309	6,403	↑
New Project Submissions	100	78	↓	816	843	↑
Released Projects	118	97	↓	681	772	↑
Total Projects Currently in Plan Review	451	518	↑			

2. **Aquatic Health Plan Review:**

- A. **Suncoast Hotel and Casino, 9090 Alta Dr.:** A pre-plaster inspection for the new spa was not approved due to noncompliant stairs, equipment room lighting, and area lighting. The contractor was able to correct the noncompliant stairs and a reinspection was approved on the same day contingent upon lighting issues being corrected by the final permitting inspection. All corrections were completed, and the final permitting inspection was approved.
- B. **Desert Club Resort Holiday Inn, 3950 Koval Ln.:** A final permitting inspection was conducted for the activity pool and spa. The permits were not approved due to a noncompliant enclosure, equipment installed not in accordance with approved plans, leaking chemical feeders, missing aquatic facility signage, and unbalanced chemicals in bodies of water. A reinspection was conducted, and the permits were approved once corrections had been made and an operational plan was submitted for the enclosure.
- C. **Red Rock Casino, 11011 W. Charleston Blvd.:** A final remodel inspection was conducted on the lap spa. The remodel scope of work was approved but the drain covers at the bottom of the spa were chipped. Any submerged drain covers that are in disrepair can cause suction entrapments. The spa was not approved to reopen until the drain covers were replaced. The permit holder made the necessary corrections, and the lap spa was approved to reopen.
- D. **Parq at Camino Apartments, 4555 N. Camino Al Norte:** Lighting surveys and pre-plaster inspections were conducted for the new pool and spa. Lighting did not meet the required illumination levels on the water surface and deck area, the landscaping was incomplete, and the gate self-latching hardware was not compliant. A pre-plaster inspection cannot be approved until all work in the enclosure is completed and the aquatic venue enclosure is compliant. Reinspections are still pending.

- E. Tides on Tropicana, 4800 E. Tropicana Ave.:** A plumbing inspection was conducted on the pool, which was undergoing replaster, installation of drain covers, and installation of vertical depth markers. The existing plumbing configuration for one of the proposed drain covers did not meet the pipe size requirements, so the applicant will need to provide an alternate model. A final remodel inspection is still pending.
- F. Virgin Hotel, 4455 S. Paradise Rd.:** During a plumbing inspection at the main pool for new drain covers, multiple suction lines were obstructed with foam and plaster. Obstructions in plumbing can result in improper flow through the suction system, as well as present an entrapment risk. The contractor was able to remove the obstructions and the inspection was approved.
- G. Tarry Towne Pool, 2450 Old Forge Ln.:** A plumbing inspection for the pool drain cover replacement was conducted, and the measured sump depths for the skimmer equalizer line did not meet the required sump depth per the manufacturer's requirements. Improper sump depth can lead to a possible entrapment hazard for bathers. The contractor was required to excavate the minimum 3-inch sump depth and submit corrections to SNHD prior to replaster. Follow-up documentation indicating that sump requirements were met was received.

VIII. REGULATORY SUPPORT

1. Regulatory Support Office (RSO) staff participated in or performed the following activities and participated in the following external meetings: Conference for Food Protection (CFP) Food Safety Management Systems Committee, National Environmental Health Association (NEHA) Food Safety Program Committee, Association of Food and Drug Officials (AFDO) Partnership for Food Protection (PFP) Training and Credentialing meetings, Retail Flexible Funding Model (RFFM) Mentorship Program meetings, Food and Drug Administration (FDA) 50-State Conference call regarding CFP issues, AFDO Regulator Calls for CFP issues, 2nd Quarter Food Safety Partnership meeting, CFP Council Orientation, NEHA Leadership Academy mentor meetings; Violation Standards Document updates, Food Establishment Inspection Report Form updates, and regulation training preparation meetings.
2. RSO Supervisor attended CFP Biennial meeting as a board member and Council II voting member in Houston, Texas from April 23 to 28.
3. RSO staff welcomed four new hires: Joy Bidinger, Joy Goldman, Kaleya Baker, and Sandra Andres-Mejia to the food inspection training program on April 28.
4. RSO staff released Alyssa Ross to the Paradise Office on April 28.
5. Staff provided industry training for the new 2023 Food Regulations on April 3, 4, 6, and 12, including three hybrid, in-person/virtual, industry training sessions on April 6 and April 12. Topics included the major changes to the regulations and a review of the updated food establishment inspection form.
6. RSO Special Processes staff met with various operators in a virtual setting, via phone calls and WebEx meetings, regarding submission of labels for review, waivers, operational plans, and Hazard and Critical Control Point (HACCP) plans. There are currently five cook chill/sous vide plans, five 2-barrier plans, 15 other HACCP plans, 11 waivers, and two operational plans in review.

IX. SPECIAL PROCESSES

ENVIRONMENTAL HEALTH Label Review – Fiscal Year Data

Label Review	April 2022	April 2023		FY 21-22	FY 22-23	
Facility Label Review Submissions	24	13	↓	226	227	↑
Facility Label Review Releases	30	23	↓	251	222	↓
Number of Labels Approved	269	372	↑	3,415	2,956	↓

ENVIRONMENTAL HEALTH Special Processes Plan Review - Fiscal Year Data

Special Processes Review	April 2022	April 2023		FY 21-22	FY 22-23	
Cook Chill/Sous Vide Submissions	1	0	↓	3	3	→
Cook Chill/Sous Vide Releases	0	0	→	3	5	↑
2-Barrier ROP Submissions	0	0	→	0	6	↑
2-Barrier ROP Releases	0	0	→	0	8	↑
Other HACCP Special Processes Submissions (Including ROP of fish, unpasteurized durably packaged juice, preservation, curing, etc.)	0	0	→	2	5	↑
Other Special Processes Releases	0	0	→	2	5	↑

ENVIRONMENTAL HEALTH Special Processes Waivers & Operational Plans Review - Fiscal Year Data

Waivers & Operational Plans Review	April 2022	April 2023		FY 21-22	FY 22-23	
Waiver Review Submissions	0	0	→	13	10	↓
Waiver Review Releases	0	0	→	11	9	↓
Operational Plan Submissions	1	0	↓	3	1	↓
Operational Plan Releases	0	0	→	4	2	↓