

| Disease | 2020 | | 2021 | | 2022 | | Rate (Cases per 100,000 per quarter) | | Quarter Rate Comparison |
|---|-------|-------|-------|-------|-------|-------|--------------------------------------|--------------|-----------------------------------|
| | Qtr 4 | YTD | Qtr 4 | YTD | Qtr 4 | YTD | Qtr 4 (2017-2021 aggregated) | Qtr 4 (2022) | Change b/t current & past 5-year? |
| VACCINE PREVENTABLE | | | | | | | | | |
| Haemophilus influenzae, invasive | 4 | 12 | 4 | 13 | 9 | 24 | 0.09 | . | ↑ |
| Hepatitis A | 4 | 18 | 2 | 3 | 1 | 7 | 0.07 | . | ↓ |
| Hepatitis B, acute | 3 | 12 | 4 | 15 | 3 | 19 | 0.05 | . | ↓ |
| Hepatitis B, chronic | 120 | 470 | 126 | 539 | 153 | 669 | 1.47 | 2.16 | ↑X |
| Influenza | 20 | 884 | 26 | 73 | 664 | 1089 | 3.63 | 9.39 | ↑X |
| Meningococcal disease (<i>N. meningitidis</i>) | 0 | 1 | 0 | 0 | 0 | 0 | . | . | ↓ |
| Mumps | 0 | 0 | 0 | 0 | 1 | 2 | . | . | ↑ |
| Pertussis | 0 | 6 | 11 | 24 | 18 | 81 | 0.10 | 0.25 | ↑X |
| SEXUALLY TRANSMITTED | | | | | | | | | |
| Chlamydia | 3290 | 13157 | 3079 | 13030 | 2952 | 12497 | 41.80 | 41.73 | ↓ |
| Gonorrhea | 1787 | 5787 | 1658 | 7186 | 1548 | 6299 | 19.18 | 21.88 | ↑X |
| HIV | 56 | 293 | 73 | 421 | 106 | 441 | 1.04 | 1.50 | ↑X |
| Stage 3 HIV (AIDS) | 18 | 108 | 29 | 174 | 35 | 150 | 0.44 | 0.49 | ↑ |
| Syphilis (Primary & Secondary) | 168 | 642 | 171 | 733 | 150 | 703 | 2.03 | 2.12 | ↓ |
| Syphilis (Early non-primary, non-secondary) | 130 | 407 | 147 | 662 | 232 | 720 | 1.56 | 3.28 | ↑X |
| CONGENITAL CONDITIONS | | | | | | | | | |
| Congenital Syphilis | 13 | 43 | 11 | 35 | 12 | 48 | 0.13 | 0.17 | ↑ |
| Hepatitis C, Perinatal Infection | 2 | 2 | 3 | 6 | 0 | 0 | . | . | ↓ |
| ENTERICS | | | | | | | | | |
| Amebiasis | 1 | 8 | 0 | 2 | 0 | 1 | . | . | ↓ |
| Campylobacteriosis | 35 | 127 | 20 | 125 | 36 | 128 | 0.38 | 0.51 | ↑ |
| Cryptosporidiosis | 2 | 11 | 3 | 16 | 5 | 17 | 0.03 | . | ↑ |
| Giardiasis | 8 | 30 | 13 | 44 | 10 | 42 | 0.14 | . | ↓ |
| Rotavirus | 6 | 21 | 7 | 29 | 7 | 133 | 0.08 | . | ↑ |
| Salmonellosis | 18 | 120 | 33 | 150 | 33 | 155 | 0.39 | 0.47 | ↑ |
| Shiga toxin-producing <i>E. coli</i> (STEC) | 8 | 26 | 5 | 54 | 17 | 71 | 0.09 | 0.24 | ↑X |
| Shigellosis | 11 | 52 | 17 | 73 | 18 | 72 | 0.28 | 0.25 | ↓ |
| Vibriosis (Non-cholera <i>Vibrio</i> species infection) | 0 | 3 | 2 | 4 | 2 | 7 | . | . | ↑ |
| Yersiniosis | 1 | 5 | 3 | 11 | 2 | 8 | . | . | ↑ |
| OTHER | | | | | | | | | |
| Coccidioidomycosis | 47 | 167 | 48 | 169 | 44 | 144 | 0.52 | 0.62 | ↑ |
| Encephalitis | 0 | 1 | 0 | 1 | 2 | 15 | . | . | ↑ |
| Exposure, Chemical or Biological | 0 | 0 | 1 | 3 | 0 | 9 | . | . | ↓ |
| Hepatitis C, acute | 0 | 4 | 0 | 2 | 1 | 3 | 0.05 | . | ↓ |
| Hepatitis C, chronic | 785 | 3769 | 693 | 3106 | 586 | 2747 | 9.31 | 8.28 | ↓X |
| Invasive Pneumococcal Disease | 29 | 179 | 49 | 130 | 94 | 220 | 0.68 | 1.33 | ↑X |
| Lead Poisoning | 23 | 98 | 18 | 97 | 36 | 134 | 0.38 | 0.51 | ↑ |
| Legionellosis | 4 | 25 | 6 | 22 | 3 | 25 | 0.06 | . | ↓ |
| Listeriosis | 1 | 2 | 2 | 2 | 1 | 4 | . | . | ↓ |
| Lyme Disease | 1 | 4 | 3 | 13 | 2 | 8 | . | . | ↑ |
| Malaria | 0 | 1 | 1 | 2 | 0 | 7 | . | . | ↓ |
| Meningitis, Aseptic | 11 | 66 | 7 | 33 | 8 | 33 | 0.12 | . | ↓ |
| Meningitis, Bacterial Other | 10 | 24 | 4 | 12 | 4 | 10 | 0.09 | . | ↓ |
| Meningitis, Fungal | 1 | 4 | 0 | 4 | 0 | 8 | . | . | ↓ |
| RSV | 8 | 1733 | 1992 | 2687 | 4519 | 5655 | 7.98 | 63.88 | ↑X |
| Spotted Fever Rickettsiosis | 0 | 0 | 0 | 1 | 1 | 1 | . | . | No Change |
| Streptococcal Toxic Shock Syndrome (STSS) | 3 | 22 | 0 | 17 | 5 | 10 | 0.04 | . | ↑ |
| Tuberculosis, Active | 12 | 51 | 21 | 59 | 8 | 51 | 0.21 | . | ↓ |
| West Nile Virus neuroinvasive disease | 0 | 1 | 0 | 0 | 0 | 0 | . | . | No Change |

*Use of illness onset date in data aggregation for cases other than STD or TB (since Jan-2013) causes changes in cases reported here from previously released reports. Numbers are provisional including confirmed, probable, and suspect cases that are reportable to CDC. HIV/AIDS/TB case counts are provided on a quarterly basis. Rate suppression denoted by '.' for rates corresponding to case counts < 12.

~Diseases not reported in the past five years (aggregate data) and not reported during the current reporting period are not included in this report.

0--Confidence intervals (not shown) for the quarterly disease incidence rates provided a basis for an informal statistical test to determine if the current quarterly rates changed significantly from those of the previous 5-year aggregated rates. Green text represents rates that decreased significantly, whereas red text represents rates that increased significantly. Statistically significant changes are indicated by 'X.'