



Southern Nevada Health District Weekly Influenza Surveillance Snapshot

2025–2026 Season
SNHD Office of Epidemiology

Influenza surveillance for Clark County, Nevada includes data collected from local acute care hospitals and other healthcare providers. In Clark County, as of October 11, 2025, for the 2025–2026 influenza season, 4 influenza-associated hospitalizations were reported. Currently, there have been 0 deaths associated with influenza reported for the season. The percentage of emergency room (ER) and urgent care clinic visits for influenza-like illness [ILI (fever plus cough or sore throat)] increased from 1.3% in week 40 to 1.5% in week 41. Currently, Influenza A has been the predominant strain detected within the region. The Southern Nevada Health District (SNHD) will continue to update the public on the progression of the influenza season and encourage influenza vaccination for all persons 6 months of age and older without contraindications.

*Please note that due to the government shutdown certain data elements of this report provided by the Centers for Disease Control and Prevention are not currently available. These elements will be restored once available.

Table 1: Influenza Report by Age Group — Clark County, NV (CDC Week 40, 2025 to Week 41, 2025)

Age Group	Hospitalized	Hospitalized Deaths	Non-Hospitalized Deaths	Confirmed Cases
25-49	1	0	0	1
50-64	1	0	0	1
65+	2	0	0	2
Total	4	0	0	4

Data source: SNHD EpiTrax Warehouse

Note: This report does not include cases diagnosed by Rapid Influenza Diagnostic Test without hospitalization.

The total number of confirmed influenza cases is determined by taking the sum of hospitalizations and Deaths W/O hospitalization history.

Table 2: Influenza Report by Virus Strain — Clark County, NV (CDC Week 40, 2025 to Week 41, 2025)

Influenza Type	Hospitalized	Deaths	Confirmed Cases
Influenza A (RIDT)	3	0	3
Influenza B (RIDT)	1	0	1
Total	4	0	4

Data source: SNHD EpiTrax Warehouse

Confirmed Cases are defined as a case that meets laboratory criteria AND had a hospitalization (>24 hours) or has died.

In rare instances where both Influenza A and B were detected for the same individual, the case is counted under both virus types. Totals therefore represent laboratory detections rather than unique persons.

Figure 1: Percentage of Clark County Deaths Registered with Pneumonia and/or Influenza (P&I) by Week for three prior Influenza Seasons






Figure 2: Distribution of Influenza Cases by Virus Strain — Clark County, NV (CDC Week 40, 2025 to Week 41, 2025)



Data Source: SNHD EpiTrax Warehouse


*Counts represent laboratory detections. In rare cases, individuals testing positive for both Influenza A and B are included under both virus types.

Figure 3: Weekly Proportion of Emergency Room and Urgent Care visits for Influenza-Like Illness (ILI), Clark County, NV (CDC Week 40, 2025 to Week 41, 2025)




*Data Source: Centers for Disease Control and Prevention.
National Syndromic Surveillance Program (ESSENCE).*

Figure 4: Age Distribution of Emergency Room and Urgent Care Clinic Visits for Influenza-Like Illness (ILI), Clark County, NV (CDC Week 40, 2025 to Week 41, 2025)



Data Source: Centers for Disease Control and Prevention. National Syndromic Surveillance Program. ESSENCE

Figure 5: Confirmed Influenza Cases with Hospitalization or Death — Clark County, NV, for the last three Influenza Seasons



Data Source: SNHD EpiTrax Warehouse
 Confirmed Cases include lab-confirmed cases with hospitalization (>24h) or death.
 Weeks with no reported hospitalized or fatal influenza cases at time of reporting are not shown.
 Total Confirmed Cases(Week 40 - 20):
 1436 (2023-2024)
 1906 (2024-2025)
 4 (2025-2026)

**Figure 6: National Outpatient Respiratory Illness Activity Level — 2025–2026
Influenza Season, CDC Week 41 ending October 11, 2025**

Data for MMWR Week 41 is not
currently available

Additional Notes:

Confirmed Cases = Laboratory confirmed by PCR, culture, immunofluorescent antibody staining (direct or indirect), IHC antigen staining, rapid influenza diagnostic tests (RIDTs) with hospitalizations for 24 hours or longer, or with deaths. This weekly report is only a reflection of the hospitalized cases and deaths reported for the current influenza season (Table 1 and Table 2). The number of total confirmed cases in Figure 5 includes number of hospitalizations, deaths with hospitalizations and deaths without hospitalizations.

Note: The total number of confirmed cases presented in this report is subject to changes due to possible delays in reporting and processing. For additional information regarding SNHD influenza surveillance, please visit us at <http://southernnevadahealthdistrict.org/stats-reports/influenza-surveillance.php>.

Prepared by the Office of Epidemiology Southern Nevada Health District